

Radiogram No. 3291u

Form 24 for 06/08/2010

ВД-СУ MODE AND БИТС POWER OFF/ON

GMT	CREW	ACTIVITY
06:00-06:05	CDR	Elektron-VM Aerosol Filter Inspection
06:00-06:10	FE-2, FE-3	Morning Inspection
06:05-06:10	CDR	Morning Inspection
06:10-06:40		Post-sleep
06:40-07:30		BREAKFAST
07:30-07:45		Daily Planning Conference (<i>S-band</i>)
07:45-07:55		Work Prep
07:55-09:25	CDR, FE-3	Replacing ББ-3 Cycle Ergometer with the upgraded model ББ-3М
07:55-08:05	FE-2	DECLIC Hard Disk Drive Removal
08:05-08:15	FE-2	DECLIC Removable Hard Disk Drive Installation
08:15-10:15	FE-2	PBA Inspection
09:25-09:35	CDR, FE-3	ON MCC GO Mate ББ-3М Telemetry Connectors to БИТС2-12. <i>Tagup with specialists (S-band)</i>
09:35-10:05	CDR, FE-3	Replacing ББ-3 Cycle Ergometer with the upgraded model ББ-3М. Closeout Ops. <i>Tagup with specialists (S-band)</i>
10:05-11:05	CDR	Physical Exercise (VELO), Day 3
10:05-11:05	FE-3	Physical Exercise (ARED)
10:15-11:15	FE-2	Physical Exercise T2
11:15-11:30	FE-2	ARED Flywheel Cylinder Evacuation
11:20-12:20	FE-3	RUSALKA Setup, photo/video, and cleanup
11:30-13:00	CDR	SM Ventilation System Preventive Maintenance. Group A
11:30-13:00	FE-2	Physical Exercise (ARED)
12:20-13:00	FE-3	COЖ Maintenance
13:00-14:00		LUNCH
14:00-14:15	FE-3	RUSALKA Terminate Data Copy and Downlink via OCA
14:00-14:10	FE-2	Relocate items in front of Biolab
14:00-14:20	CDR	Removal of MRM1 CCA - АБУ ССВП, БУП1, ПБУ Automatic Control Equipment. Preparation. <i>Tagup with specialists (S-band) (Discard removed equipment to Progress 405)</i>
14:10-14:40	FE-2	BLB Photography
14:20-16:00	CDR	On MCC Go: Removal of MRM1 CCA - АБУ ССВП, БУП1, ПБУ Automatic Control Equipment. <i>Tagup with specialists (S-band)</i>
14:40-14:55	FE-3	Private Medical Conference (<i>Ku+S-band</i>)
14:40-15:10	FE-2	Biolab Thermal Control Unit Outfitting with Magnetic Foils to support AEC Install
14:55-16:25	FE-3	Physical Fitness Evaluation (on treadmill)
15:10-15:25	FE-2	Biolab Velcro Strap Exchange
15:25-15:35	FE-2	COL-VCA Bracket Adjustment
15:35-15:45	FE-2	Mating OGS Q/D connectors
15:45-16:00	FE-2	EHS Gas Analyzer Replacement
16:00-16:15	CDR	Private Medical Conference (<i>Ku+S-band</i>)
16:10-16:20	FE-2	Glove Box (MSG) Activation

16:15-16:25	CDR	PAO Hardware Setup
16:20-16:50	FE-2	CSLM2 - Vacuum Vent Start 1
16:25-16:45	CDR, FE-3	ISS-MCC TV Greeting to V. M. Komarov School Graduates. Day Of Russia Greetings (<i>Ku+S-band</i>)
16:45-16:55	CDR	PAO Hardware Deactivation
16:45-16:55	FE-3	On MCC GO Demating TLM connectors prior to AI and БКП removal
16:50-17:35	FE-2	Sleep Actiwatch Battery Swap/Data Download
16:55-18:10	FE-3	Replacement of БКП and AI CPK boxes
17:10-18:40	CDR	Physical Exercise (TVIS), Day 3
17:35-18:00	FE-2	Installation of Biolab Reference Experiment Containers (RECs) on Rotor A and B
18:10-18:20	FE-3	On MCC Go Connecting cables to TLM system
18:10-18:50	FE-2	Evening Work Prep
18:20-18:30	FE-3	Replacement of БКП and AI CPK boxes. Closeout ops
18:30-18:40	FE-3	TVIS Weekly Maintenance
18:40-18:45	CDR	Elektron-VM Aerosol Filter Inspection
18:50-19:05	.	Daily Planning Conference (<i>S-band</i>)
19:05-19:15	FE-3	Monitoring Secondary Purification Unit Temperature After Elektron Activation
19:05-19:30	CDR	Evening Work Prep
19:15-19:30	FE-3	Evening Work Prep
19:15-19:30	FE-2	Private Medical Conference
19:30-19:35	FE-2	MPC Power Up
19:30-21:30	CDR, FE-3	Pre-sleep
19:35-21:25	FE-2	Pre-sleep
21:25-21:30	FE-2	MPC Power Down
21:30-06:00		SLEEP

Notes:

1. SM Window #9 shutter opening is at crew discretion w/ **Report to MCC**
 2. See OSTP for references to US activities
 3. Pre-sleep ops: dinner, daily food prep, evening toilet
- End of Radiogram