

Sensors

Nanostructure Sensing and Transmission of Gas Data

Wireless Transmission of Data Provided by Nanostructure-based Chemical and Physical Sensors

This system provides one or more sensors for selected chemicals (all using nanostructure sensors with small physical sizes), one or more sensors for physical parameters (e.g. voltage or current), a multiplexer to receive and interleave the measured data stream values from the sensors according to a selected interleaving pattern, and a wireless transmission module to transmit the measured values to a receiver and data analyzer. The overall sensor system consists of a chemical sensor module, a microcontroller-based data acquisition module, a multiplexer and constant current source module, and a wireless communications module. The chemical sensor module is based on the use of an interdigitated electrode (IDE) configuration. In one embodiment, the system has 32 channels of chemical sensing elements, arranged in an IDE configuration, having pure single-wall carbon nanotubes (SWCNTs), polymer-coated SWCNTs, and/or metal nanoclusters or doped SWCNTs. When exposed to a vaporphase analyte, each sensing element in the array responds uniquely.


BENEFITS

- Sensors can detect low ppm toxins
- Detection range from ppm (parts per million) to ppb (parts per billion)
- Response time in seconds at room temperature
- Low power: microWatt to milliWatt per sensor
- Small footprint: sensor chip size is 1 cm**2 with 12 to 256 channels

technology solution

THE TECHNOLOGY

At the center of the data acquisition system is a microcontroller that samples each sensor element through a set of four multiplexers. Each MUX reads signals from a group of eight chemical sensing elements. The LM234A constant current source is used to provide a constant current (100 uA) to each sensing element. The current level is dependent upon the base resistances of different nanostructure sensing materials. Four of these devices (or one device if the sensing materials have similar base resistances) are used to excite each group of eight chemical sensing elements. Conductivity or resistance is measured by supplying a constant current and measuring the corresponding voltage difference across the sensor. Also included in the data system is temperature measurement by using an AD22100K temperature sensor. The microcontroller reads all 32 chemical sensor and temperature values and generates a serial data output that can be connected directly to a wireless serial device server for wireless data transmission, or to an RS-232 serial data output to a PC for data logging. Each of the individual sensors has its own data reporting cycle, and it is assumed that these reporting cycles are numerically compatible. In the first approach, each of the reporting cycles has the same length Δt , and the four sensors report to the multiplexer in a consecutive interleave pattern. This innovation is self-contained and portable, and wirelessly transmits measurement data to a PC, using an IEEE802.11a, 802.11b, or 802.15 wireless LAN protocol. The footprint of the invention has a diameter as small as a few centimeters.



Sensor



Using nanostructure sensing, a sensor can receive, analyze, and communicate the results of a chemical or gas presence using wireless transmission.

APPLICATIONS

The technology has several potential applications:

- Fuel leak detection for launchvehicles
- Air monitoring in ISS, shuttle, and CEV
- UAV surveillance of global weather and forest fire monitoring
- Radiation detection
- Defense and Homeland security; i.e., gas detection
- Process control
- Environmental monitoring
- Medical diagnosis
- Cellphone Sensors

PUBLICATIONS

Patent No: 7,968,054

National Aeronautics and Space Administration

Technology Partnerships Office

Ames Research Center

MS 202A-3
Moffett Field, CA 94035
855-627-2249
ARC-TechTransfer@mail.nasa.gov

<http://technology.nasa.gov/>

www.nasa.gov

NP-2015-02-1416-HQ

NASA's Technology Transfer Program pursues the widest possible applications of agency technology to benefit US citizens. Through partnerships and licensing agreements with industry, the program ensures that NASA's investments in pioneering research find secondary uses that benefit the economy, create jobs, and improve quality of life.

ARC-16013-1

