National Aeronautics and Space Administration



Cislunar and Gateway Overview

William Gerstenmaier, HEOMD AA Jason Crusan, AES Director and Gateway Formulation Lead NASA HQ

SPACE POLICY DIRECTIVE-1





"Lead an innovative and sustainable program of exploration with commercial and international partners to enable human expansion across the solar system and to bring back to Earth new knowledge and opportunities.

Beginning with missions beyond low-Earth orbit, the United States will lead the return of humans to the Moon for long-term exploration and utilization, followed by human missions to Mars and other destinations."

LEADING FUTURE EXPLORATION - STRATEGIC PRINCIPLES





Fiscal Realism | Commercial & International Partnerships | Scientific Exploration Technology Pull and Push | Gradual Buildup of Capability Architecture Openness and Resilience Global Collaboration and Leadership | Continuity of Human Spaceflight

PATH TO LUNAR SURFACE



The Gateway





The Gateway Objectives

NASA shall establish a Gateway to enable a sustained presence around and on the Moon and to develop and deploy critical infrastructure required for operations on the lunar surface and at other deep space destinations.

- The Gateway shall be utilized to enable human crewed missions to cislunar space including capabilities that enable surface missions. (*Crewed Missions*)
- The Gateway shall provide capabilities to meet scientific requirements for lunar discovery and exploration, as well as other science objectives. (*Science Requirements*)
- The Gateway shall be utilized to enable, demonstrate and prove technologies that are enabling for Lunar missions and that feed forward to Mars as well as other deep space destinations. (*Proving Ground & Technology Demonstration*)
- NASA shall establish industry and international partnerships to develop and operate the Gateway. (*Partnerships*)

GATEWAY An exploration and science outpost in orbit around the Moon

Power and Propulsion Element: Power, communications, attitude control, and orbit control and transfer capabilities for the Gateway.





ESPRIT: Science airlock, additional propellant storage with refueling, and advanced lunar telecommunications.

capabilities.

U.S. Utilization Module:

Small pressurized volume for additional habitation capability.



Habitation Modules:

Pressurized volumes with environmental control and life support, fire detection and suppression, water storage and distribution.

Robotic Arm: Mechanical arm to berth and inspect vehicles, install science payloads.

Logistics and Utilization: Cargo deliveries of consumables and equipment. Modules may double as additional utilization volume.

Airlock: Enables spacewalks, potential to accommodate docking elements.

E

Vehicle:

U.S.

6

Е

TBD: U.S. and/or

International

NASA-led architecture and integration

International

Sample Return

A robotic vehicle capable of delivering small samples or payloads from the lunar surface to the Gateway.

Orion:

U.S. crew module with ESA service module that will take humans farther into deep space than ever before.

Gateway Compared to the International Space Station

The International Space Station is a permanently crewed research platform that has 11 modules and is the size of a football field.

> The Gateway is a much smaller, more focused platform for extending initial human activities into the area around the Moon.

Gateway Modules



ADVANCED SEP

Power and Propulsion Element: 2022 Power, in-space transportation, and initial lunar communications



 One or more competitive awards to U.S. industry

Launching 2022 on partner-provided commercial launch vehicle.

Acquisition time: 3 vears

ENHANCED HABITATION



Launch package: ESPRIT and U.S. utilization module: 2023

ESPRIT provides PPE refueling, science airlock and additional lunar communications. The U.S. Utilization Element provides initial habitation volume and logistics for up to 15 days



- International partner provided
- Launching NET
 - 2023 on SLS
- Acquisition time: 3-4 years



- Launching NET 2023 on

U.S. Utilization Module:

- Provided by NASA
- SLS
- Acquisition time: 3-4 years

EVA CAPABILITY

Airlock: Enables EVAs and additional docking

 Acquisition approach deferred until 2020



· Acquisition time: 3-6 years

ENHANCED SCIENCE & OPERATIONS

Launch package: Provides logistics and utilization payloads, external robotic capabilities



Logistics:

- U.S. and international partner provided
- Earliest delivery 2024
- Acquisition time: 3-4 years



Robotic Arm:

- International partner provided
- Earliest delivery on first logistics flight (2024)



International Partner Habitat*:

Two habitats provide increased volume for crew operations and science.

Launching NET 2024 on SLS

International partner and U.S. habitat modules: 2024 and 2025

Acquisition time: 5 years

U.S. provided by

competitive award to industry

U.S. Habitat*:

- Launching NET 2025 on SLS
- Acquisition time: 5-6 years

*Habitation functional allocations are currently under review



Power and Propulsion Element: First Module in Lunar Orbit for Gateway

- 2022 launch on partner-provided commercial rocket
- 50 kW class spacecraft with 40 kW class EP system
- Power transfer to other gateway elements
- Passive docking using IDSS compliant interface
- Capability to move gateway to multiple lunar orbits
- Orbit control for gateway stack
- Communications with Earth, visiting vehicles, and initial communications support for lunar surface systems
- 2t class xenon EP propellant capacity, refuelable for both chemical and xenon propellants
- Accommodations for utilization payloads
- 15 year life
- NASA issued a synopsis for a Spaceflight Demonstration of a Power and Propulsion Element in Feb. 2018. Draft BAA issued July 2018. Final BAA expected Sept. 6, 2018



U.S. Habitation Development Partnerships

Five full-sized ground prototypes will be delivered for testing in 2019. In final negotiations with NanoRacks for sixth habitat prototype demonstrator.



Refurbishes heritage hardware

Builds on proven cargo spacecraft development

Expandable

Leverages existing technologies

Modular buildup

Converted Centaur upper stages

GATEWAY ORBIT

Cislunar space offers innumerable orbits for consideration, each with merit for a variety of operations. The gateway will support missions to the lunar surface and serve as a staging area for exploration farther into the solar system, including Mars.

ORBIT TYPES



LOW LUNAR ORBITS

Circular or elliptical orbits close to the surface. Excellent for remote sensing, difficult to maintain in gravity well. » Orbit period: 2 hours



DISTANT RETRO-GRADE ORBITS

Very large, circular, stable orbits. Easy to reach from Earth, but far from lunar surface. » Orbit period: 2 weeks



HALO ORBITS

Fuel-efficient orbits revolving around Earth-Moon neutral-gravity points. » Orbit period: 1-2 weeks

NEAR-RECTILINEAR HALO ORBIT (NRHO)

1,500 km (932 miles) at its closest to the lunar surface, 70,000 km (43,495 miles) at its farthest.



GATEWAY A spaceport for human and robotic exploration to the Moon and beyond

HUMAN ACCESS TO & FROM LUNAR SURFACE Astronaut support and teleoperations of surface assets.

U.S. AND INTERNATIONAL CARGO RESUPPLY

Expanding the space economy with supplies delivered aboard partner ships that also provide interim spacecraft volume for additional utilization.

INTERNATIONAL CREW

International crew expeditions for up to 30 days as early as 2024. Longer expeditions as new elements are delivered to the Gateway.

SCIENCE AND TECH DEMOS

Support payloads inside, affixed outside, freeflying nearby, or on the lunar surface. Experiments and investigations continue operating autonomously when crew is not present.

ACCESS

SIX DAYS TO ORBIT THE MOON

The orbit keeps the crew in constant communication with Earth and out of the Moon's shadow.

A HUB FOR FARTHER DESTINATIONS

From this orbit, vehicles can embark to multiple destinations: The Moon, Mars and beyond.

COMMUNICATIONS RELAY

Data transfer for surface and orbital robotic missions and high-rate communications to and from Earth.

SAMPLE RETURN

Pristine Moon or Mars samples robotically

delivered to the Gateway for safe

processing and return to Earth.

GATEWAY SPECS

4 Crew Members





125 m³ Pressurized Volume

Up to 75mt with Orion docked

Kg

384,000 km from Earth

Accessible via NASA's SLS as well as international and commercial ships.

