

WHITE SANDS SPACE HARBOR AREA 1, RUNWAY 17/35
(Space Shuttle Landing Facility Area 1, Runway 17/35)
White Sands Missile Range
Extending 35,000 feet north from Range Road 10, beginning
approximately 4.2 miles northeast of intersection with Range Road 7
White Sands vicinity
Doña Ana County
New Mexico

HAER NM-28-A

PHOTOGRAPHS

WRITTEN HISTORICAL AND DESCRIPTIVE DATA

Historic American Engineering Record
National Park Service
U.S. Department of the Interior
Intermountain Regional Office
12795 Alameda Parkway
Denver, CO 80225-0287

HISTORIC AMERICAN ENGINEERING RECORD

WHITE SANDS SPACE HARBOR AREA 1, RUNWAY 17/35
(Space Shuttle Landing Facility Area 1, Runway 17/35)

HAER NO. NM-28-A

Location: White Sands Missile Range
Extending 35,000 feet north from Range Road 10,
beginning approximately 4.2 miles northeast of
intersection with Range Road 7
White Sands vicinity
Doña Ana County
New Mexico

U.S.G.S. 7.5 Minute Las Cruces, New Mexico,
Quadrangle, Universal Transverse Mercator Coordinates
(center of runways): E 32.944408 N 106.41993 Zone 13S,
NAD 1983

Construction: 1976-1988

Architect: Not known

Builder: Not known

Present Owner: Commander, U.S. Army White Sands Missile Range,
New Mexico 88002-5018

Present Use: Vacant

Significance: Runway 17/35 was an essential component of the White
Sands Space Harbor (WSSH) from 1976-2011. It has a
direct association with the U.S. Space Shuttle Program
(SSP) as the site of the landing of Space
Transportation System (STS)-3 *Columbia* in March 1982;
this is the only STS landing to take place outside
Edwards Air Force Base in California and Kennedy Space
Center in Florida. Runway 17/35 is considered to have
national significance and is eligible for listing in
the National Register of Historic Places (NRHP) under
Criterion A for its association with the NASA SSP with
a period of significance of 1976-2011. Because it

achieved significance within the past fifty years,
Criterion Consideration G also applies.

Report

Prepared by: Robbie D. Jones, Senior Historian
New South Associates
118 South 11th Street
Nashville, TN 37206

Date: September 2013

LIST OF ACRONYMS

ABGR	Alamogordo Bombing and Gunnery Range
ABS	Anti-lock Braking System
ACHP	Advisory Council on Historic Preservation
ACI	Archaeological Consultants, Inc.
AIAA	American Institute of Aeronautics and Astronautics
APE	Area of Potential Effects
ATC	Air Traffic Control
BTT	Basic Training Target
CCC	Civilian Conservation Corps
CIT	California Institute of Technology
CONEX	Container Express
DC-X	Delta Clipper, Experimental
DoD	Department of Defense
GPS	Global Positioning System
HAFB	Holloman Air Force Base
HPO	Historic Preservation Officer
HPWG	Historic Preservation Working Group
HUB	Harbor Utility Building
IGS	Inter Glide Slope
IHA	InoMedic Health Applications, LLC
JSC	Johnson Space Center
KSC	Kennedy Space Center
LC	Launch Complex
MD	McDonnell Douglas
MSBLS	Microwave Scanning Beam Landing System
MSFC	Marshall Space Flight Center
NASA	National Aeronautics and Space Administration
NAVAIDS	Navigational Aids

NEPA	National Environmental Policy Act
NHL	National Historic Landmark
NHPA	National Historic Preservation Act
NPS	National Park Service
NRHP	National Register of Historic Places
NSA	New South Associates
OCC	Operations Control Center
ORD	Army Ordinance Department
PAPI	Precision Approach Path Indicator
RFP	Request for Proposal
SCAPE	Self Contained Atmospheric Protective Ensemble
SHPO	State Historic Preservation Officer
SSP	Space Shuttle Program
SSRT	Single Stage Rocket Technology
STA	Shuttle Training Aircraft
STS	Space Transportation System
TACAN	Tactical Air Navigation
TAL	Transoceanic Abort Landing
UHF	Ultrahigh Frequency
USAAF	United States Army Air Force
USAF	United States Air Force
VITT	Vehicle Integration Test Team
WPA	Works Progress Administration
WSMR	White Sands Missile Range
WSNM	White Sands National Monument
WSPG	White Sands Proving Ground
WSSH	White Sands Space Harbor
WSTF	White Sands Test Facility

PART I. HISTORICAL INFORMATION

A. PHYSICAL HISTORY

1. DATE OF CONSTRUCTION

Runway 17/35 was constructed in 1976 at the former site of the original 10,000' long Northrup Strip (1948-1963).

2. ENGINEER

Not known.

3. BUILDER/CONTRACTOR/SUPPLIER

Not known.

4. ORIGINAL PLANS

Not available.

5. ALTERATIONS AND ADDITIONS

The Runway is constructed of a compacted, natural gypsum surface and has been upgraded with modern navigational aids such as lighting and asphalt directional markings.

Once the runway was abandoned in 2011, routine maintenance ceased. Due to the harsh desert environment, the runway began to deteriorate quickly. The U.S. Army initiated occupation of WSSH in the summer of 2012.

PART II. STRUCTURAL/DESIGN INFORMATION

A. GENERAL DESCRIPTION

1. CHARACTER

Located in Area 1, the three natural surface gypsum runways, including Runway 17/35, are located within a 10-square mile area at WSSH. The runways are constructed of compacted gypsum sand with a 1-2" thick soft top layer and a hard-paved under layer. Due to the harsh desert environment, the runways required constant grading, repairs, and maintenance.

Each of the three runways duplicates a shuttle landing runway: 17/35 replicates the runway at Kennedy Space Center in Florida; 23/05 replicates the runway at Edwards Air Force Base in California; and 20/02 replicates the Transoceanic Abort Landing (TAL) runways in other countries.

Runways 17/35 and 23/05 cross each other at their approximate center lines, creating an X shaped site plan. Runway 17/35 is oriented along the north-south axis and 23/05 along the east-west axis. Both runways are 15,000' in length with 10,000' overruns at either end. Both runways are 300' wide with 300' wide shoulders flanking both sides. Navigational aids such as lighting and markings made of asphalt are located along the entire length of both runways.

At 1,000' into the overruns at runways 17 and 23 are two portable xenon light trailers, one on each side of the runway. At 7,500' into each overrun are the Nominal Aimpoints; at 6,500' into the overruns are the High-Wind Aimpoints. Both High-Wind Aimpoints in Runway 17/35 and the east Aimpoint of Runway 23/05 contain PAPI lights. At 2,000' into the actual runways, at each end, are Inner Glide Slope (IGS) Indicator Bar/Ball lights, except on Runway 05.

Runway 20/02 is located in the northwest quadrant created by the intersection of Runways 17/35 and 23/05. Runway 20/02 is oriented along a northeast-southwest axis and measures 19,800' in length and 200' in width. This runway does not feature overruns.

Navigational aids such as lighting and markings made of asphalt are located along its entire length. This runway does not have maintained overruns.

At 6,500' from the northeast end of runway 20 is the Nominal Aimpoint and at 5,500' is the High-Wind Aimpoint with PAPI lights. At 2,000' into the runway at the northeast end are the IGS Bar/Ball lights.

Within the northwest quadrant of the intersection of Runway 17/35 and 23/05 is a Helicopter Staging Area, consisting of a natural surface landing pad for eight helicopters. The pad features a row of H-shaped markings made of asphalt.

A shuttle tow-way, approximately 400' wide and constructed of compacted natural surface gypsum, begins at the southern terminus of Runway 17/35 and continues southwest along Range Road 10 where it terminates at the Deservice Pad in Area 2.

2. DESCRIPTION

The following is a more detailed description of Runway 17/35, also known as "Northrup-Kennedy."

Runway 17/35 is 35,000' long and 900' wide runway with runway markings and navigational aids, including: two sets of Precision Approach Path Indicator (PAPI) lights, IGS Ball/Bar lights, touchdown markers, distance-to-go markers, xenon lights, nominal night strobes, and runway side lights.

This runway is the site of the original 10,000' long Northrup Strip (1948-1963), which is no longer extant. Runway 17/35 was constructed in 1976 to replicate the runway located at the Kennedy Space Center near Orlando, Florida. On March 31, 1982, the Space Shuttle *Columbia* landed on this runway. The runway was improved in 1988 with upgraded navigational aids such as lighting.

This runway served originally as the Orbiter backup landing site and the primary abort-once-around landing site, while Edwards AFB was the primarily landing facility. Once the decision was made

in 1984 for the Orbiter to land regularly at KSC, Edwards AFB became the primary backup and WSSH would be used only in the event that the shuttle could not land at KSC or Edwards AFB. After 1984, the primary use of the runways at WSSH was astronaut training. As it replicated the Orbiter's primary landing site at KSC, Shuttle pilots would train on Runway 17/35 for their eventual landing of the actual Orbiter at KSC.

3. CONDITION OF FABRIC

When documented in March 2012, the Runway had been abandoned for over six months and was in fair condition. Due to the harsh desert environment and lack of maintenance, the runway had quickly deteriorated due to shifting sands, flash floods, and extreme temperature variations.

B. CONSTRUCTION

The Runway is constructed of compacted natural surface gypsum with landing aid markings made of asphalt.

C. MECHANICAL/OPERATION

The Runway does not feature any mechanical equipment, with the exception of navigational aids, which are documented separately.

PART III. SOURCES OF INFORMATION

A. ENGINEERING PLANS AND DRAWINGS

There are no known engineering plans or drawings of the Runway, however, plans were created around 1988 for construction of the asphalt navigational markings.

B. EARLY VIEWS AND HISTORICAL DATA

Historic photographs and maps of the WSSH, including the Runways, are very limited. Historical views can be found on pages 21-22, 25-30 of this document. All views are captioned and dated as available. The other historical data comes from a variety of sources cited in the Bibliography below.

The historic photographs and most of the historical data used in this documentation came from sources within WSTF and WSSH. Other more current imagery was obtained from the online WSTF Media Archive. Many of the original photographs have been donated to the WSMR Museum for digitization and curation. A body of recent aerial photographs were located and photocopied for inclusion in the HAER document to supplement the current ground photography.

C. INTERVIEWS

The following NASA and WSMR employees were interviewed for this documentation.

Robert E. Mitchell, WSTF Manager, September 2011.

Frank Offutt, WSSH Manager, September 2011.

Timothy Davis, WSTF Historic Preservation Officer, September 2011 and March 2012.

Bill Godby, WSMR Historic Preservation Officer, September 2011.

Doyle Piland, WSMR Museum Archivist, September 2011.

Dennis G. Perrin, NASA Johnson Space Center, Houston, Texas, and
WSTF Facility Manager (1975-1989), June 2013.

D. BIBLIOGRAPHY

Andreoli, R.J. "White Sands Missile Range, Range-Wide
Environmental Impact Statement," 1998. Unpublished report
on file at WSMR, White Sands, New Mexico.

Bennett, Jeffrey, and Douglas Wilder. "Physical Resources
Foundation Report: White Sands National Monument. Natural
Resources Report," 2009. National Park Service,
Fort Collins, Colorado.

Bergenson, Paul. "Jack (John Knudson) Northrop." Published
online in 2003 at website
[http://www.bergen.org/AAST/Projects/Engineering Graphics/ E
G2000/flyingwing/history/jack.htm](http://www.bergen.org/AAST/Projects/Engineering Graphics/ E
G2000/flyingwing/history/jack.htm), accessed November 19,
2011.

Buchanan, David G., John P. Johnson and William A. Brenner.
"White Sands Missile Range: Doña Anna, Sierra, Socorro, &
Lincoln Counties, New Mexico." Historic American
Engineering Record, 1984. National Park Service,
Washington, DC.

Butowsky, Harry A. "White Sands Blockhouse and Gantry Crane."
National Register of Historic Places Nomination, 1984. On
file, National Park Service, Washington, DC.

Deming, Joan, and Patricia Slovinac. "Survey and Evaluation of
NASA-owned Historic Facilities and Properties in the
Context of the U.S. Space Shuttle Program: White Sands Test
Facility, Las Cruces, New Mexico," 2007. Archaeological
Consultants, Inc., Sarasota, Florida. Unpublished report
on file at NASA, Kennedy Space Center, Florida.

_____. "NASA-Wide Survey and Evaluation of Historic
Facilities in the Context of the U.S. Space Shuttle

Program: Roll-Up Report," 2008. Archaeological Consultants, Inc., Sarasota, Florida. Unpublished report on file at NASA, Kennedy Space Center, Florida.

Freeman, Paul. "Abandoned & Little-Known Airfields: Northrup Strip/White Sands Space Harbor, White Sands, New Mexico." Published online, 2008. Website http://www.airfields-freeman.com/NM/Airfields_NM_Alamagordo.html, accessed September 23, 2011.

Goebel, Greg. "Unmanned Aerial Vehicles." Published online, 2011. Website <http://vectorsite.net/twuav.html>, accessed November 29, 2011.

Greenwood, Richard. "Trinity Site." National Register of Historic Places Nomination Form, 1975. On file, National Park Service.

Guttman, John. "John Northrop's XP-79B Jet Fighter." Aviation History. Published online, 1996. Website <http://www.historynet.com/jack-northrops-xp-79b-jet-fighter-jan-96-aviation-history-feature.htm>, accessed November 19, 2011.

Hanson, Chris "Xenon." "Delta Clipper DC-X Test Launch, White Sands Missile Range." Published online, 1993. Website <http://xenon.arcticus.com/delta-clipper-dc-x-test-launch-white-sands-missile-range-september-1993>, accessed November 19, 2011.

Heumann, A. *Comprehensive View of the Transporter*. Unpublished Manuscript. August 15, 2002, pp. 1-9. On file, Canister Rotation Facility.

Lerner, Preston. "Black Day at White Sands." *Air & Space Smithsonian Magazine*, August 2010.

McDonnell Douglass. "Delta Clipper Test Program Off to Flying Start." Press Release issued June 20, 1994.

Mitchell, Robert E. "NASA Johnson Space Center Facilities Oral History Project: Robert E. Mitchell, Interviewed by Jennifer Ross-Nazzal." Las Cruces, New Mexico, August 10, 2009.

NASA. "Space Shuttle Transoceanic Abort Landing (TAL) Sites." Information booklet published online, 2006. Website http://www.nasa.gov/centers/kennedy/pdf/167472main_TALsites-06.pdf, accessed November 19, 2011.

NASA White Sands Test Facility. "White Sands Space Harbor: 25th Anniversary Celebration, August 11, 2001." Unpublished brochure, on file at WSTF, White Sands, New Mexico.

_____. "White Sands Test Facility Visitors Guide." Information booklet published online, n.d. Website http://www.nasa.gov/centers/wstf/pdf/216491main_wstfVisGuide031008.pdf, accessed November 19, 2011.

Offutt, Frank. "WSSH Background." Unpublished response to questionnaire, 1994, submitted by Victoria Bradley, on file at WSTF, White Sands, New Mexico.

Paczynski, Alex S. "NASA Johnson Space Center Facilities Oral History Project: Alex S. Paczynski, Interviewed by Jennifer Ross-Nazzal." Las Cruces, New Mexico, August 10, 2009.

Stevens, Paul. "Desert Missile Range Prepared for Possible Space-Shuttle Landing: New Mexico strip chosen by NASA as alternate site." Associated Press News Release, March 26, 1981.

United States Air Force. "Holloman Air Force Base History." Holloman Air Force Base, New Mexico, Public Affairs Office. Published online, 2008. Website <http://www.holloman.af.mil/library/factsheets/factsheet.asp?id=4361>, accessed November 17, 2011.

United States Army. "Final Environmental Impact Statement for Development and Implementation of Range-Wide Mission and Major Capabilities at White Sands Missile Range,

New Mexico: Volume 1, 2009. On file at WSMR, White Sands,
New Mexico.

_____. "WSMR: Fact Sheet." Unpublished brochure, n.d. On
file at WSMR, White Sands, New Mexico.

Welsh, Michael. "Dunes and Dreams: A History of White Sands
National Monument. Administrative History: White Sands
National Monument." National Park Service, Division of
History, Intermountain Cultural Resources Center, Santa Fe,
New Mexico, Professional Paper No. 55, 1995.

White Sands Missile Range. "White Sands Hall of Fame: Alex
Paczynski." Published online, 2000. Website
[http://www.army.mil/PAO/WSHist/HallFame/Pages/PaczynskiAlex
Mr.aspx](http://www.army.mil/PAO/WSHist/HallFame/Pages/PaczynskiAlexMr.aspx), accessed September 19, 2011.

E. LIKELY SOURCES NOT YET INVESTIGATED

Research was conducted at WSSH and WSTF using primary and
secondary sources. Sources that were not investigated that may
contain secondary information are archived at NASA's Lyndon B.
Johnson Space Center in Houston, Texas.

Additional oral history interviews with other engineers and
technicians could also prove useful.

PART IV. PROJECT INFORMATION

In 2011-2012, New South Associates (NSA), under contract with InoMedic Health Applications, LLC (IHA) of Kennedy Space Center, Florida, and in coordination with NASA and the U.S. Army, conducted background research and a historic architecture survey of resources at the NASA WSSH. The survey included the documentation and evaluation for NRHP eligibility for seventy-two resources located in four distinct areas. Based on this research, NSA determined that no properties remain at WSSH from the period prior to NASA acquisition in 1963 except for the footprint of the packed gypsum Runway 17/35.¹

NSA recommended that the three NASA WSSH Runways and the Control Tower in Area 1 were individually eligible for listing in the NRHP and eligible as contributing resources to the "WSSH Shuttle Landing Facility District" under Criterion A and Criterion Consideration G for their association with the NASA SSP. None of the other sixty-eight inventoried properties were recommended individually eligible for listing in the NRHP due to lack of historical association with the NASA SSP or other historic contexts, lack of unique design or construction features, or insufficient integrity; however, nineteen of these properties, all of which lie within Area 1, were recommended as contributing resources to "WSSH Shuttle Landing Facility District," even though they were not recommended individually eligible for the NRHP. The historic district contains a total of twenty-eight resources: twenty-three are contributing and five are non-contributing.

After formally ending the SSP on August 31, 2011, NASA disposed of the WSSH and released use of the property to the U.S. Army WSMR. The property transfer was a federal undertaking on federally-owned property and subject to compliance with Section 106 of the NRHP Act of 1966, as amended. The undertaking resulted in an Adverse Effect to the NRHP-eligible WSSH Shuttle

¹ Reed, Mary Beth, and Robbie D. Jones. "Historic Architecture Survey and National Register of Historic Places Evaluation of the NASA White Sands Space Harbor on the U.S. Army White Sands Missile Range, Doña Ana County, New Mexico." New South Associates, Stone Mountain, Georgia, 2012. Unpublished report on file at NASA WSTF, Las Cruces, New Mexico.

Landing Facility District. To mitigate the adverse effects, NASA completed HAER Level II documentation of the historic district and relocated the Control Tower to the WSMR Museum for conservation, exhibition, and public interpretation.

The mitigation plan was defined in a Memorandum of Agreement (MOA), executed between NASA, the U.S. Army, and the NM-SHPO in August 2012. The properties within the historic district were documented with large format photography in March 2012.

APPENDIX- LOCATION MAPS AND HISTORICAL VIEWS




Figure 1. Map of White Sands Military Reservation showing White Sands Space Harbor (Source: U.S. Army).




Figure 1. Map of WSSH showing location of Runway 17/35 in Area 1, which delineates the NRHP boundaries of the WSSH Shuttle Landing Facility District (Base Map Source: NASA WSTF).

WHITE SANDS SPACE HARBOR AREA 1, RUNWAY 17/35
 HAER No. NM-28-A
 (Page 18)




Figure 3. Map of WSSH showing location of all three of the Runways, with latitude and longitude, 2008 (Source: NASA WSTF).




Figure 4A. Map of Northrup Strip, USGS Topographic Map, 1971.




Figure 4B. Map of WSSH, drawn by J.A. "Andy" Dorris under the direction of NASA engineer Dennis Perrin on March 7, 1980, showing location of Runway 17/35 and Runway 23/05 (Source: NASA WSTF).




Figure 5. Map of Runways, USGS Topographic Map, 1978.




Figure 6. Aerial view of a runway showing "Normal Aimpoint" Markings, November 1999 (Source: NASA WSTF).



Figure 7A. View of Space Shuttle *Columbia* landing on Runway 17/35 on March 30, 1982, looking West towards the San Andres Mountain Range (Source: NASA WSTF).



Figure 7B. View of Space Shuttle *Columbia* taking off atop a 747 on Runway 17/35 on April 6, 1982, looking East towards Sacramento Mountain Range (Source: NASA WSTF).




Figure 8. Drawing of Runway 17/35 Landing Aids Markings, ca.1988
 (Source: NASA WSTF).




Figure 9. Drawing of Runway Landing Aids Markings, ca.1988
 (Source: NASA WSTF).



Figure 10. Aerial view of Runway 17/35, looking South towards the San Andres Mountain Range, April 2007 (Source: NASA WSTF).



Figure 11. Aerial view of Intersection of Runways 17/35 and 23/05, looking West towards the San Andres Mountain Range, June 2006 (Source: NASA WSTF).



Figure 12. Aerial View of Runway 17/35 (foreground) and Runway 20/02 (background), looking Southwest towards the San Andres Mountains, 2006 (Source: NASA WSTF).



Figure 13. Aerial View of Intersection of Runway 17/35 and Runway 23/05 looking Southeast, 2007 (Source: NASA WSTF).



Figure 14. Aerial View of Runway 17/35 looking North towards the Sand Andres Mountains, 2006 (Source: NASA WSTF).



Figure 15A. View of Inner Glide Slope (IGS) Indicator Ball/Bar Lights on Runway 17/35, looking West towards San Andres Mountain Range, 2011.



Figure 15B. View of an original Northrup Airstrip sign now on display at the WSMR Museum (Source: NASA WSTF).

HISTORIC AMERICAN ENGINEERING RECORD

INDEX TO PHOTOGRAPHS

WHITE SANDS SPACE HARBOR AREA 1, RUNWAY 17/35 HAER NM-28-A
(Space Shuttle Landing Facility Area 1, Runway 17/35)
White Sands Missile Range
Extending 35,000 feet north from Range Road 10, beginning
approximately 4.2 miles northeast of intersection with Range Road 7
White Sands vicinity
Doña Ana County
New Mexico

David Diener, Photographer

March 27-29, 2012

NM-28-A-1 CONTEXT VIEW OF RUNWAYS LOOKING NORTHWEST TOWARDS
SAN ANDRES MOUNTAINS AND HUB COMPLEX FROM SOUTH END OF
RUNWAY 17/35.

NM-28-A-2 VIEW OF RUNWAY 17/35 LOOKING NORTH FROM SOUTH END WITH
NAVIGATIONAL PAPI LIGHTS IN FOREGROUND.

NM-28-A-3 VIEW OF RUNWAY 17/35 LOOKING NORTH FROM WEST EDGE OF
SOUTH END WITH ASPHALT NAVIGATIONAL MARKING IN
FOREGROUND.

NM-28-A-4 VIEW OF RUNWAY 17/35 LOOKING NORTH FROM SOUTH END WITH
ASPHALT DIRECTIONAL ARROW MARKING AND NAVIGATIONAL
PAPI LIGHTS IN FOREGROUND.

NM-28-A-5 VIEW OF RUNWAY 17/35 LOOKING NORTH FROM SOUTH END WITH
ASPHALT "35" MARKING IN FOREGROUND.

NM-28-A-6 VIEW OF RUNWAY 17/35 LOOKING SOUTH FROM NORTH END WITH
ASPHALT "17" MARKING IN FOREGROUND AND SAN ANDRES
MOUNTAINS IN BACKGROUND.

NM-28-A-7 VIEW OF RUNWAY 17/35 LOOKING NORTH FROM CENTER OF
INTERSECTION OF RUNWAYS 17/35 AND 23/05 WITH ASPHALT
EDGE MARKING IN FOREGROUND.

NM-28-A-8 VIEW OF RUNWAY 17/35 LOOKING SOUTH FROM CENTER OF
INTERSECTION OF RUNWAYS 17/35 AND 23/05 WITH ASPHALT
EDGE MARKING IN FOREGROUND AND SAN ANDRES MOUNTAINS IN
BACKGROUND.

NM-28-A-9 VIEW OF WEST EDGE OF RUNWAY 17/35 LOOKING SOUTH FROM
CENTER OF INTERSECTION OF RUNWAYS 17/35 AND 23/05 WITH
ASPHALT EDGE MARKING IN FOREGROUND AND SAN ANDRES
MOUNTAIN RANGE IN BACKGROUND.

WHITE SANDS SPACE HARBOR AREA 1, RUNWAY 17/35
HAER No. NM-28-A
INDEX TO PHOTOGRAPHS
(Page 2)

NM-28-A-10 VIEW OF TYPICAL NAVIGATIONAL EDGE LIGHTS LOOKING
NORTHWEST, MARKING WEST EDGE OF RUNWAY 17/35 AT MARKER
13 NORTH OF ACCESS ROAD 15.

WHITE SANDS SPACE HARBOR AREA 1, RUNWAY 17/35
 HAER No. NM-28-A
 INDEX TO PHOTOGRAPHS
 (Page 3)

