

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T) Page 1 of 27 pages

OBJECTIVE:

To provide a contents list of each medical pack including medications, potential medication side effects, other contents, locations, and supportive information.

[Table 1. Convenience Medication Pack \(White\)](#)

[Table 2. Emergency Medical Treatment Pack - Medications \(Red\)](#)

[Table 3. Emergency Medical Treatment Pack - Other Contents \(Red\)](#)

[Table 4. IV Supply Pack \(Gray\)](#)

[Table 5. Medical Diagnostic Pack \(Blue\)](#)

[Table 6. Medical Supply Pack \(Green\)](#)

[Table 7. Minor Treatment Pack \(Pink\)](#)

[Table 8. Oral Medication Pack \(Purple\)](#)

[Table 9. Physician Equipment Pack \(Yellow\)](#)

[Table 10. Topical & Injectable Medication Pack - Medications \(Brown\)](#)

[Table 11. Topical & Injectable Medication Pack - Other Contents \(Brown\)](#)

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 2 of 27 pages

Table 1. Convenience Medication Pack (White)

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Antibiotic							
Bacitracin	500 units/gm, 0.9 gm	Topical	30	unit dose pack	No significant side effects		Spine
Antidiarrheal							
Loperamide (Imodium)	2 mg	Oral	40	tablet	Abdominal discomfort, nausea, vomiting, constipation, drowsiness, dizziness, dry mouth	Use for nonbloody diarrhea. No more than 8 tablets every 24 hours.	B2
Antihistamine							
Fexofenadine (Allegra)	180 mg	Oral	100	tablet	Headache, vomiting, fatigue, somnolence, dizziness, fever, pain, drowsiness, diarrhea, nausea, upset stomach, muscle aches, back pain, pain in extremities	Do not use with other antihistamines. Do not drink grapefruit juice 1 hour before or 2 hours after taking the medication.	B2
Loratadine (Claritin)	10 mg	Oral	375	tablet	Headache, drowsiness, dizziness, fatigue, dry mouth		A2
Olopatadine (Pataday)	0.2 %, 2.5 mL	Eye	6	bottle	Blurred vision, eye pain, stinging, burning, headache	Remove contact lenses before use. After instilling drops, wait at least 10 minutes before inserting contact lenses.	A3

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 3 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Decongestant							
Oxymetazoline (Afrin)	0.05 %, 15 mL	Intranasal	10	bottle	Transient burning, stinging, dryness of the nasal mucosa, sneezing, cough	Do not use more than 3 consecutive days. Rebound congestion with prolonged use.	A1
Pseudoephedrine (Sudafed 12 Hour)	120 mg	Oral	100	tablet	Dizziness, rapid heart rate, high blood pressure, restlessness, tremor, headache, loss of appetite, may impair ability to concentrate, dry mouth, insomnia, photosensitivity		B1
Lubricant							
Carboxymethylcellulose (Refresh Plus)	0.5 %, 0.4 mL	Eye	40	unit dose pack	Temporary blurred vision		A4
Hypromellose (Nature's Tears)	0.4 %, 15 mL	Eye	2	bottle	Temporary blurred vision	Remove contact lenses prior to use.	A4
Mineral Oil and White Petrolatum (Refresh PM)	42.5 %; 57.3 %, 3.5 gm	Eye	2	tube	Temporary blurred vision		A4
Sodium Chloride (AYR Saline)	0.9 %, 22 mL	Intranasal	3	bottle	No significant side effects within prescribed dose		A2
Pain Reliever							
Acetaminophen (Tylenol)	325 mg	Oral	150	tablet	No significant side effects within prescribed dose	No more than 12 tablets every 24 hours.	B4
Aspirin	325 mg	Oral	60	tablet	Upset stomach, dizziness, ringing in ears, blood in stool	Take with food.	B4

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 4 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Ibuprofen (Motrin)	400 mg	Oral	400	tablet	Dizziness, nervousness, upset stomach, nausea, vomiting, rash, ringing in the ears	No more than 8 tablets every 24 hours. Take with food.	B3
Sleep							
Melatonin	3 mg	Oral	60	tablet	Headache, nausea, drowsiness, dizziness	Do not use with other sleep meds.	A4
Zaleplon (Sonata)	10 mg	Oral	100	bottle	Headache, dizziness, drowsiness, short-term memory impairment, or lack of coordination, nausea, upset stomach, muscle weakness	Do not take with a high fat meal. Do not use with other sleep meds.	A4
Zolpidem (Ambien)	10 mg	Oral	200	tablet	Drowsiness, dizziness, headache, abnormal dreams, insomnia, memory impairment, visual and attention disturbance	Do not use with other sleep meds.	A3
Steroid							
Hydrocortisone	1 %, 0.9 gm	Topical	60	unit dose packet	No significant side effects		B1
Mometasone (Nasonex)	50 mcg, 17 gm	Intranasal	3	bottle	Headache, cough		A1
Stimulant							
Caffeine (Vivarin)	200 mg	Oral	100	tablet	Diarrhea, dizziness, fast heartbeat, low blood sugar, high blood sugar, blurred vision, dry mouth, flushed skin, increased urination, loss of appetite, nausea, stomachache, anxious feeling, agitation, cold sweats, nervousness, insomnia		A3

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 5 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Modafinil (Provigil)	200 mg	Oral	40	tablet	Headache, nervousness, dizziness, anxiety, insomnia, chest pain, rapid heart rate, diarrhea, upset stomach, dry mouth, lack of appetite		A3
Stool Softener							
Bisacodyl (Dulcolax)	5 mg	Oral	40	tablet	Mild abdominal cramps, nausea, vomiting, dizziness		B2

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 6 of 27 pages

Table 2. Emergency Medical Treatment Pack - Medications (Red)

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
ALS Medication Kit							B1
Atropine	0.1 mg/mL, 10 mL	Intraosseous	2	syringe	Rapid heart rate, dilated pupils, dry skin and mouth, cardiac arrhythmias, flushing, low blood pressure, headache, insomnia, slowed GI motility, nausea, dry mouth, urinary hesitancy and retention		B1
Epinephrine	1:10,000; 0.1 mg/mL, 10 mL	Intraosseous	2	syringe	Rapid heart rate and palpitations, flushing, dizziness, headache, nervousness, dry mouth		B1
Lidocaine	2 %; 20 mg/mL, 5 mL	Intraosseous	2	syringe	Low blood pressure, flushing, drowsiness, disorientation, muscle twitching, dizziness, metallic taste, nausea, vomiting		B1
Severe Allergic Reaction							
Epinephrine (EpiPen)	1:1000, 0.3 mL	Intramuscular	3	syringe	Rapid heart rate and palpitations, flushing, dizziness, headache, nervousness, dry mouth		B3

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 7 of 27 pages

Table 3. Emergency Medical Treatment Pack - Other Contents (Red)

Item	Qty in Pack	Location
Basic Airway Management		
AMBU Bag	1	A1
Nasal Airway Kit	-	A3
Nasal Airway 6 mm	1	A3
Nasal Airway 7 mm	1	A3
Oral Airway	2	A4
Biohazard Trash Bags	-	A2
Biohazard Trash Bag	5	A2
Level 1 Hazardous Material Decal	5	A2
Level 2 Hazardous Material Decal	5	A2
General Use		
Scissors - Trauma	1	Spine
Sharps Container	1	Spine
Stethoscope	1	A1
Stethoscope Holder	1	A1
Surgical Lubricant	4	B2
Intraosseous Device Start Kit	-	B4
Gauze 4"x4"	10	B4
Intraosseous Injection Device	2	B4
Iodine Swabstick	2	B4
IV Cap	2	B4
Medical Tape	1	B4
Syringe 10 mL	1	B4

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 8 of 27 pages

Table 4. IV Supply Pack (Gray)

Item	Qty in Pack	Location
Bandages		
Clear Bandage	4	A2
Gauze 4"x4"	4	A2
Medical Tape	1	B1
IV Insertion & Fluid Administration		
IV Administration Set	3	A3/A4
IV Cap	5	B2
IV Catheters	-	A1
IV Catheter 14G	2	A1
IV Catheter 18G	4	A1
IV Catheter 20G	4	A1
IV Catheter 22G	4	A1
Sharps Container - IV Catheter	1	A1
IV Fluid - 500 mL	8	B3/B4
IV Fluid 1L	0	B3/B4
IV Pressure Infusor	1	A2
Tourniquet	1	B2
Skin Preparation Items		
BZK Wipe	4	B1

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 9 of 27 pages

Table 5. Medical Diagnostic Pack (Blue)

Item	Qty in Pack	Location
Physical Exam Hardware		
Blood Oximeter	1	B1
Blood Pressure Cuff - Large	1	B2
Blood Pressure Cuff - Small	1	B2
Blood Pressure Monitor	1	B4
Eye Chart	1	with Locator Card
Eye Simulator	1	A4
Eye Simulator Cornea	1	A4
Otoscope Bulb	1	Spine
Otoscope Head	1	A2
Otoscope Speculum	80	A1/A3
Otoscope USB Cable	1	A2
Panoptic Bulb	2	Spine
Panoptic Handle	1	A2
Panoptic Head	1	A1
Stethoscope	1	B1
Stethoscope Earpieces	1 pair	B3
Stethoscope Holder	1	B1
Thermometer	1	B3
Tonometer	1	A4
Tonometer Battery	2	Spine/A4
Tonometer Tip Cover	150	A3/A4
Therapeutic Items		
Ear Curette	2	Spine
Hot/Cold Pack	1	B3

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 10 of 27 pages

Table 6. Medical Supply Pack (Green)

Item	Qty in Pack	Location
Bandages		
Bandaid 1"x3"	10	Spine
Gauze 4"x4"	36	A3
Medical Tape	2	B2
Biohazard Trash Bags		
Biohazard Trash Bag	-	B1
Level 1 Hazardous Material Decal	10	B1
Level 2 Hazardous Material Decal	10	B1
General Use		
Cotton Swab	6	Spine
Ear Wick	6	B2
Gloves		
Nitrile Gloves Large	10 pair	B4
Nitrile Gloves Medium	10 pair	B2
Nitrile Gloves Small	10 pair	B2
Injection Items		
Carpject Injector	2	A1
Needle 23G	20	A3
Needle 25G	4	Spine
Needle Plastic	10	A2
Syringe 3 mL	20	A4
Syringe 5 mL	6	A2
Syringe 10 mL	5	A1
Skin Preparation Items		
BZK Wipe	56	B3
Iodine Swabstick	12	B3

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 11 of 27 pages

Table 7. Minor Treatment Pack (Pink)

Item	Qty in Pack	Location
Bandages		
Bandaid 2"x3"	5	A1
Bandaid Dot	10	A1
Bandaid Knuckle	5	A1
Burn Bandage	10	A4
Clear Bandage	5	B4
Nasal Packing	10	A4
Nonstick Bandage	20	A4
Rolled Gauze	2	A1
Dental Tools Kit		
Dental Amalgam File (F)	1	B1
Dental Carver File (G)	1	B1
Dental Crown Remover (D)	1	B1
Dental Elevator (I)	1	B1
Dental Elevator (J)	1	B1
Dental Explorer Probe (E)	1	B1
Dental Forceps (A)	1	B1
Dental Forceps (B)	1	B1
Dental Forceps (C)	1	B1
Dental Mirror (H)	1	B1
Trash Bag	1	B1
General Use		
Mirror	1	Spine
Scissors - Bandage	1	Spine
Sharps Container	2	Spine
Syringe 60 mL	1	B2
Gloves		
Sterile Gloves		
Sterile Gloves Large	2 pairs	A3
Sterile Gloves Medium	2 pairs	A3

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 12 of 27 pages

Item	Qty in Pack	Location
Sterile Gloves Small	2 pairs	A3
Musculoskeletal		
ACE Bandage 2"	1	A3
ACE Bandage 3"	1	A3
ACE Bandage 4"	1	A3
Finger Splint	1	A3
Leg/Arm Splint	1	A3
Surgical Tools Kit		
Hemostat (CC)	1	B1
Needle Driver (AA)	1	B1
Scalpel #11	2	B1
Smooth Forceps (DD)	1	B1
Suture Scissors (BB)	1	B1
Toothed Forceps (EE)	1	B1
Trash bag	1	B1
Sutures		
Absorbable Suture 3-0	2	A2
Nylon Suture 2-0	2	A2
Nylon Suture 5-0	2	A2
Urinary		
Urine Catheters		
Urine Catheter Coude	2	B3
Urine Catheter Foley	2	B3
Urine Catheter Straight	2	B3
Urine Catheter Short	10	B3
Urine Collection Bag	2	B3
Wound Repair		
Skin Stapler	2	A2
Skin Staple Remover	1	A2
Wound Packing	3	B4

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 13 of 27 pages

Table 8. Oral Medication Pack (Purple)

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Altitude Sickness							
Acetazolamide (Diamox)	250 mg	Oral	100	tablet	Flushing, tingling sensation in extremities, loss of appetite, increased urine output, drowsiness, dizziness, confusion, photosensitivity, hearing disturbances, kidney stones		A4
Antibiotic							
Amoxicillin (Amoxil)	500 mg	Oral	100	capsule	nausea, vomiting, diarrhea, rash		B1
Azithromycin (Zithromax)	250 mg	Oral	18	tablet	Diarrhea, nausea, abdominal pain, vomiting		B1
Clindamycin (Cleocin)	300 mg	Oral	100	capsule	Abdominal pain, nausea, vomiting, diarrhea, rash		B1
Doxycycline (Vibramycin)	100 mg	Oral	50	capsule	Diarrhea, severe headache, blurred vision, skin rash, redness of the skin (sunburn), itching, loss of appetite, upset stomach, stomach pain, extreme tiredness or weakness, confusion, decreased urination		Spine
Levofloxacin (Levaquin)	500 mg	Oral	50	tablet	Headache, insomnia, dizziness, nausea, constipation, diarrhea, vomiting, abdominal pain, rash, photosensitivity		B2
Metronidazole (Flagyl)	500 mg	Oral	100	tablet	Headache, dizziness, nausea, vomiting, diarrhea, loss of appetite, metallic taste, rash	Take with food.	B2
Sulfamethoxazole and Trimethoprim (Bactrim DS)	800 mg, 160 mg	Oral	40	tablet	Headache, dizziness, insomnia, stomach upset, diarrhea, nausea, vomiting, photosensitivity, rash		B1

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 14 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Antifungal							
Fluconazole (Diflucan)	150 mg	Oral	5	tablet	Headache, dizziness, nausea, abdominal pain, vomiting, diarrhea, rash		B2
Antihistamine							
Diphenhydramine (Benadryl)	25 mg	Oral	60	capsule	Drowsiness, sedation, inability to concentrate, dry mouth, blurred vision, rash, headache, rapid heart rate, dizziness, fatigue, photosensitivity, urinary retention, ringing in the ears, nasal stuffiness	May cause sedation and impair performance. Do not use with sleep meds.	A1
Fexofenadine (Allegra)	180 mg	Oral	400	tablet	Headache, vomiting, fatigue, somnolence, dizziness, fever, pain, drowsiness, diarrhea, nausea, upset stomach, muscle aches, back pain, pain in extremities	Do not use with other antihistamines. Do not drink grapefruit juice 1 hour before or 2 hours after taking the medication.	A2
Antiseizure							
Phenytoin (Dilantin ER)	300 mg	Oral	30	capsule	Tingling sensation in extremities, drowsiness, dizziness, blurred vision, slurred speech	Swallow whole; do not crush or chew.	B4
Antiviral							
Valacyclovir (Valtrex)	1 gm	Oral	60	tablet	Headache, nausea, vomiting, fatigue, dizziness, rash		B2

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 15 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Behavioral Health							
Aripiprazole (Abilify)	5 mg	Oral	60	tablet	Headache, agitation, insomnia, anxiety, tremor, restlessness, sedation, dizziness, nausea, constipation, vomiting, abdominal discomfort, dry mouth, blurred vision, nasal congestion		B3
Lorazepam (Ativan)	1 mg	Oral	60	tablet	Drowsiness, slowed breathing, low blood pressure, sedation, dizziness, headache, memory impairment, nausea, changes in appetite, visual disturbances, headache		A1
Sertraline (Zoloft)	50 mg	Oral	60	tablet	Headache, drowsiness, dizziness, insomnia, nervousness, anxiety, nausea, dry mouth, loss of appetite, constipation, tremor, weakness, visual difficulty, sweating, rash, tinnitus		B3
Venlafaxine (Effexor XR)	75 mg	Oral	60	tablet	Headache, drowsiness, dizziness, insomnia, nervousness, anxiety, nausea, dry mouth, loss of appetite, constipation, weakness, sweating	Swallow whole; do not crush or chew.	B3
Cardiac							
Lisinopril (Zestril)	10 mg	Oral	100	tablet	Headache, low blood pressure, dizziness, fatigue, diarrhea, nausea, vomiting, abdominal pain, cough, blurred vision, decrease in urine output or urine-concentrating ability, sweating, weakness		B4

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 16 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Metoprolol XL (Toprol XL)	50 mg	Oral	60	tablet	Slow heart rate, dizziness, weakness, insomnia, diarrhea, blurred vision, shortness of breath, fatigue, confusion, memory loss (short-term), sleep disturbances, rash, itching, photosensitivity	Swallow whole; do not crush or chew.	B4
Nitroglycerin (Nitrostat)	0.4 mg	Oral	25	tablet	Flushing, headache, dizziness, nausea, vomiting, dry mouth		B4
Decongestant							
Pseudoephedrine (Sudafed)	30 mg	Oral	100	tablet	Dizziness, rapid heart rate, high blood pressure, restlessness, tremor, headache, loss of appetite, may impair ability to concentrate, dry mouth, insomnia, photosensitivity		A1
Hormone							
Medroxyprogesterone (Provera)	10 mg	Oral	100	tablet	Dizziness, headache, nervousness, bloating, acne, breast pain		Spine
Norgestrel and Ethinyl Estradiol (Ogestrel)	0.5 mg, 0.05 mg	Oral	2	unit dose pack (21 tablets each)	Elevated blood pressure, headache, dizziness, nervousness, nausea, abdominal cramps, blood clots, appetite changes, bloating, breast pain		Spine
Pain Reliever							
Hydrocodone and Acetaminophen (Vicodin HP)	10 mg, 300 mg	Oral	30	tablet	Slower heart rate, dizziness, drowsiness, mental impairment, sedation, nausea, vomiting, constipation, urinary retention	May cause sedation and impair performance. Do not use with sleep meds.	A2

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 17 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Space Motion Sickness/Anti-Nausea							
Meclizine (Antivert)	25 mg	Oral	20	tablet	Drowsiness, headache, fatigue, nervousness, dizziness, dry mouth, blurred vision	May cause sedation and impair performance. Do not use with sleep meds.	A2
Ondansetron (Zofran ODT)	8 mg	Oral	30	tablet	Headache, fatigue, drowsiness, dizziness, anxiety, constipation, diarrhea, urinary retention, itching		A2
Promethazine (Phenergan)	25 mg	Oral	100	tablet	Sedation, inability to concentrate, drowsiness, dizziness, blurred or double vision, nausea, dry mouth, urinary retention, constipation, rash, agitation, photosensitivity, uncontrolled muscle spasms	May cause sedation and impair performance. Do not use with sleep meds.	A2
Steroid							
Methylprednisolone (Medrol)	4 mg	Oral	4	dose pack (21 tablets each)	Headache, dizziness, insomnia, restlessness, depression, anxiety, sweating, mood changes, hair growth, flushing, acne		A4
Prednisone (Deltasone)	20 mg	Oral	40	tablet	Headache, fluid retention, vertigo, high blood pressure, mood changes	Take with food.	A4
Stimulant							
Modafinil (Provigil)	200 mg	Oral	30	tablet	Headache, nervousness, dizziness, anxiety, insomnia, chest pain, rapid heart rate, diarrhea, upset stomach, dry mouth, lack of appetite		A1
Stomach							
Bismuth Subsalicylate (Pepto Bismol)	262 mg	Oral	80	chewable		May darken tongue and stool.	A3

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 18 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Omeprazole (Prilosec)	20 mg	Oral	90	capsule	Headache, dizziness, rash, flatulence, diarrhea, abdominal pain, nausea, vomiting, constipation, joint pain		A4
Ranitidine (Zantac)	150 mg	Oral	60	tablet	Dizziness, headache, insomnia, abdominal discomfort, blurred vision		A3
Urinary							
Tamsulosin (Flomax)	0.4 mg	Oral	10	capsule	Headache, dizziness, drowsiness, diarrhea, nausea, weakness, back pain, blurred vision, inflammation of the nasal membranes, runny nose, cough		A4

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 19 of 27 pages

Table 9. Physician Equipment Pack (Yellow)

Item	Qty in Pack	Location
Advanced Airway Management Hardware		
Endotracheal Tubes	-	A2
Bougie ET Tube Introducer	1	A2
Endotracheal Stylet	1	A2
Endotracheal Tube 7.0	1	A2
Endotracheal Tube 8.0	1	A2
ILMA Hardware		
ILMA Endotracheal Tube 7.0	1	B1
ILMA Endotracheal Tube 7.5	1	B1
ILMA Large	1	B1
ILMA Small	1	B1
ILMA Stabilizer Rod	1	B1
Laryngoscope	1	Spine
Suction Device		
Suction Cartridge	1	B4
Suction Collection Bag	1	B4
Suction Syringe	1	B4
Suction Tip - Mouth	1	B4
Suction Tubing - Endotracheal Tube	1	B4
Suction Tubing - Gastric Tube	1	B4
Variable Oxygen System		
VOS Intubated Patient Hardware	1	A1
VOS Non-Intubated Patient Hardware	1	A1
VOS Spare Parts	1	A1
Ear Hardware		
Otoscope Head Manual	1	B2
General Use		
Surgical Lubricant	4	Spine
Syringe 35 mL	1	B1

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 20 of 27 pages

Table 10. Topical & Injectable Medication Pack - Medications (Brown)

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Anesthetic							
Dental							
Benzocaine Swabstick	20 %, 0.15 mL	Topical	24	swab	No significant side effects		B3
Eye							
Tetracaine	0.5 %, 15 mL	Eye	1	bottle	Burning, stinging, redness of the eye, light sensitivity, tearing	Remove contact lenses prior to administration and wait 15 minutes before reinserting.	A2
Local							
Lidocaine and Epinephrine (Xylocaine and Epinephrine)	2 % with 1:100,000 epi, 20 mL	Subcutaneous	2	multi dose vial	Burning, stinging, blanching, tissue death		B4
Lidocaine (Xylocaine)	1 %, 10 mL	Subcutaneous	3	multi dose vial	Burning, stinging, blanching, tissue death		B2
Urinary							
Lidocaine Jelly	2 %, 30 mL	Topical	3	tube	Irritation, itching, rash		B4
Antibiotic							
Bacitracin	500 units/gm, 28 gm	Topical	4	tube	No significant side effects		A1
Ceftriaxone (Rocephin)	1 gm	Intramuscular	3	single dose vial	Thickening of tissue at injection site, rash, diarrhea		B1
Ciprofloxacin and Dexamethasone (Ciprodex)	0.3 %; 0.1 %, 7.5 mL	Ear	2	bottle	Ear discomfort, ear pain, ear itching		Spine

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 21 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Ertapenem (Invanz)	1 gm	Intramuscular	6	single dose vial	Headache, altered mental status, insomnia, nausea, vomiting, diarrhea, abdominal pain, constipation, cough		B1
Erythromycin	0.5 %, 3.5 gm	Eye	1	tube	Hypersensitivity, minor eye irritation, redness		A1
Moxifloxacin (Vigamox)	0.5 %, 3 mL	Eye	4	bottle	Dry eye, eye pain, itching eye, tearing, visual acuity decreased	Contact lenses should not be worn during therapy.	A1
Mupirocin (Bactroban)	2 %, 22 gm	Topical	2	tube	Skin irritation, itching		A1
Tobramycin and Dexamethasone (Tobradex)	0.3 %; 0.1 %, 10 mL	Eye	1	bottle	Eye redness, increased intraocular pressure, tearing, lid itching, lid swelling	Contact lenses should not be worn during therapy.	A1
Antifungal							
Clotrimazole (Lotrimin)	1 %, 30 gm	Topical	2	tube	Skin irritation, itching		A2
Antihistamine							
Cromolyn (Nasal crom)	5.2 mg, 26 mL	Intranasal	4	bottle	Increase in sneezing, burning, stinging or irritation inside the nose, headache, unpleasant taste, hoarseness, cough, post-nasal drip		A3

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 22 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Diphenhydramine (Benadryl)	50 mg/mL, 1 mL	Intramuscular	6	single dose vial	Drowsiness, sedation, inability to concentrate, dry mouth, blurred vision, rash, headache, rapid heart rate, dizziness, fatigue, photosensitivity, urinary retention, ringing in the ears, nasal stuffiness	May cause sedation and impair performance. Do not take with sleep meds.	B4
Behavioral Health							
Aripiprazole (Abilify)	7.5 mg/mL, 1.3 mL	Intramuscular	2	single dose vial	Headache, agitation, insomnia, anxiety, tremor, restlessness, sedation, dizziness, nausea, constipation, vomiting, abdominal discomfort, dry mouth, blurred vision, nasal congestion		B4
Diazepam (Valium)	5 mg/mL, 2 mL	Intramuscular	4	syringe	Drowsiness, fatigue, headache, memory loss, confusion, slurred speech, slower breathing rate, nausea, slow heart rate, blurred vision, constipation, dry mouth, urinary retention		B1
Breathing							
Albuterol (Proventil HFA)	90 mcg, 6.7 gm	Inhaler	3	inhaler	Tremors, palpitations, fast heart rate, dizziness, nervousness		A3

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 23 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Fluticasone (Flovent HFA)	220 mcg, 12 gm	Inhaler	2	inhaler	Fatigue, headache, throat irritation, oral yeast infection, cough, hoarseness, abdominal discomfort, nausea, vomiting, muscle pain, rash, itching		A4
Salmeterol (Serevent)	50 mcg	Inhaler	1	Multi dose inhaler	Headache, muscle pain, high blood pressure, dizziness, sleep disturbance, anxiety, rash, throat irritation, nausea, dry mouth		A3
Dental							
Eugenol	1 mL	Topical	2	oral syringe	Gum and skin irritation	Warning: DO NOT swallow. Medication is very damaging to the esophagus and stomach. Precaution: Do not pour the entire syringe into mouth at once. Use small amounts in increments.	B3
Earwax Removal							
Carbamide Peroxide (Debrox)	6.5 %, 15 mL	Ear	2	bottle	Irritation, redness in the ear		A4

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 24 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Eye							
Cyclopentolate (Cyclogyl)	2 %, 15 mL	Eye	1	bottle	Transient irritation, blurred vision, sensitivity to light, increased intraocular pressure	Remove contact lenses prior to administration and wait 15 minutes before reinserting.	A2
Fluorescein Strip	1 mg	Eye	20	strip	No significant side effects	Remove contact lenses before using.	Spine
Tropicamide (Mydriacyl)	1 %, 15 mL	Eye	2	bottle	Blurred vision, burning, temporary stinging, increased intraocular pressure; dry mouth, headache, light sensitivity	Remove contact lenses before using.	A2
Intubation							
Glycopyrrolate (Robinul)	0.2 mg/mL, 2 mL	Intramuscular	5	single dose vial	Flushing, dizziness, drowsiness, headache, fast heartbeat, nausea, vomiting, constipation, loss of taste, dry mouth, blurred vision, urinary retention, photosensitivity	For use by Physician CMO Only	B2
Ketamine (Ketalar)	50 mg/mL, 10 mL	Intramuscular	4	multi dose vial	Cardiac arrhythmia, visual hallucinations, vivid dreams, confusion, increased intraocular pressure, increased intracranial pressure, nausea, vomiting, increased salivation	For use by Physician CMO Only	B2

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 25 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Pain Reliever							
Hydromorphone (Dilaudid)	2 mg/mL, 1 mL	Intramuscular	18	syringe	Drowsiness, dizziness, fatigue, headache, sedation, nausea, slow heart rate, blurred vision, nausea, vomiting, constipation, dry mouth, tinnitus, urinary retention, abnormal dreams, agitation, mood	May cause sedation and impair performance. Do not use with sleep meds.	B2
Ketorolac (Toradol)	30 mg/mL, 2 mL	Intramuscular	3	single dose vial	Headache, nausea, upset stomach, diarrhea, dizziness, drowsiness, elevated blood pressure, swelling		B4
Space Motion Sickness/Anti-Nausea							
Promethazine (Phenergan)	25 mg/mL, 1 mL	Intramuscular	24	single dose vial	Sedation, inability to concentrate, drowsiness, dizziness, blurred or double vision, nausea, dry mouth, urinary retention, constipation, rash, agitation, photosensitivity, uncontrolled muscle spasms	May cause sedation and impair performance.	B4
Steroid							
Dexamethasone (Decadron)	10 mg/mL, 1 mL	Intramuscular	20	single dose vial	High blood pressure, slow heart rate, headache, vertigo, insomnia, mood swings, increased intraocular pressure		B2
Fluocinonide (Lidex)	0.05 %, 30 gm	Topical	3	tube	Skin irritation, itching		A2

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 26 of 27 pages

Item	Strength, Volume	Route of Use	Qty in Pack	Unit	Possible Side Effects	Comments	Location
Wound Repair							
Chemical Cautery							
Silver Nitrate and Potassium Nitrate (Silver Nitrate Applicators)	75 %; 25 %	Topical	10	each	Burning and skin irritation, staining of the skin		A2
Skin Adhesive							
Cyanoacrylate (Dermabond)	0.5 mL	Topical	2	swab	Skin irritation, itching		A2

3.001 MEDICAL KIT- CONTENTS AND REFERENCE

(MED CL/SpX-6 - ALL/FIN/T)

Page 27 of 27 pages

Table 11. Topical & Injectable Medication Pack - Other Contents (Brown)

Item	Qty in Pack	Location
Dental		
Dental Adhesive	1	B3
Dental Adhesive Tip	4	B3
Temporary Tooth Filling	1	B1
Urine Testing Hardware		
EPT	2	Spine
Urine Chemstrip	10	B3
Urine Color Chart	1	B3