



# ANNUAL HIGHLIGHTS of RESULTS from the INTERNATIONAL SPACE STATION

*October 1, 2017 – October 1, 2018*

MAXI .....

SEDA-AP.....

CALET .....

CATS .....

HREP .....

NREP2 .....

ISS-CREAM .....



ROSCOSMOS

# **ANNUAL HIGHLIGHTS of RESULTS**

## **from the INTERNATIONAL SPACE STATION**

October 1, 2017 – October 1, 2018

*Product of the International Space Station Program Science Forum*

This report was developed collaboratively by the members of the Canadian Space Agency (CSA), European Space Agency (ESA), Japan Aerospace Exploration Agency (JAXA), National Aeronautics and Space Administration (NASA), and the State Space Corporation Roscosmos (Roscosmos). The highlights and citations in this report, as well as all the International Space Station (ISS) results and citations collected to date, can be found at: <https://www.nasa.gov/stationresults>.

### **Managing Editors**

Ousmane Diallo and Tara Ruttley, NASA

Judy Tate-Brown, Barrios Technologies

### **Executive Editor**

Kirt Costello, NASA

### **Cover:**

View of the Kibo laboratory module as the ISS orbited over the southern Pacific Ocean east of New Zealand. Hardware seen in this photo: Japanese Experiment Module (JEM) Experiment Logistics Module Pressurized Section (ELM-PS), Japanese Experiment Module Remote Manipulator System (JEMRMS), Japanese Experiment Module - Exposed Facility (JEM-EF), Monitor of All-sky X-ray Image (MAXI), Cosmic-Ray Energetics and Mass for the International Space Station (ISS-CREAM), Nanoracks External Platform (NREP-2), Hyperspectral Imager for the Coastal Ocean (HICO), Remote Atmospheric and Ionospheric Detection System (RAIDS) Experiment Payload (HREP) Inter-orbit Communication System - Exposed Facility (ICS-EF), Cloud-Aerosol Transport System (CATS), and CALorimetric Electron Telescope (CALET) Space Environment Data Acquisition Equipment - Attached Payload (SEDA-AP) (ISS055E006395).

# Table of Contents

Introduction .....	1
Publication Highlights: <b>Biology and Biotechnology</b> .....	6
Publication Highlights: <b>Human Research</b> .....	9
Publication Highlights: <b>Physical Sciences</b> .....	13
Publication Highlights: <b>Technology Development and Demonstration</b> .....	16
Publication Highlights: <b>Earth and Space Science</b> .....	19
ISS Research Results Publications .....	24
To Learn More .....	43

human health  
 Earth observations  
 space  
 immune  
 countermeasures  
 plants  
 X-rays  
 stars  
 proteins  
 microgravity  
 cardiovascular  
 chain reaction  
 polymerase  
 spaceflight  
 space  
 Station  
 International

flame  
 crew  
 point of care  
 solitary flows  
 yeast  
 thermodynamic  
 granitoid  
 thermofusion  
 black holes  
 directional solidification  
 boronimides  
 magnetic resonance imaging  
 reduction  
 protein crystal growth  
 PAMPA  
 sar  
 antibiotic acid vision  
 bactericidal  
 model organisms  
 antibiotics  
 combustion binaries  
 low Earth orbit  
 omics  
 bacterial  
 life support system  
 scree effect  
 cell growth  
 cosmic rays  
 satellites  
 accretion  
 scintillometer  
 optical  
 education  
 spillover  
 dust  
 plasma  
 materials processing  
 biology  
 autoimmune disease  
 dusty plasma

Word cloud of keywords identified in ISS results publications collected from October 1, 2017 - October 1, 2018.



# Introduction

The International Space Station (ISS) is a unique place – a convergence of science, technology and human innovation that demonstrates new technologies and makes research breakthroughs that cannot be accomplished on Earth. As an international laboratory for scientific research in microgravity, the space station’s international crew lives and works while traveling at a speed of about five miles per second as they make new discoveries in the disciplines of biology and biotechnology, Earth and space science, human research, physical science, educational activities, and technology development and demonstrations.

This year, investigators published a wide range of ISS science results, from improved theories about the creation of stars to the outcome of data mining “omics” repositories of previously completed ISS investigations. The ISS Program Science Office collected 206 scientific publications between October 1, 2017 and October 1, 2018. Of these 206 publications, five were books, 173 were articles published in peer-reviewed journals, 19 were conference presentations, and nine were patents. Of the items collected, 60 were published prior to October 1, 2017, but not collected until after October 1, 2017.

The ISS is the springboard to the next great leap in exploration, enabling research and technology development that will benefit human exploration of destinations beyond low-Earth orbit. It is the blueprint for global cooperation – one that enables a multinational partnership and advances shared goals in space exploration.

Results represent research accomplishments sponsored by the National Aeronautics and Space Administration (NASA), the State Space Corporation Roscosmos (Roscosmos), the Japan Aerospace




Figure 1: A total of 2237 publications (through October 1, 2018) represent scientist’s worldwide. This chart illustrates the percentages for each discipline of research, per publication type.

Exploration Agency (JAXA), the European Space Agency (ESA), and the Canadian Space Agency (CSA). This report includes highlights of collected ISS results as well as a complete listing of this year’s ISS results that benefit humanity, contribute to scientific knowledge, and advance the goals of space exploration for the world.

Overall, the number of publications collected in 2017-2018 represents a year-over-year increase of 10% from the previous year of 2031 publications collected.<sup>1</sup> As of October 1, 2018, the ISS Program Science Office has identified a total of 2237 publications since 1999 with sources in peer-reviewed journals, conferences, and gray literature, representing the work of more than 5000 scientists worldwide (Figure 1).

1. Robinson J, Ruttley T, Tate-Brown J. Annual Highlights of Results from the International Space Station: October 1, 2016 – October 1, 2017.2016; [NP-2018-02-002-JSC](#).

The ISS Program Science Office has a team of professionals dedicated to continuously collecting and archiving research results from all utilization activities across the ISS partnerships. The archive can be accessed at [www.nasa.gov/iss-science](http://www.nasa.gov/iss-science). This database captures the ISS investigations summaries and results, providing citations to the publications and patents as they become available.

The team reviews various publications to locate articles detailing results from ISS research. Other methods to discover articles with ISS results include:

- email alerts from Pubmed, Google Scholar, Web of Science, and others
- ISS investigator websites
- Science networks such as ResearchGate

### **Measuring Space Station Impacts**

Because of the unique microgravity environment of the ISS laboratory, the multidisciplinary and international nature of the research, and the significance of the investment in its development, analyzing ISS scientific impacts is an exceptional challenge. As a result, the ISS Program Science Office uses different methods to describe the impacts of ISS research activities.

One method used to evaluate the significance of scientific output from the ISS is to track the article citations and the Eigenfactor of journal importance across the ISS partnership. Since different disciplines have different standards for citations and different time spans across which citations occur, Eigenfactor applies an algorithm that uses the entire Web of Science citation network from Clarivate Analytics® spanning the previous five years.<sup>2</sup>

This algorithm creates a metric that reflects the relative importance of each journal. Eigenfactor counts citations to journals in both the sciences and social sciences, eliminates self-citations of journals, and is intended to reflect the amount of

	<b>(Clarivate Analytics®) Ranks</b>	<b>Source (# of ISS articles)</b>
<b>ISS Publications In Top 100 Sources</b>	1	PLOS ONE (2)
	5	Nature Communications (1)
	7	Scientific Reports (13)
	8	New England Journal of Medicine (1)
	9	Physical Review Letters (7)
	16	The Astrophysical Journal (8)
	25	Monthly Notices of the Royal Astronomical Society (1)
	26	Applied Physics Letters (1)
	42	Astronomy and Astrophysics (1)
	67	The Journal of Chemical Physics (1)
96	The Astrophysical Journal Letters (6)	

*Table 1: 2017-2018 ISS Publications collected in the Top 100 Global Journals, by Eigenfactor. From October 1, 2017 to October 1, 2018, as reported by 2017 Journal Citation Reports, Clarivate Analytics®.*

time researchers spend reading the journal. For the time period of October 1, 2017 to October 1, 2018, 42 ISS publications were published in the top 100 journals by Eigenfactor. Twenty-four of those ISS publications were in the Top 10 Global Journals as reported by Clarivate Analytics® (Table 1).

Continuously updated information pertaining to ISS investigations across the ISS international partnership is available at [www.nasa.gov/iss-science](http://www.nasa.gov/iss-science); in particular, publications of ISS results can be found at [www.nasa.gov/stationresults](http://www.nasa.gov/stationresults).

2. West JD, Bergstrom TC, Bergstrom CT. The Eigenfactor Metrics™: A Network approach to assessing scholarly journals. College and Research Libraries. 2010;71(3). DOI: 10.5860/0710236.




Figure 3. The ISS Map of Science for all ISS publications collected through October 1, 2018, overlaid on the UCSD Map of Science.

The ISS Program Science Office has developed an ISS Map of Science: a colorful visualization of the spread of knowledge gained from ISS research across the different science disciplines (Figure 3).

The base map that underlies the ISS Map of Science is the widely used disciplinary classification system and layout algorithm known as the University of California, San Diego (UCSD) Map of Science.<sup>3</sup> The UCSD Map of Science is a reference-standard, disciplinary classification system derived from articles and citations published in the more than 25,000 journals indexed by Clarivate Analytics'® Web of Science and Scopus®. In the UCSD visualization, each article is located within a network of 554 subdisciplines, which are then aggregated into 13 primary disciplinary classifications. Each color-coded circle represents a unique subdiscipline. The number of scientific articles published within that subdiscipline determines the size of each circle.

The UCSD Map of Science was originally produced in 2005 at the request of UCSD, updated in 2012, and its map and classification system are distributed under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported (CC BY-NC-SA 3.0) license (<https://creativecommons.org/licenses/by-nc-sa/3.0/>).

Overlaid on the standard UCSD Map of Science framework, and using its algorithm, the ISS Map of Science in Figure 3 reveals the multidisciplinary nature of ISS research, illustrated by the significant overlap between the circles representing the different disciplines. Most importantly, this ISS Map of Science indicates that the science conducted on the ISS impacts 12 of the 13 primary disciplines that comprise the base map of all science (Humanities is excepted). These disciplines include both space-related and non-space-related scientific disciplines.

3. Borner K, Kalvans R, Patek M, et al. Design and Update of a classification System: The UCSD Map of Science. PLOS One. 2012 July; 7(7):e39464. DOI: [10.1371/journal.pone.0039464](https://doi.org/10.1371/journal.pone.0039464).




Figure 4. A heat map of all of the countries whose authors have cited scientific results publications from ISS Research through October 1, 2018.

Results from space station research reach beyond international borders and beyond the countries with research-sponsoring space agencies. Figure 4 depicts a heat map representing all of the countries of origin for authors that have cited ISS results published in scholarly journals since 1999. This global representation provides an indication of the international reach of ISS publications and their contributions to scientific literature.

**Linking Space Station Benefits**

ISS research results lead to benefits for human exploration of space, benefits to humanity, and the advancement of scientific discovery. This year's Annual Highlights of Results from the International Space Station includes descriptions of just a few of the results that have been published from across the ISS partnership.



**EXPLORATION**

ISS investigation results have yielded updated insights into how to live and work more effectively in space by addressing such topics as understanding radiation effects on crew health, combating bone and muscle loss, improving designs of systems that handle fluids in microgravity, and determining how to maintain environmental control efficiently.



**BENEFITS FOR HUMANITY**

Results from the ISS provide new contributions to the body of scientific knowledge in the physical sciences, life sciences, and Earth and space sciences to advance scientific discoveries in multi-disciplinary ways.



**DISCOVERY**

ISS science results have Earth-based applications, including understanding our climate, contributing to the treatment of disease, improving existing materials, and inspiring the future generation of scientists, clinicians, technologists, engineers, mathematicians, artists, and explorers.





*ISS crewmember Samantha Cristoforetti activating the Biological Research in Canisters (BRIC) by injecting the growth medium into the samples (ISS043E127535).*



# PUBLICATION HIGHLIGHTS:

## BIOLOGY AND BIOTECHNOLOGY

The ISS laboratory provides a platform for investigations in the biological sciences that explores the complex responses of living organisms to the microgravity environment. Lab facilities support the exploration of biological systems, from microorganisms and cellular biology to the integrated functions of multicellular plants and animals.




DISCOVERY

NASA's **GeneLab** database is an interactive, open-access resource where scientists can upload, download, store, search, share, transfer, and analyze omics data from spaceflight and corresponding analogue investigations. Omics is the field of research analyzing and integrating studies of many different “-omes,” including the genome, proteome, and metabiome, using bioinformatics and computational biology. GeneLab allows users to explore GeneLab datasets in the Data Repository, analyze data using the Analysis Platform, and create collaborative projects using the Collaborative Workspace. Open access to GeneLab facilitates information sharing, fosters innovation, and increases the pace of scientific discovery from rare space biology investigations for researchers ranging from highly experienced in space research, to those who have never been involved in any NASA research.

Discoveries made using GeneLab have begun and will continue to deepen our understanding of biology, advance the field of genomics, help to determine cures for diseases, create better diagnostic tools, and ultimately allow space explorers to better withstand the rigors of spaceflight. This year, GeneLab data have yielded significant results:

- A research team examined how rodent cage architecture influences atmospheric carbon dioxide levels, and consequently, the physiological responses of animals in spaceflight. Through a systems biology approach, the authors concluded that variations in the type of rodent cage could influence metabolism, immune response, and potentially the activation of cancer-related pathways. Research insights shed light on study designs for rodent research and ultimately the biological risks for space explorers associated with long-term space missions.
- In another study, researchers used an unbiased systems biology approach to discover the existence of a potential master regulator, TGF- $\beta$ 1, that coordinates systemic responses to microgravity between multiple linked tissues, further predicting that the global response was driven by micro RNA (miRNA). The genes and miRNAs identified from these analyses can be targeted for future research involving efficient countermeasure design to combat health issues that can occur in space.



Official NASA GeneLab patch (image credit: NASA).

- Researchers performed the first normalized meta-analysis comparing all publicly available transcriptome profiles from both gram-negative and gram-positive bacteria exposed to the spaceflight environment. Findings suggest that gene variations in bacteria are not due to a shared response to space but instead are due to differences in methods. As a result of this meta-analysis, researchers observed that developing a clear understanding of how bacteria respond and adapt to microgravity requires that future investigations use standardized study conditions.

*Beheshti A, Cekanaviciute E, Smith DJ, Costes SV. Global transcriptomic analysis suggests carbon dioxide as an environmental stressor in spaceflight: A systems biology GeneLab case study. Scientific Reports. 2018 March 8;8:10 pp. DOI: [10.1038/s41598-018-22613-1](https://doi.org/10.1038/s41598-018-22613-1). PMID: 29520055.*

*Beheshti A, Ray S, Fogle H, Berrios D, Coates SV. A microRNA signature and TGF-beta 1 response were identified as the key master regulators for spaceflight response. PLOS One. 2018 July 25;13(7):19 pp. DOI: [10.1371/journal.pone.0199621](https://doi.org/10.1371/journal.pone.0199621). PMID: 30044882.*

*Morrison MD, Nicholoso WL. Meta-analysis of data from spaceflight transcriptome experiments does not support the idea of a common bacterial "spaceflight response". Scientific Reports. 2018 September 26;8:12 pp. DOI: [10.1038/s41598-018-32818-z](https://doi.org/10.1038/s41598-018-32818-z). PMID: 30258082.*




EXPLORATION

The goal of JAXA's **Transcriptome Analysis and Germ-Cell Development Analysis of Mice in the Space (Mouse Epigenetics)**

investigation was to investigate how different types of gravity exposure (i.e., earth gravity, microgravity, and artificial gravity) affect protein expression and oxidative stress-related cell death in the tissue of mice, in which a JAXA-NASA scientific collaboration under the Japan-U.S. Open Platform Partnership Program (JP-US OP3) focused on impact on the retinal tissue of mice. Protein synthesis and free-radical regulation are mechanisms involved in the structure and function of the retina. Uncovering the effects of microgravity on these mechanisms may clarify how visual impairments in crewmembers emerge.

While on the ISS for 35 days, mice were housed either in an ambient microgravity cage unit or in a centrifugal habitat that simulated Earth's gravity. Two additional control groups of mice, habitat and vivarium, remained on Earth for comparison purposes.

Immunocytochemical, immunohistochemical, and protein-expression profile analyses were performed on ocular tissue after spaceflight. Results showed significantly more cell death in the retinal vascular endothelial cells of mice exposed to microgravity compared to mice in all other conditions. Additionally, more changes in protein expression were identified in mice exposed to microgravity than mice exposed to artificial gravity. The affected proteins were primarily involved in inflammation, repair, and programmed cell death (apoptosis).



Apoptosis based on terminal deoxynucleotidyl transferase dUTP nick-end labeling (TUNEL) staining of 9-week-old male C57BL/6 mouse retinal tissue. Groups ( $n = 6$ ): Vivarium control, habitat control,  $\mu g$ , and  $\mu g + 1 g$ . TUNEL-positive cells were identified with green fluorescence, the endothelium was stained with lectin (red). The nuclei of photoreceptors were counterstained with DAPI (blue). In the control retinal tissue, only sparse TUNEL-positive cells were found. In the retina from  $\mu g$  mice, TUNEL-positive labeling was apparent in the retinal endothelial cells. Arrow: TUNEL-positive endothelial cell. Outer nuclear layer; inner nuclear layer; ganglion cell layer. (Image courtesy of Mao XW, International Journal of Molecular Sciences, 2018.)

These findings suggest that changes to vascular endothelial cells in the mouse retina can lead to breaking the blood-retinal barrier, thereby increasing the risk for visual impairment. This is the first study to investigate the role of artificial gravity in spaceflight as a potential countermeasure for alleviating the negative effects of microgravity on the visual system.

Mao XW, Byrum S, Nishiyama NC, Pecaut MJ, Sridharan V, et al. Impact of spaceflight and artificial gravity on the mouse retina: Biochemical and proteomic analysis. International Journal of Molecular Sciences. 2018 August 28;19(9):2546. DOI: 10.3390/ijms19092546. PMID: 30154332.





*ISS crewmember Luca Parmitano performs an ocular health funduscope exam in the Destiny laboratory of the ISS (ISS036E006423).*



# PUBLICATION HIGHLIGHTS:

## HUMAN RESEARCH

ISS research includes the study of risks to human health that are inherent in space exploration. Many research investigations address the mechanisms of these risks — including the relationship to the microgravity and radiation environments — as well as other aspects of living in space, including nutrition, sleep, and interpersonal relationships. Other investigations are designed to develop and test countermeasures to reduce these risks. Results from this body of research are critical enablers for missions to the lunar surface and future Mars exploration missions.




EXPLORATION

NASA's **Cephalad Fluid Redistribution** investigation examined neuroanatomical changes in 34 crewmembers who participated in long-duration missions to the ISS and short-duration missions as part of the Space Shuttle Program.

Brain scans were acquired before and after spaceflight using three magnetic resonance-

imaging machines in addition to an eye health assessment upon return from space. These scans revealed an upward shift of the brain, ventricular enlargement, and a narrowing of the central sulcus and cerebrospinal fluid spaces after long-duration space missions. Moreover, every crewmember who experienced optic-disk edema after long-duration missions also showed narrowing of the central sulcus.



*Axial T2-weighted images of the brain obtained before (Panel A) and after (Panel B) this subject had undergone long-duration spaceflight on the ISS. Axial T2-weighted images of the brain obtained before (Panel C) and after (Panel D) this subject had undergone short-duration spaceflight on the space shuttle show no change in the appearance of the sulci at the vertex (Image courtesy of Roberts DR, New England Journal of Medicine, 2017).*

The results of this study advocate for the incorporation of advanced methods into NASA's imaging protocol. Cutting-edge technology combined with a longitudinal design could reveal a relationship between neuroanatomical changes and visual impairments. Determining the cause of visual impairments resulting after spaceflight will help inform the development of countermeasures to better prepare the next generation of explorers for deep space interplanetary missions.

*Roberts DR, Albrecht MH, Collins HR, Asemanni D, Chatterjee AR, et al. Effects of spaceflight on astronaut brain structure as indicated on MRI. New England Journal of Medicine. 2017 November 2;377(18):1746-1753. DOI: [10.1056/NEJMoa1705129](https://doi.org/10.1056/NEJMoa1705129). PMID: 29091569.*



Roscosmos' **Mechanism of Activity and Effectiveness of Various Countermeasures Intended to**

**Prevent Disruptions to the Motor Apparatus in Microgravity (Profilaktika-1)** investigation recognizes that numerous conditions emerge in the human body as a result of exposure to weightlessness, from muscle atrophy to bone loss and decreased cardiac output. Scientists and physicians have developed different attempts to help crewmembers maintain good physical health while aboard the ISS. However, the current loading systems available on the ISS allow crewmembers to choose settings below the minimum recommended value of 70% of their body weight. The goal of Profilaktika-1 was to determine the loading value necessary to assure the effectiveness of the countermeasures currently used for motor training.

Results showed that for the training to have a positive effect and for crewmembers to maintain

physical performance, 64% of the crewmember's body weight is the minimum loading target. The authors suggest that implementing heavier loads through more intense stimulation and stronger autonomic muscle activity would be useful to help prevent deconditioning related to weightlessness.

*Fomina EV, Lysova NY, Savinkina AO. Axial load during the performance of locomotor training in microgravity as a factor of hypogravity countermeasure efficiency. Human Physiology. 2018 January 1;44(1):47-53. DOI: 10.1134/S0362119718010061.*



*ISS crewmember Maxim Suraev, equipped with a bungee harness, exercises on the Combined Operational Load Bearing External Resistance Treadmill (ISS041E011475).*



## ESA's **Thermoregulation in Humans During Long-Term Spaceflight**

EXPLORATION

**(ThermoLab)** investigation examined the effect of microgravity on ISS crewmembers' core body temperature (CBT) during periods of rest and exercise before launch, while on the ISS, and after return. Results showed that CBT gradually elevates during long-duration spaceflight, rising faster and higher during physical exercise compared to ground results. Additionally, researchers found that impairments in thermoregulation slowly return to normal once the ISS crewmembers are back on Earth. Additional analysis of interleukin-1 receptor antagonist, an anti-inflammatory protein, revealed that higher concentrations of the protein are positively correlated with elevated body temperature.

The researchers concluded that protein elevations could be related to pro-inflammatory responses to microgravity, vigorous exercise in space, radiation, stress-induced hyperthermia, or a combination of the factors. These findings demonstrate that there are significant challenges in understanding inflammation associated with spaceflight to enable space explorers to maintain their health and cognition on long-duration space missions.

*Stahn AC, Werner A, Opatz O, Maggioni MA, Steinach M, et al. Increased core body temperature in astronauts during long-duration space missions. Scientific Reports. 2017 November 23;7(1):16180. DOI: [10.1038/s41598-017-15560-w](https://doi.org/10.1038/s41598-017-15560-w). PMID: 29170507.*



*ISS crewmember Luca Parmitano wearing a ThermoLab double sensor on his forehead (ISS036E024483).*





EXPLORATION



BENEFITS FOR HUMANITY

CSA has supported several investigations examining **psychosocial aspects** of long-duration space exploration.

One investigation surveyed veteran crewmembers who once flew on Mir, the ISS, or both provided information about their days in space through private semi-structured interviews, media interviews, memoirs, diaries, and debriefs. Using qualitative and quantitative methods in thematic content analysis, researchers measured the need for achievement, affiliation, and power of these retired crewmembers to understand how these values motivated their careers.

Crewmembers reported the need to achieve and be successful to be most important, followed by the need to be socially involved with like-minded peers, and finally followed by the need for power. Even though power was the least important value driving their careers, crewmembers did comment on the lack of autonomy experienced during space missions and their desire to have more control over what they did, how they did it, and when they did it. Despite their central role in space exploration, the crewmembers' thoughts and suggestions do not appear to be getting the necessary attention.



*ISS Expedition 42 crewmembers pose for an inflight portrait in the Harmony Node 2. Clockwise from top center, are Barry Wilmore, Elena Serova, Samantha Cristoforetti, Terry Virts, Anton Shkaplerov, and Alexander Samoukutyayev (ISS042E306480).*

Researchers recommend providing active and retired crewmembers opportunities to highlight their contributions to the world, remain involved with their peers, and have a voice in crew selection, training, schedules, and other space agency-related activities.

In another study, retired crewmembers' perceptions of actual and desired involvement with their children before, during, and after space missions were retrospectively examined. The Father Involvement Scale included items evaluating expressive involvement (e.g., intellectual, emotional, social, spiritual, and hobbies) and instrumental involvement (e.g., providing income, protection, discipline, responsibility, independence, and competence).

Responses from crewmembers indicated that actual instrumental and expressive involvement with their children was high. However, crewmembers still wished to have been more involved in the expressive domain. Several crewmembers expressed sentiments of regret by noting that lost time cannot be made up.

These results prompt the enhancement of family support programs provided by space agencies to further engage families and help strengthen father-child relationships.

*Suedfeld P, Johnson PJ, Gushin VI, Brcic J. Motivational profiles of retired cosmonauts. Acta Astronautica. 2018 March 2;146:202-205. DOI: [10.1016/j.actaastro.2018.02.038](https://doi.org/10.1016/j.actaastro.2018.02.038).*

*Johnson PJ, Suedfeld P, Gushin VI. Being a father during the space career: retired cosmonauts' involvement. Acta Astronautica. 2018 May 15;149:106-110. DOI: [10.1016/j.actaastro.2018.05.028](https://doi.org/10.1016/j.actaastro.2018.05.028).*





*ISS crewmember Mike Hopkins preparing to install and activate the Selectable Optics Diagnostic Instrument-Diffusion Coefficient in Mixtures 2 cell array in the Microgravity Science Glovebox for operations (ISS038E009256).*



# PUBLICATION HIGHLIGHTS:

## PHYSICAL SCIENCES

The presence of gravity greatly influences our understanding of physics and the development of fundamental mathematical models that reflect how matter behaves. The ISS provides the only laboratory where scientists can study long-term physical effects in the absence of gravity and without the complications of gravity-related processes such as convection and sedimentation. This unique microgravity environment allows different physical properties to dominate systems, and scientists are harnessing these properties for a wide variety of investigations in the physical sciences.



DISCOVERY

NASA's **DEvice for the study of Critical Liquids and Crystallization - Directional Solidification Insert (DECLIC-DSI)**




BENEFITS FOR HUMANITY

has enabled the verification of three-dimensional (3-D) models that simulate microstructure solidification of organic liquid compounds in microgravity based on actual results aboard the ISS. The structures form in a homogeneous array that researchers can analyze for growth properties and development. Results allow scientists to understand the effects of a thermal gradient on the solidification processes for the solid structures formed and the spacing

between these structures. Such studies are important to pharmaceutical research by furthering the understanding of crystallization formation in microgravity. These studies also contribute to an understanding of how liquids may behave in critical systems that are a part of spacecraft hardware. The results will also help refine the accuracy of 3-D simulation models to predict the behavior of other media for future applications.

*Song Y, Tourret D, Mota FL, Pereda J, Billia B, et al. Thermal-field effects on interface dynamics and microstructure selection during alloy directional solidification. Acta Materialia. 2018 May 15;150:139-152. DOI: 10.1016/j.actamat.2018.03.012.*



Microstructures at different time steps (left to right) in the TFC simulation at  $V = 4\mu\text{m/s}$ , seen from the top (top row) and from the side (bottom row) (Image courtesy of Song Y, Acta Materialia, 2018).



DISCOVERY

JAXA's **Electrostatic Levitation Furnace (ELF)** takes advantage of the microgravity environment to melt a variety of materials without the introduction of impurities from a container.

On Earth, making glass requires placing a mixture of raw materials into a container called a crucible. The crucible is heated to melt the materials, and the melted materials are cooled to become a solid. In the process of melting raw materials at high temperature, a chemical reaction between the liquid mixture and the crucible occurs, resulting in the introduction of impurities from the crucible into the melted materials. Scientists have hypothesized that heating materials while levitating them would avoid contamination from the crucible. The ELF enables this capability.

To date, crewmembers have processed several oxide and zirconium materials, levitating and heating them to temperatures as high as 3000 K to become molten in microgravity. Density, surface tension, and viscosity measurement capabilities have been confirmed. Understanding the thermophysical properties data of materials at high temperature is useful for the study of liquid states and improvement of numerical simulation by modeling the manufacturing process using the liquid state on Earth. Many more investigations are planned for the ELF.

*Tamaru H, Koyama C, Saruwatari H, Nakamura Y, Ishikawa T, Takada T. Status of the Electrostatic Levitation Furnace (ELF) in the ISS-KIBO. Microgravity Science and Technology. 2018 October;30(5):643-651. DOI: [10.1007/s12217-018-9631-8](https://doi.org/10.1007/s12217-018-9631-8).*



*ISS crewmember Takuya Onishi functional-checking the Electrostatic Levitation Furnace (ELF) facility (ISS049E002367).*





EXPLORATION



DISCOVERY

## ESA's **Electro-Magnetic Levitator (EML) Batch 1 - Thermolab** investigation

provides oscillation data that will enhance methods for frequency analysis and validation by estimating correction factors that identify how frequency shifts can be correlated with observed material

deformations. These data will also improve our understanding of surface tension accuracy and precision. A 150 Hz camera measured surface movements during the solidification process of a nickel-based super-alloy droplet sample. This sample provided critical information when timed heater pulses were introduced to initiate a deformation of the material, creating an oscillation. The resulting data on frequency versus deformation amplitude for various cases in microgravity enable


the validation of correction factors to the Rayleigh equation, which mathematically models the deformation behavior of melted materials. This information is critical for predicting the deformation behavior and eliminates the impact of deformations observed in surface tension data of molten metals during microgravity manufacturing processes, thereby improving accuracy and precision of the processes.

*Xiao X, Hyers RW, Wunderlich RK, Fecht HJ. Deformation induced frequency shifts of oscillating droplets during molten metal surface tension measurement. Applied Physics Letters. 2018 July 5;113(1):011903. DOI: [10.1063/1.5039336](https://doi.org/10.1063/1.5039336).*



ISS crewmember Alex Gerst working with the Electromagnetic Levitation hardware on board ISS (ISS041E000184).





*ISS crewmember Kate Rubins during Synchronized Position Hold, Engage, Reorient, Experimental Satellites Slosh operations in the Japanese Experiment Module on board the ISS (ISS049E030481).*



# PUBLICATION HIGHLIGHTS: TECHNOLOGY DEVELOPMENT AND DEMONSTRATION

Future exploration — the return to the moon and human exploration of Mars — presents many technological challenges. Studies on the ISS can test a variety of technologies, systems, and materials that are needed for future exploration missions. Some technology development investigations have been so successful that the test hardware has been transitioned to operational status. Other results feed new technology development.



DISCOVERY

NASA's initial **Biomolecule Sequencer** investigations with genomic DNA extracted from a virus (*Enterobacteria phage lambda*), a bacterium (*Escherichia coli*), and a model organism, the mouse (*Mus musculus*), are complete, generating important sequencing datasets for making comparisons between biomolecule sequencing during spaceflight and on Earth. No decrease in sequencing performance was observed in microgravity results compared to samples on Earth. Additionally, the quantity and quality of the spaceflight data permitted assembly of bacterial and viral genomes.



ISS crewmember Ricky Arnold, swabbing designated surfaces used to collect samples. He then used the Miniature Polymerase Chain Reaction (miniPCR) device to extract DNA from the samples (ISS056E097419).

Importantly for microbiome and metagenomic applications, results demonstrate that a *de novo* assembly of microbial genomes from raw data corresponding to a complex metagenomic mixture is feasible in microgravity. Furthermore, lightweight sequencing platforms coupled with sufficient local computing power can be directly applied to terrestrial research applications in remote environments. The ability to analyze a subset of samples to assess sampling diversity and quality while in field locations such as the Arctic or on deep-sea drilling expeditions could greatly improve the overall yield of science from these campaigns.

The similarity in the results from sequencing in conjunction with the demonstrated robustness of the hardware and consumables sets the stage for the first time for use of this technology in infectious disease diagnostics, environmental monitoring, a wide array of space-based research, and potentially the detection of life beyond Earth during deep space exploration missions.

Castro-Wallace SL, Chiu C, John KK, Stahl SE, Rubins K, et al. Nanopore DNA Sequencing and Genome Assembly on the International Space Station. *Scientific Reports*. 2017;7:18022. DOI: [10.1038/s41598-017-18364-0](https://doi.org/10.1038/s41598-017-18364-0).



DISCOVERY

## Roscosmos' **Development of a System of Supervisory Control over the Internet of the Robotic Manipulator in the Russian Segment of ISS (Kontur)**

tested the remote control capabilities of the force-feedback joystick (RJo) on ground-based robots from aboard the ISS.

As part of the German Aerospace Center (DLR) study, two ISS crewmembers maneuvered the RJo, which moved the robotic arm ROKVISS on the ground via S-Band radio signals. The software created by DLR was designed to allow users to modify the controller features of the joystick for different robots. This software permitted testing on the Russian State Scientific Center for Robotics and Technical Cybernetics (RTC) investigation, consisting of the Surikat robot, a stylus surrounded by lighted targets. An ISS crewmember used the visual stream of the Surikat to apply force feedback on the joystick and extinguish the lighted targets.

Unlike the DLR investigation, RTC was conducted via S-Band radio signals and the internet. The sessions conducted in 2015 provided the necessary tactile and visual feedback for the creation of a second RTC mobile robot in 2016, in which a crewmember's interface appears as a three-dimensional model with a polygon map. Crewmembers controlled the display, similar to a video game, with a joystick that moved the on-ground robot. Live stream of the robot was also provided to crewmembers for visual reference. Despite observed delays in data exchange for all sessions, the communication channel between on-Earth robots and the joystick aboard the ISS was a success.

*Muliukha V, Zaborovsky V, Ilyashenko A, Podgurski Y. Communication Technologies in the Space Experiment "Kontur-2". In: Galinina O, Andreev S, Balandin S, Koucheryavy Y. (eds) Internet of Things, Smart Spaces, and Next Generation Networks and Systems. ruSMART 2017, NsCC 2017, NEW2AN 2017. Lecture Notes in Computer Science, 10531. Springer, Cham.*



ISS crewmember Andrei Borisenko setting up the Kontur-2 on board the ISS (ISS050E075422).





## ASI's **Personal Radiation Shielding for Interplanetary Missions (PERSEO)**

EXPLORATION

explored strategies complementary to habitat shielding in view of future space exploration missions. Concerns related to space radiation exposure of the crew are still without conclusive solutions. The risk of long-term detrimental health effects needs to be kept below acceptable limits, and emergency countermeasures must be developed to avoid the short-term consequences of exposure to high particle fluxes during solar events that can be difficult to predict.

The design, manufacturing, and testing of the first prototype of a water-filled garment on board the ISS offers the validation of a personal radiation shielding strategy, complementary to habitat shielding and to other possible innovative countermeasures to be developed, to ensure the safety of the crew for future human exploration of deep space. PERSEO demonstrated the option of using a personal

radiation-shielding device during time periods ranging from a fraction of an hour to a full day. PERSEO represents an important breakthrough in the field of radiation shielding in space.

*Baiocco G, Giraudo M, Bocchini L, Barbieri S, Locantore I, et al. A water-filled garment to protect astronauts during interplanetary missions tested on board the ISS. Life Sciences in Space Research. 2018 April 26;18:1-11. DOI: [10.1016/j.lssr.2018.04.002](https://doi.org/10.1016/j.lssr.2018.04.002). PMID: [30100142](https://pubmed.ncbi.nlm.nih.gov/30100142/).*



ISS crewmember Paolo Nespoli filling a personal radiation shielding garment with water (ISS053E238877).





*The Alpha Magnetic Spectrometer - 02 (AMS-02) is visible in the right foreground and a Soyuz spacecraft is visible docked to the ISS (ISS028E016135).*



# PUBLICATION HIGHLIGHTS:

## EARTH AND SPACE SCIENCE

The position of the space station in low-Earth orbit provides a unique vantage point for collecting Earth and space science data. From an average altitude of about 400 km, details in such features as glaciers, agricultural fields, cities, and coral reefs taken from the ISS can be combined with data from orbiting satellites and other sources to compile the most comprehensive information available. Even with the many satellites now orbiting in space, the ISS continues to provide unique views of our planet and the universe.




EXPLORATION

The Japanese-Italian-US **Calorimetric Electron Telescope (CALET)** has

provided an enormous amount of data by registering and analyzing the spectra of high-energy cosmic-ray electrons and positrons. The primary science goal of CALET is to perform high-precision measurements of the cosmic-ray total electron spectrum into the TeV region to observe the signatures of possible sources of high-energy particle acceleration in our local region of the galaxy and, in addition, to search for evidence of dark matter. Since the start of operation in mid-October 2015, continuous observation has been maintained mainly by collecting data on high-energy (>10 GeV) showers. The number of these triggered events over 10 GeV is nearly 20 million per month. The electron energy spectrum has already extended to the TeV region, up to 5 TeV, and studies on dark matter and nearby cosmic-ray sources are being carried out. Cosmic-ray nuclei up to  $Z=40$  are identified with high resolution, and the energy spectra for the major cosmic-ray elements up to iron have been obtained up to 100 TeV. Because the energy reach of CALET extends beyond that of previous space experiments, the new observations will provide valuable information on the acceleration and propagation mechanism of the high-energy cosmic rays. In addition, the gamma-ray capabilities of CALET provide an opportunity to look for the

signal from counterparts to Gravitational Wave events in coordination with LIGO-Virgo. CALET also provides MeV electron profiles with applications for future spacecraft design (i.e., providing data to



*Close-up of CALET attached to the ISS (ISS055E006395).*



protect critical systems and crewmembers from high fluxes of gamma and cosmic radiation) as well as providing information on relativistic electron precipitation events.

Adriani O, Akaike Y, et al. *Energy Spectrum of Cosmic-Ray Electron and Positron from 10 GeV to 3 TeV Observed with the Calorimetric Electron Telescope on the International Space Station*. Physical Review Letters. 2017 November 3;119(18). DOI: [10.1103/PhysRevLett.119.181101](https://doi.org/10.1103/PhysRevLett.119.181101).

Asaoka Y, Ozawa S, Torii S, et al. *On-orbit Operations and Offline Data Processing of CALET onboard the ISS*. Astroparticle Physics. 2018 February 27;100:29-37. DOI: [10.1016/j.astropartphys.2018.02.010](https://doi.org/10.1016/j.astropartphys.2018.02.010).

Adriani O, Akaike Y, Asano K, Asaoka Y, Bagliesi MG, et al. *Extended measurement of the cosmic-ray electron and positron spectrum from 11 GeV to 4.8 TeV with the calorimetric electron telescope on the International Space Station*. Physical Review Letters. 2018 June 29;120(26):261102. DOI: [10.1103/PhysRevLett.120.261102](https://doi.org/10.1103/PhysRevLett.120.261102). PMID: 30004739.

Adriani O, Akaike Y, Asano K, Asaoka Y, Bagliesi MG, et al. *Search for GeV gamma-ray counterparts of gravitational wave events by CALET*. The Astrophysical Journal. 2018 August 20;863(2):160. DOI: [10.3847/1538-4357/aad18f](https://doi.org/10.3847/1538-4357/aad18f).



DISCOVERY



BENEFITS  
FOR HUMANITY

Roscosmos' **Study of Physical Processes Associated with Atmospheric Lightning Discharges Using the Chibis-M Microsatellite and Progress Cargo Vehicle (Microsputnik)**

investigates the physical mechanisms of electrical discharges in the atmosphere in the broadest energy spectrum, specifically from radio frequency (RF) to gamma rays. The extremely powerful gamma radiation at altitudes of 10-20 km is a potential hazard for airline crews and passengers. Gamma radiation, which reaches Earth, covers wide areas and can be important both from an ecological perspective and in terms of human safety. Single supercharged RF pulses carry high radiation energy in virtually the entire radio useful wave range (up to and exceeding 3 GHz) and can serve as a convenient natural radiation source to create a global monitoring system for radio communications. Microsputnik obtained new data about the nature of atmospheric lightning

discharges that is important for developing a kinetic theory on the breakdown of runaway electrons and for understanding other complicated phenomena of atmospheric electricity.

*Solov'ev AV, Markov AV, Sorokin IV, Lyubinskii VE. Applied Scientific Research on the International Space Station and New Flight-Control Technologies. Herald of the Russian Academy of Sciences. 2017;87(3):229-236. DOI: [10.1134/S1019331617030091](https://doi.org/10.1134/S1019331617030091).*




*ISS crewmember Anton Shkaplerov, posing with Mikrosputnik (ISS030E041537).*



## NASA's **Neutron Star Interior Composition Explorer (NICER)** is

**DISCOVERY** devoted to the study of neutron stars through soft X-ray timing. Neutron stars are the core left behind when massive stars explode. NICER probes the properties and behaviors of neutron stars: the dense-matter physics of their interiors and the electromagnetic environments of their magnetospheres. NICER's findings have implications for a broad array of studies in the areas of physics and astrophysics. By seeking a better understanding of the nature of neutron stars, NICER challenges nuclear physics theories by providing unique measurements by exploring the exotic states of matter within neutron stars through rotation-resolved X-ray spectroscopy. The nature of matter under these conditions is a decades-old unsolved problem, one most directly



*View of NICER attached to ExPRESS (Expedite the Processing of Experiments to Space Station) Logistics Carrier-2 (ELC-2) on the S3 Truss of space station (ISS057E055500).*

addressed with measurements of the masses and radii of neutron stars to high precision (i.e., to better than 10 percent uncertainty). With few such constraints forthcoming from observations, theory has advanced a host of models to describe the physics governing neutron star interiors. These models can now be tested with astrophysical observations from NICER.

Early data collected from NICER has borne some compelling results for neutron-star systems, black-hole binaries, active stars, and other cosmic X-ray sources. Some highlights are as follows:

- NICER observed that the accreting millisecond X-ray pulsar Swift J1756.9-2508 was consistent with previous outbursts. Accretion is the accumulation of particles over time into a massive object by gravitational attraction. Data confirmed that the X-ray pulsations have energy-dependent amplitudes (i.e., the fractional amplitude of the fundamental increases with energy), whereas the fractional amplitude of the harmonic shows a slight decline with energy.
- The NICER dataset presented evidence that Swift J0243.6+6124 underwent a transition between two accretion regimes at a critical luminosity of  $10^{38}$  erg/s. This is the highest observed critical luminosity in any accretion-power pulsar, suggesting that the magnetic field for Swift J0243.6+6124 is unusually high,  $10^{13}$  G. These observations of Swift J0243.6+6124 suggest that the ULX pulsars in other galaxies may also be accreting neutron stars with strong magnetic fields.
- NICER enabled a robust measurement of the spin of a black hole, which appears to be near maximal, using iron emission lines. NICER's spectral resolution revealed the existence of a black hole spinning near the speed of light. Whereas the overall shape of the broadened line provides information about the black hole spin and mass parameters, the existence of the narrow spectral feature reveals that the



accretion disk feeding the black hole is warped. (An accretion disk is the group of matter rotating around a massive body such as a black hole or star.)

- NICER allowed the characterization of deep and regular intensity variations (on timescales of a few minutes) from the black-hole binary GRS 1915+105, demonstrating that the energetic wind outflow from its accretion disk is constant in density over several months and that it effectively switches on and off with the black hole's short-term intensity modulations, within seconds.
  - NICER detected a kilohertz Quasi-Periodic Oscillation (QPO). The subsequent measurement of the QPO amplitude below 2 keV favors those theories in which variations in accretion rate occur at the inner edge of the accretion disk. This measurement is likely due to strong gravity effects related to the neutron star's spin, resulting in luminosity variations.
  - NICER confirmed IGR J17062-6143 is an accreting millisecond pulsar and measures its orbital period, 38 minutes, as the shortest known for this class of object.
  - NICER enabled detection and modeling of relativistically broadened fluorescence lines from the accretion disk in Serpens X-1, including both the known high-ionization (K-shell) iron emission near 6.4 keV and the previously undistinguished lines from L-shell iron and lower-atomic-number elements near 1 keV.
  - NICER tracked the full spectral and time evolution of a strong photospheric radius expansion Type I X-ray burst – the short-lived flash from thermonuclear fusion of accreted material on the surface of the neutron star – in the X-ray binary 4U 1820–30.
  - NICER provided the first detection of a short sub-Eddington burst, demonstrating that bursts have a substantial impact on their accretion environment and allowing the study of burst-disk interaction across multiple sources and spectral states.
- NICER's observations of the black hole X-ray binary MAXI J1535-571 resulted in a count rate of  $>16,000 \text{ s}^{-1}$  with minimal spectral distortion. Such large count rates combined with good energy resolution and soft X-ray response is revolutionary, growing our understanding of the innermost regions of accreting compact objects.

Gendreau KC, Arzoumanian Z. Searching for a pulse. *Nature Astronomy*. 2017 December 1; 1: 895. DOI: [10.1038/s41550-017-0301-3](https://doi.org/10.1038/s41550-017-0301-3).

Keek L, Arzoumanian Z, Bult PM, Cackett EM, Chakrabarty D, et al. NICER observes the effects of an X-Ray burst on the accretion environment in Aql X-1. *The Astrophysical Journal*. 2018 March 1;855(4):L4. DOI: [10.3847/2041-8213/aab104](https://doi.org/10.3847/2041-8213/aab104).

Keek L, Arzoumanian Z, Chakrabarty D, Chenevez J, Gendreau KC, et al. NICER detection of strong photospheric expansion during a thermonuclear X-Ray burst from 4U 1820–30. *The Astrophysical Journal*. 2018 April 1;856(2):L37. DOI: [10.3847/2041-8213/aab904](https://doi.org/10.3847/2041-8213/aab904).

Ludlam RM, Miller JM, Arzoumanian Z, Bult PM, Cackett EM, et al. Detection of reflection features in the neutron star low-mass X-Ray binary Serpens X-1 with NICER. *The Astrophysical Journal*. 2018 May 1;858(1): L5. DOI: [10.3847/2041-8213/aabee6](https://doi.org/10.3847/2041-8213/aabee6).

Bult PM, Altamirano D, Arzoumanian Z, Chakrabarty D, Gendreau KC, et al. NICER Discovers the Ultracompact Orbit of the Accreting Millisecond Pulsar IGR J17062–6143. *The Astrophysical Journal Letters*. 2018 May 9;858(2):L13. DOI: [10.3847/2041-8213/aabf44](https://doi.org/10.3847/2041-8213/aabf44).

Bult PM, Arzoumanian Z, Cackett EM, Chakrabarty D, Gendreau KC, et al. A NICER look at the Aql X-1 hard state. *The Astrophysical Journal*. 2018 May 20;859(1):L1. DOI: [10.3847/2041-8213/aac2e2](https://doi.org/10.3847/2041-8213/aac2e2).

Bult PM, Altamirano D, Arzoumanian Z, Cackett EM, Chakrabarty D, et al. NICER detects a soft x-ray kilohertz quasi-periodic oscillation in 4U 0614+09. *The Astrophysical Journal Letters*. 2018 June 11;860(1):L9. DOI: [10.3847/2041-8213/aac893](https://doi.org/10.3847/2041-8213/aac893).

Neilsen J, Cackett EM, Remillard RA, Homan J, Steiner JF, et al. A persistent disk wind in GRS 1915+105 with NICER. *The Astrophysical Journal Letters*. 2018 June 18;860(2):L19. DOI: [10.3847/2041-8213/aaca96](https://doi.org/10.3847/2041-8213/aaca96).

Miller JM, Gendreau KC, Ludlam RM, Fabian AC, Altamirano D, et al. A NICER spectrum of MAXI J1535–571: Near-maximal black hole spin and potential disk warping. *The Astrophysical Journal Letters*. 2018 June 25;860(2):L28. DOI: [10.3847/2041-8213/aacc61](https://doi.org/10.3847/2041-8213/aacc61).

Wilson-Hodge CA, Malacaria C, Jenke PA, Jaisawal GK, Kerr M, et al. NICER and Fermi GBM observations of the first galactic ultraluminous X-Ray pulsar Swift J0243.6+6124. *The Astrophysical Journal*. 2018 August 6;863(1):9. DOI: [10.3847/1538-4357/aace60](https://doi.org/10.3847/1538-4357/aace60).

Bult PM, Altamirano D, Arzoumanian Z, Chakrabarty D, Gendreau KC, et al. On the 2018 outburst of the accreting millisecond X-ray pulsar Swift J1756.9-2508 as seen with NICER. *The Astrophysical Journal*. 2018 August 27;864(1):14. DOI: [10.3847/1538-4357/aad5e5](https://doi.org/10.3847/1538-4357/aad5e5).

Stevens AL, Uttley P, Altamirano D, Arzoumanian Z, Bult PM, et al. A NICER discovery of a low-frequency quasi-periodic oscillation in the soft-intermediate state of MAXI J1535–571. *The Astrophysical Journal Letters*. 2018 September 26;865(2):L15. DOI: [10.3847/2041-8213/aae1a4](https://doi.org/10.3847/2041-8213/aae1a4).



Word cloud of sources which contained ISS Results publications from October 1, 2017 - October 1, 2018.



# ISS Research Results Publications

October 1, 2017 - October 1, 2018

(Listed by category and alphabetically by investigation.)

## BIOLOGY AND BIOTECHNOLOGY

**Alterations of *C. elegans* muscle fibers by microgravity (Nematode Muscles)** – Sudevan S, Hashizume T, Yano S, Kuriyama K, Momma K, et al. Nematode Muscles project in spaceflight experiment. *Biological Sciences in Space*. 2018;32:6-10. DOI: [10.2187/bss.32.6](https://doi.org/10.2187/bss.32.6).

**Antibiotic Effectiveness in Space-1 (AES-1)** – Aunins TR, Erickson KE, Prasad N, Levy SE, Jones A, et al. Spaceflight modifies *Escherichia coli* gene expression in response to antibiotic exposure and reveals role of oxidative stress response. *Frontiers in Microbiology*. 2018;9:310. DOI: [10.3389/fmicb.2018.00310](https://doi.org/10.3389/fmicb.2018.00310).

**Biological Research In Canisters (BRIC)** – Fajardo-Cavazos P, Nicholson WL. Establishing Standard Protocols for Bacterial Culture in Biological Research in Canisters (BRIC) Hardware. *Gravitational and Space Research*. 2016 December 19;4(2):58-69.\*

**Biological Research In Canisters (BRIC)** – Basu P, Kruse CP, Luesse D, Wyatt SE. Growth in spaceflight hardware results in alterations to the transcriptome and proteome. *Life Sciences in Space Research*. 2017 November;15:88-96. DOI: [10.1016/j.lssr.2017.09.001](https://doi.org/10.1016/j.lssr.2017.09.001).

**Biological Research in Canisters-21 (BRIC-21)** – Morrison MD, Fajardo-Cavazos P, Nicholson WL. Cultivation in space flight produces minimal alterations in the susceptibility of *Bacillus subtilis* cells to 72 different antibiotics and growth-inhibiting compounds. *Applied and Environmental Microbiology*. 2017 November; 83(21):e01584-17. DOI: [10.1128/AEM.01584-17](https://doi.org/10.1128/AEM.01584-17).

**Caenorhabditis elegans to Assess Radiation Damage on Long-Duration Flights (Elerad)** – Jamal RA, Nurul-Faizah J, Then SM, Szewczyk NJ, Stodieck LS, Harun R. Gene Expression Changes in Space Flown *Caenorhabditis Elegans* Exposed to a Long Period of Microgravity. *Gravitational and Space Biology*. 2010;23(2): 85-86.\*

**Commercial Biomedical Testing Module-3: Assessment of sclerostin antibody as a novel bone forming agent for prevention of spaceflight-induced skeletal fragility in mice (CBTM-3-Sclerostin Antibody)** – Blaber EA, Pecaut MJ, Jonscher KR. Spaceflight activates autophagy programs and the proteasome in mouse liver. *International Journal of Molecular Sciences*. 2017 September 27;18(10):2062. DOI: [10.3390/ijms18102062](https://doi.org/10.3390/ijms18102062).\*

**Crystallization of Medically Relevant Proteins Using Microgravity (Protein Crystallography)** – Malley KR, Koroleva O, Miller I, Sanishvili R, Jenkins CM, Gross RW, Korolev S. The structure of iPLA2 $\beta$  reveals dimeric active sites and suggests mechanisms of regulation and localization. *Nature Communications*. 2018 February 22;9(765). DOI: [10.1038/s41467-018-03193-0](https://doi.org/10.1038/s41467-018-03193-0).

**Effect of Space Flight on Innate Immunity to Respiratory Viral Infections (Mouse Immunology-2)** – Dagdeviren D, Beallias J, Khan I, Mednieks M, Hand AR. Response of the mouse sublingual gland to spaceflight. *European Journal of Oral Sciences*. 2018 October;126(5):373-381. DOI: [10.1111/eos.12541](https://doi.org/10.1111/eos.12541).

**eValuatlon And monitoring of microBiofiLms insidE International Space Station (VIABLE ISS)** – Perrin E, Bacci G, Garrelly L, Canganella F, Bianconi G, et al. Furnishing spaceship environment: evaluation of bacterial biofilms on different materials used inside International Space Station. *Research in Microbiology*. 2018 July-August;169(6):289-295. DOI: [10.1016/j.resmic.2018.04.001](https://doi.org/10.1016/j.resmic.2018.04.001).

**Functional Effects of Spaceflight on Cardiovascular Stem Cells (Cardiac Stem Cells)** – Baio J, Martinez AF, Bailey L, Hasaniya N, Pecaut MJ, Kearns-Jonker M. Spaceflight activates protein kinase C alpha signaling and modifies the developmental stage of human neonatal cardiovascular progenitor cell. *Stem Cells and Development*. 2018 June 15;27(12):805-818. DOI: [10.1089/scd.2017.026](https://doi.org/10.1089/scd.2017.026).

**Functional Effects of Spaceflight on Cardiovascular Stem Cells (Cardiac Stem Cells)** – Baio J, Martinez AF, Silva I, Hoehn CV, Countryman S, et al. Cardiovascular progenitor cells cultured aboard the International Space Station exhibit altered developmental and functional properties. *npj Microgravity*. 2018 July 26;4(13):13 pp. DOI: [10.1038/s41526-018-0048-x](https://doi.org/10.1038/s41526-018-0048-x).

**GeneLab** – Beheshti A, Cekanaviciute E, Smith DJ, Costes SV. Global transcriptomic analysis suggests carbon dioxide as an environmental stressor in spaceflight: A systems biology GeneLab case study. *Scientific Reports*. 2018 March 8;8(1):10 pp. DOI: [10.1038/s41598-018-22613-1](https://doi.org/10.1038/s41598-018-22613-1).

**GeneLab** – Beheshti A, Ray S, Fogle H, Berrios D, Coates SV. A microRNA signature and TGF-beta 1 response were identified as the key master regulators for spaceflight response. *PLOS One*. 2018 July 25;13(7):19 pp. DOI: [10.1371/journal.pone.0199621](https://doi.org/10.1371/journal.pone.0199621).

**GeneLab** – Morrison MD, Nicholson WL. Meta-analysis of data from spaceflight transcriptome experiments does not support the idea of a common bacterial “spaceflight response.” *Scientific Reports*. 2018 September 26;8(1):14403. DOI: [10.1038/s41598-018-32818-z](https://doi.org/10.1038/s41598-018-32818-z).

**Genes in Space-1** – Boguraev A, Christensen HC, Bonneau AR, Pezza JA, Nichols NM, et al. Successful amplification of DNA aboard the International Space Station. *npj Microgravity*. 2017 November 16;3(1):26 pp. DOI: [10.1038/s41526-017-0033-9](https://doi.org/10.1038/s41526-017-0033-9).

**Gravity Related Genes in Arabidopsis - A (Genara-A)** – Bizet F, Pereda-Loth V, Chauvet H, Gerard J, Eche B, et al. Both gravistimulation onset and removal trigger an increase of cytoplasmic free calcium in statocytes of roots grown in microgravity - document. *Scientific Reports*. 2018 July 30;8(1):11442. DOI: [10.1038/s41598-018-29788-7](https://doi.org/10.1038/s41598-018-29788-7).

**International Space Station Internal Environments (ISS Internal Environments)** – Wong W, Oubre C, Mehta SK, Ott CM, Pierson DL. Preventing infectious diseases in spacecraft and space habitats. *Modeling the Transmission and Prevention of Infectious Disease*. 2017.

**International Space Station Internal Environments (ISS Internal Environments)** – Salmela A, Kokkonen E, Kulmala I, Veijalainen A, Van Houdt R, et al. Production and characterization of bioaerosols for model validation in spacecraft environment. *Journal of Environmental Sciences*. 2018 July;69:227-238. DOI: [10.1016/j.jes.2017.10.016](https://doi.org/10.1016/j.jes.2017.10.016).

**International Space Station Medical Monitoring (ISS Medical Monitoring)** – Brzhozovskiy AG, Kononikhin AS, Indeykina M, Pastushkova LK, Popov IA, et al. Label-free study of cosmonaut’s urinary proteome changes after long-duration spaceflights. *European Journal of Mass Spectrometry*. 2017 August;23(4):225-229. DOI: [10.1177/1469066717717610](https://doi.org/10.1177/1469066717717610).



**International Space Station Medical Monitoring (ISS Medical Monitoring) –**

Pastushkova LK, Kashirina DN, Kononikhin AS, Brzhozovskiy AG, Ivanisenko VA, et al. The effect of long-term space flights on human urine proteins functionally related to endothelium. *Human Physiology*. 2018 January 1;44(1):60-67. DOI: [10.1134/S0362119718010139](https://doi.org/10.1134/S0362119718010139).

**Japan Aerospace and Exploration Agency - Granada Crystallization Facility High Quality Protein Crystallization Project (JAXA-GCF) –**

Kinoshita T, Hashimoto T, Sogabe Y, Fukada H, Matsumoto T, Sawa M. High-resolution structure discloses the potential for allosteric regulation of mitogen-activated protein kinase kinase 7. *Biochemical and Biophysical Research Communications*. 2017 November 4;493(1):313-317. DOI: [10.1016/j.bbrc.2017.09.025](https://doi.org/10.1016/j.bbrc.2017.09.025).

**Japan Aerospace Exploration Agency Protein Crystallization Growth (JAXA PCG) –**

Sakamoto Y, Suzuki Y, Iizuka I, Tateoka C, Roppongi S, et al. S46 peptidases are the first exopeptidases to be members of clan PA. *Scientific Reports*. 2014 May 15; 4:4977. DOI: [10.1038/srep04977](https://doi.org/10.1038/srep04977).\*

**Japan Aerospace Exploration Agency Protein Crystallization Growth (JAXA PCG) –**

Yokomaku K, Akiyama M, Morita Y, Kihira K, Komatsu T. Core-shell protein cluster comprising haemoglobin and recombinant feline serum albumin as an artificial O<sub>2</sub> carrier for cats. *Journal of Materials Chemistry B*. 2018 April 28;6(16):2417-2425. DOI: [10.1039/C8TB00211H](https://doi.org/10.1039/C8TB00211H).

**Microbial Tracking Payload Series (Microbial Observatory-1) –**

Urbaniak C, Checinska Sielaff A, Frey KG, Allen JE, Singh NK, et al. Detection of antimicrobial resistance genes associated with the International Space Station environmental surfaces. *Scientific Reports*. 2018 January 16;8(1):814. DOI: [10.1038/s41598-017-18506-4](https://doi.org/10.1038/s41598-017-18506-4).

**Molecular and Plant Physiological Analyses of the Microgravity Effects on Multigeneration Studies of *Arabidopsis thaliana* (Multigen) –**

Fisahn J. Control of plant leaf movements by the lunisolar tidal force. *Annals of Botany*. 2018 June 8;121(7):e1-e6. DOI: [10.1093/aob/mcx214](https://doi.org/10.1093/aob/mcx214).

**Molecular Mechanism of Microgravity-Induced Skeletal Muscle Atrophy - Physiological Relevance of Cbl-b Ubiquitin Ligase (MyoLab) –**

Uchida T, Sakashita Y, Kitahata K, Yamashita Y, Tomida C, et al. Reactive oxygen species up-regulate expression of muscle atrophy-associated ubiquitin ligase Cbl-b in rat L6 skeletal muscle cells. *American Journal of Physiology-Cell Physiology*. 2018 June 4;314(6):C721-C731. DOI: [10.1152/ajpcell.00184.2017](https://doi.org/10.1152/ajpcell.00184.2017).

**NanoRacks-Comparison of the Growth Rate and DNA Characterization of Microgravity Exposed Microbial Community Samples (NanoRacks-Project MERCURI) –**

Lang JM, Coil DA, Neches RY, Brown WE, Cavalier D, et al. A microbial survey of the International Space Station (ISS). *PeerJ*. 2017 December 5;5:e4029. DOI: [10.7717/peerj.4029](https://doi.org/10.7717/peerj.4029).

**NanoRacks-National Center for Earth and Space Science-Kitty Hawk (NanoRacks-NCESS-Kitty Hawk) –**

Gravely AK, Vlasov A, Freeman A, Wu K, Szewczyk NJ, et al. Levels of Acid Sphingomyelinase (ASM) in *Caenorhabditis elegans* in Microgravity. *Gravitational and Space Research*. 2018 July 26;6(1): 27-36.

**NanoRacks-Self-Assembly in Biology and the Origin of Life (NanoRacks-SABOL) –**

Bell D, Durrance S, Kirk DR, Gutierrez HM, Woodard D, et al. Self-Assembly of Protein Fibrils in Microgravity. *Gravitational and Space Research*. 2018 July 26;6(1):10-26.

**Rodent Research Hardware and Operations Validation (Rodent Research-1)** – Ward C, Rettig TA, Hlavacek S, Bye BA, Pecaut MJ, Chapes SK. Effects of spaceflight on the immunoglobulin repertoire of unimmunized C57BL/6 mice. *Life Sciences in Space Research*. February 2018;16:63-75. DOI: [10.1016/j.lssr.2017.11.003](https://doi.org/10.1016/j.lssr.2017.11.003).

**Rodent Research Hardware and Operations Validation (Rodent Research-1)** – Ogneva IV, Loktev SS, Sychev VN. Cytoskeleton structure and total methylation of mouse cardiac and lung tissue during space flight. *PLOS ONE*. 2018 May 16;13(5):e0192643. DOI: [10.1371/journal.pone.0192643](https://doi.org/10.1371/journal.pone.0192643).

**Roles of cortical microtubules and microtubule-associated proteins in gravity-induced growth modification of plant stems (Aniso Tubule)** – Soga K, Wakabayashi K, Hoson T. Growth and cortical microtubule dynamics in shoot organs under microgravity and hypergravity conditions. *Plant Signaling and Behavior*. 2018 January 16;13(1):e1422468. DOI: [10.1080/15592324.2017.1422468](https://doi.org/10.1080/15592324.2017.1422468). PMID: 29286875.

**Seedling Growth-2 (Seedling Growth-2)** – Vandenbrink JP, Kiss JZ. Spaceflight Procedures and Operations Utilized During the Seedling Growth Experiments. *Gravitational and Space Research*. 2016 December 19;4(2):38-46.\*

**Seedling Growth-3 (Seedling Growth-3)** – Valbuena MA, Manzano A, Vandenbrink JP, Pereda-Loth V, Carnero-Diaz E, et al. The combined effects of real or simulated microgravity and red-light photoactivation on plant root meristematic cells. *Planta*. 2018 September 1;248(3):691-704. DOI: [10.1007/s00425-018-2930-x](https://doi.org/10.1007/s00425-018-2930-x).

**Studies on gravity-controlled growth and development in plants using true microgravity conditions (Auxin Transport)** – Kamada M, Miyamoto K, Oka M, Uheda E, Ueda J, Higashibata A. Procedures for chemical fixation in immunohistochemical analyses of PIN proteins regulating polar auxin transport: Relevance to spaceflight experiments. *Life Sciences in Space Research*. 2018 August;18:42-51. DOI: [10.1016/j.lssr.2018.05.005](https://doi.org/10.1016/j.lssr.2018.05.005).

**Study for evaluating the impact of continuous consumption of probiotics on immune function and intestinal microbiota in astronauts under closed microgravity environment (Probiotics)** – Sakai T, Moteki Y, Takahashi T, Shida K, Kiwaki M, et al. Probiotics into outer space: feasibility assessments of encapsulated freeze-dried probiotics during 1 month's storage on the International Space Station. *Scientific Reports*. 2018 July 16;8(10687):11p. DOI: [10.1038/s41598-018-29094-2](https://doi.org/10.1038/s41598-018-29094-2).

**Studying the Features of the Growth and Development of Plants, and Technology for their Culturing in Spaceflight on the ISS RS (Rastenia-Yachmen-1/Plants-Barley-1)** – Shagimardanova EI, Gusev OA, Sychev VN, Levinskikh MA, Sharipova MR, et al. Stress response genes expression analysis of barley *Hordeum vulgare* under space flight environment. *Molekuliarnaia Biologiya*. 2010 Sep-Oct;44(5):831-838.\*

**The Coenzyme Q10 (CoQ10) as an Antiapoptotic Countermeasure for Retinal Lesions Induced by Radiation and Microgravity on the ISS: Experiment on Cultured Retinal Cells (CORM)** – Lulli M, Cialdai F, Vignali L, Monici M, Luzzi S, et al. The Coenzyme Q10 (CoQ10) as countermeasure for retinal damage onboard the International Space Station: The CORM project. *Microgravity Science and Technology*. 2018 September 18;7 pp. DOI: [10.1007/s12217-018-9652-3](https://doi.org/10.1007/s12217-018-9652-3).



**Tissue Regeneration-Bone Defect (Rodent Research-4)** – Childress P, Brinker A, Gong CS, Harris J, Olivos III DJ, et al. Forces associated with launch into space do not impact bone fracture healing. *Life Sciences in Space Research*. 2018 February 1;16(Supplement C):52-62. DOI: [10.1016/j.lssr.2017.11.002](https://doi.org/10.1016/j.lssr.2017.11.002).

**Transcriptome analysis and germ-cell development analysis of mice in the space (Mouse Epigenetics)** – Mao XW, Byrum S, Nishiyama NC, Pecaut MJ, Sridharan V, et al. Impact of spaceflight and artificial gravity on the mouse retina: Biochemical and proteomic analysis. *International Journal of Molecular Sciences*. 2018 August 28;19(9):2546. DOI: [10.3390/ijms19092546](https://doi.org/10.3390/ijms19092546).

**Vegetable Production System (Veggie)** – Urbaniak C, Massa GD, Hummerick ME, Khodadad CL, Schuerger AC, Venkateswaran KJ. Draft genome sequences of two *Fusarium oxysporum* isolates cultured from infected *Zinnia hybrida* plants grown on the International Space Station. *Genome Announcements*. 2018 May 17;6(20):e00326-18. DOI: [10.1128/genomeA.00326-18](https://doi.org/10.1128/genomeA.00326-18).

**Veggie Hardware Validation Test (Veg-01)** – Massa GD, Newsham G, Hummerick ME, Morrow RC, Wheeler RM. Plant pillow preparation for the Veggie Plant Growth System on the International Space Station. *Gravitational and Space Research*. 2017 July;5(1):24-34.\*

**Yeast colony survival in microgravity depends on ammonia mediated metabolic adaptation and cell differentiation (Micro-9)** – Hammond TG, Allen PL, Gunter MA, Chiang J, Giaever G, et al. Physical Forces Modulate Oxidative Status and Stress Defense Mediated Metabolic Adaptation of Yeast Colonies: Spaceflight and Microgravity Simulations. *Microgravity Science and Technology*. May 2018;30(3):195-208. DOI: [10.1007/s12217-017-9588-z](https://doi.org/10.1007/s12217-017-9588-z).

## HUMAN RESEARCH

**Advanced Resistive Exercise Device (ARED)** – Petersen N, Jaekel P, Rosenberger A, Weber T, Scott J, et al. Exercise in space: the European Space Agency approach to in-flight exercise countermeasures for long-duration missions on ISS. *Extreme Physiology & Medicine*. 2016 August 2;5:9. DOI: [10.1186/s13728-016-0050-4](https://doi.org/10.1186/s13728-016-0050-4).\*

**Array Express** – Mukhopadhyay S, Saha R, Palanisamy A, Ghosh M, Biswas A, et al. A systems biology pipeline identifies new immune and disease related molecular signatures and networks in human cells during microgravity exposure. *Scientific Reports*. 2016 May 17;6:25975. DOI: [10.1038/srep25975](https://doi.org/10.1038/srep25975).\*

**Cardiac Atrophy and Diastolic Dysfunction During and After Long Duration Spaceflight: Functional Consequences for Orthostatic Intolerance, Exercise Capability and Risk for Cardiac Arrhythmias (Integrated Cardiovascular)** – Khine HW, Steding-Ehrenborg K, Hastings JL, Kowal J, Daniels JD, et al. Effects of Prolonged Spaceflight on Atrial Size, Atrial Electrophysiology, and Risk of Atrial Fibrillation. *Circulation - Arrhythmia and Electrophysiology*. 2018 May;11(5):e005959. DOI: [10.1161/CIRCEP.117.005959](https://doi.org/10.1161/CIRCEP.117.005959).

**Cardiomed** – Fortrat JO, Holanda Ad, Zuj KA, Gauquelin-Koch G, Gharib C. Altered venous function during long-duration spaceflights. *Frontiers in Physiology*. 2017 September 12;8:694. DOI: [10.3389/fphys.2017.00694](https://doi.org/10.3389/fphys.2017.00694).\*

**Dietary Intake Can Predict and Protect Against Changes in Bone Metabolism during Spaceflight and Recovery (Pro K)** – Zwart SR, Rice BL, Dlouhy H, Shackelford LC, Heer MA, et al. Dietary acid load and bone turnover during long-duration spaceflight and bed rest. *American Journal of Clinical Nutrition*. 2018 May;107(5):834-844. DOI: [10.1093/ajcn/nqy029](https://doi.org/10.1093/ajcn/nqy029).

**ELaboratore Immagini TElevisive - Space 2 (ELITE-S2)** – Casellato C, Pedrocchi AL, Ferrigno G. Whole-body movements in long-term weightlessness: Hierarchies of the controlled variables are gravity-dependent. *Journal of Motor Behavior*. 2016 December 27;49(5):568-579. DOI: [10.1080/00222895.2016.1247032](https://doi.org/10.1080/00222895.2016.1247032).\*

**Human Cerebral Vascular Autoregulation and Venous Outflow In Response to Microgravity-Induced Cephalad Fluid Redistribution (Cephalad Fluid Redistribution)** – Roberts DR, Albrecht MH, Collins HR, Asemani D, Chatterjee AR, et al. Effects of spaceflight on astronaut brain structure as indicated on MRI. *New England Journal of Medicine*. 2017 November 2;377(18):1746-1753. DOI: [10.1056/NEJMoa1705129](https://doi.org/10.1056/NEJMoa1705129).

**International Space Station Medical Monitoring (ISS Medical Monitoring)** – Wessel III JH, Schaefer CM, Thompson MS, Norcross JR, Bekdash OS. Retrospective evaluation of clinical symptoms due to mild hypobaric hypoxia exposure in microgravity. *Aerospace Medicine and Human Performance*. 2018 September 1;89(9): 792-797. DOI: [10.3357/AMHP.4913.2018](https://doi.org/10.3357/AMHP.4913.2018).

**International Space Station Medical Monitoring (ISS Medical Monitoring)** – Mader TH, Gibson CR, Schmid JF, Lipsky W, Sargsyan AE, et al. Intraocular lens use in an astronaut during long duration spaceflight. *Aerospace Medicine and Human Performance*. 2018 January 1;89(1):63-65. DOI: [10.3357/AMHP.4986.2018](https://doi.org/10.3357/AMHP.4986.2018).

**International Space Station Medical Monitoring (ISS Medical Monitoring)** – Suedfeld P, Johnson PJ, Gushin VI, Brcic J. Motivational profiles of retired cosmonauts. *Acta Astronautica*. 2018 March 2;146:202-205. DOI: [10.1016/j.actaastro.2018.02.038](https://doi.org/10.1016/j.actaastro.2018.02.038).

**International Space Station Medical Monitoring (ISS Medical Monitoring)** – Johnson PJ, Suedfeld P, Gushin VI. Being a father during the space career: retired cosmonauts' involvement. *Acta Astronautica*. 2018 May 15; 149: 106-110. DOI: [10.1016/j.actaastro.2018.05.028](https://doi.org/10.1016/j.actaastro.2018.05.028).

**International Space Station Summary of Research Performed (ISS Summary of Research)** – Vico L, Hargens AR. Skeletal changes during and after spaceflight. *Nature Reviews Rheumatology*. 2018 April;14(4):229-245. DOI: [10.1038/nrrheum.2018.37](https://doi.org/10.1038/nrrheum.2018.37).

**Mechanism of Activity and Effectiveness of Various Countermeasures Intended to Prevent Disruptions to the Motor Apparatus in Microgravity (Profilaktika-1/Prophylaxis-1)** – Fomina EV, Lysova NY, Savinkina AO. Axial load during the performance of locomotor training in microgravity as a factor of hypogravity countermeasure efficiency. *Human Physiology*. 2018 January 1;44(1):47-53. DOI: [10.1134/S0362119718010061](https://doi.org/10.1134/S0362119718010061).

**Monitoring Group Activity by Crewmembers During Spaceflight (Vzaimodeistvie/Interaction)** – Vinokhodova AG, Gushin VI, Yusupova A, Suedfeld P, Johnson PJ. Retrospective Analysis of Interpersonal Perception and Values of Experienced Cosmonauts - Members of Multinational Missions to the Orbital Stations Mir and the ISS. *Aerospace and Environmental Medicine*. 2017 May 30;51(5):22-30. DOI: [10.21687/0233-528X-2017-51-5-22-30](https://doi.org/10.21687/0233-528X-2017-51-5-22-30).\*

**Myotendinous and Neuromuscular Adaptation to Long-term Spaceflight (Sarcolab)** – Rittweger J, Albracht K, Flück M, Ruoss S, Brocca L, et al. Sarcolab pilot study into skeletal muscle's adaptation to long-term spaceflight. *npj Microgravity*. 2018 September 17;4(1): 18. DOI: [10.1038/s41526-018-0052-1](https://doi.org/10.1038/s41526-018-0052-1).



**Neuroendocrine and Immune Responses in Humans During and After Long Term Stay at ISS (Immuno)** – Berendeeva T, Ponomarev SA, Antropova EN, Rykova MP. Toll-like receptors in peripheral blood cells of cosmonauts after long-term missions on board the International Space Station. *Human Physiology*. 2017 December 1;43(7):802-807. DOI: [10.1134/S0362119717070039](https://doi.org/10.1134/S0362119717070039).

**Neuroendocrine and Immune Responses in Humans During and After Long Term Stay at ISS (Immuno)** – Ponomarev SA, Berendeeva T, Kalinin SA, Muranova AV. The state of the system of signaling pattern recognition receptors of monocytes and granulocytes in the cosmonauts' peripheral blood before and after long-term flights on board the International Space Station. *Human Physiology*. 2017 December 1;43(7): 808-812. DOI: [10.1134/S0362119717070167](https://doi.org/10.1134/S0362119717070167).

**Off-Vertical Axis Rotation: Eye Movements and Motion Perception Induced By Off-Axis Rotation at Small Angles of Tilt After Spaceflight, DSO 499 (OVAR)** – Reschke MF, Wood SJ, Clement G. Ocular counter rolling in astronauts after short- and long-duration spaceflight. *Scientific Reports*. 2018 May 17;8(1):7747. DOI: [10.1038/s41598-018-26159-0](https://doi.org/10.1038/s41598-018-26159-0).

**Physiological Factors Contributing to Postflight Changes in Functional Performance (Functional Task Test)** – Mulavara AP, Peters BT, Miller CA, Kofman IS, Reschke MF, et al. Physiological and functional alterations after spaceflight and bed rest. *Medicine and Science in Sports and Exercise*. 2018 September;50(9):1961-1980. DOI: [10.1249/MSS.0000000000001615](https://doi.org/10.1249/MSS.0000000000001615).

**Physiological Factors Contributing to Postflight Changes in Functional Performance (Functional Task Test)** – Miller CA, Kofman IS, Brady RR, May-Phillips TR, Batson CD, et al. Functional task and balance performance in bed rest subjects and astronauts. *Aerospace Medicine and Human Performance*. 2018 September;89(9):805-815. DOI: [10.3357/AMHP.5039.2018](https://doi.org/10.3357/AMHP.5039.2018).

**Prospective Observational Study of Ocular Health in ISS Crews (Ocular Health)** – Hasan KM, Mwangi B, Keser Z, Riascos-Castaneda R, Sargsyan AE, Kramer LA. Brain quantitative MRI metrics in astronauts as a unique professional group. *Journal of Neuroimaging*. 2018 May;28(3):256-268. DOI: [10.1111/jon.12501](https://doi.org/10.1111/jon.12501).

**Recovery of Functional Sensorimotor Performance Following Long Duration Space Flight (Field Test)** – Fomina EV, Lysova NY, Kukoba TB, Grishin AP, Kornienko MB. One-year mission on ISS is a step towards interplanetary missions. *Aerospace Medicine and Human Performance*. 2017 December 1;88(12):1094-1099. DOI: [10.3357/AMHP.4847.2017](https://doi.org/10.3357/AMHP.4847.2017).

**Recovery of Functional Sensorimotor Performance Following Long Duration Space Flight (Field Test)** – Fomina EV, Grushevskaya UA, Lysova NY, Shatov DS. Optimization of training in weightlessness with respect to personal preferences. *Proceedings of the School-Seminar on Optimization Problems and their Applications*, Omsk, Russia. 2018 July 8;134-140.

**Sonographic Astronaut Vertebral Examination (Spinal Ultrasound)** – Garcia KM, Harrison MF, Sargsyan AE, Ebert D, Dulchavsky SA. Real-time ultrasound assessment of astronaut spinal anatomy and disorders on the International Space Station. *Journal of Ultrasound in Medicine*. 2018 April;37(4):987-999. DOI: [10.1002/jum.14438](https://doi.org/10.1002/jum.14438).

**Spatial Orientation and Interaction of Eisodic Systems Under Conditions of Weightlessness (Virtual)** – Kornilova LN, Naumov IA, Glukhikh DO, Ekimovskiy GA, Pavlova AS, et al. Vestibular function and space motion sickness. *Human Physiology*. 2017 October 14;43(5):557-568. DOI: [10.1134/S0362119717050085](https://doi.org/10.1134/S0362119717050085).

**Strain-gauge Plethysmographic Analysis of the CErebral DRainage Experimented and Assessed in the Micro-gravitational Setting (Drain Brain)** – Taibi A, Gadda G, Gambaccini M, Menegatti E, Sisini F, Zamboni P. Investigation of cerebral venous outflow in microgravity. *Physiological Measurement*. 2017 October 31;38(11):1939-1952. DOI: [10.1088/1361-6579/aa8980](https://doi.org/10.1088/1361-6579/aa8980).

**Strain-gauge Plethysmographic Analysis of the CErebral DRainage Experimented and Assessed in the Micro-gravitational Setting (Drain Brain)** – Taibi A, Andreotti M, Cibinetto G, Ramusino AC, Gadda G, et al. Development of a plethysmography system for use under microgravity conditions. *Sensors and Actuators A: Physical*. 2018 January 1;269:249-257. DOI: [10.1016/j.sna.2017.11.030](https://doi.org/10.1016/j.sna.2017.11.030).

**Strain-gauge Plethysmographic Analysis of the CErebral DRainage Experimented and Assessed in the Micro-gravitational Setting (Drain Brain)** – Zamboni P, Sisini F, Menegatti E, Taibi A, Gadda G, et al. Ultrasound monitoring of Jugular venous pulse during space missions: proof of concept. *Ultrasound in Medicine and Biology*. 2018 March;44(3):726-733. DOI: [10.1016/j.ultrasmedbio.2017.11.001](https://doi.org/10.1016/j.ultrasmedbio.2017.11.001).

**The Effects of Long-Term Exposure to Microgravity on Salivary Markers of Innate Immunity (Salivary Markers)** – Spielmann G, Laughlin MS, Kunz HE, Crucian BE, Quiariarte HD, et al. Latent viral reactivation is associated with changes in plasma antimicrobial protein concentrations during long-duration spaceflight. *Acta Astronautica*. 2018 May;146:111-116. DOI: [10.1016/j.actaastro.2018.02.039](https://doi.org/10.1016/j.actaastro.2018.02.039).

**The Effect of Long-term Microgravity Exposure on Cardiac Autonomic Function by Analyzing 24-hours Electrocardiogram (Biological Rhythms)** – Otsuka K, Cornelissen G, Kubo Y, Shibata K, Hayashi M, et al. Circadian challenge of astronauts' unconscious mind adapting to microgravity in space, estimated by heart rate variability. *Scientific Reports*. 2018 July 10;8(1):10381. DOI: [10.1038/s41598-018-28740-z](https://doi.org/10.1038/s41598-018-28740-z).

**Thermoregulation in Humans During Long-Term Spaceflight (Thermolab)** – Stahn AC, Werner A, Opatz O, Maggioni MA, Steinach M, et al. Increased core body temperature in astronauts during long-duration space missions. *Scientific Reports*. 2017 November 23;7(1):16180. DOI: [10.1038/s41598-017-15560-w](https://doi.org/10.1038/s41598-017-15560-w).

**Vision Impairment and Intracranial Pressure (VIIP)** – Patel NB, Pass AF, Mason SS, Gibson CR, Otto CA. Optical coherence tomography analysis of the optic nerve head and surrounding structures in long-duration International Space Station astronauts. *JAMA Ophthalmology*. 2018 February 1;136(2):193-200. DOI: [10.1001/jamaophthalmol.2017.6226](https://doi.org/10.1001/jamaophthalmol.2017.6226).

**Vision Impairment and Intracranial Pressure (VIIP)** – Alperin N, Bagci AM. Spaceflight-induced visual impairment and globe deformations in astronauts are linked to orbital cerebrospinal fluid volume increase. *Acta Neurochirurgica Supplement*. 2018;126:215-219. DOI: [10.1007/978-3-319-65798-1\\_44](https://doi.org/10.1007/978-3-319-65798-1_44).



**Wearable System for Sleep Monitoring in Microgravity (Wearable Monitoring)** – Di Rienzo M, Vaini E, Lombardi P. Development of a smart garment for the assessment of cardiac mechanical performance and other vital signs during sleep in microgravity. *Sensors and Actuators A: Physical*. 2018 May 1;274:19-27. DOI: [10.1016/j.sna.2018.02.034](https://doi.org/10.1016/j.sna.2018.02.034).

**Wearable System for Sleep Monitoring in Microgravity (Wearable Monitoring)** – Di Renzo M, Vaini E, Lombardi P. An algorithm for beat-to-beat cardiac mechanics during sleep on Earth and in microgravity from seismocardiogram. *Scientific Reports*. 2017 November 15;7(1):15634. DOI: [10.1038/s41598-017-15829-0](https://doi.org/10.1038/s41598-017-15829-0).

## PHYSICAL SCIENCES

**Advanced Colloids Experiment-Temperature-6 (ACE-T-6)** – Lynch M, Colina CJ, Horezniak SA, Illie BP, Gizaw Y. Sprayable Freshening Product Comprising Suspended Particles and Methods of Freshening the Air or a Surface with the Same. *United States Patent and Trademark Office*. February 2018 1;[10,080,814](https://www.uspto.gov/patent/publications/20180080814).

**Advanced Colloids Experiment-Temperature-6 (ACE-T-6)** – Lynch M, Colina CJ, Horezniak SA, Illie BP, Gizaw Y. Phase-Stable, Sprayable Freshening Compositions Comprising Suspended Particles and Methods of Freshening the Air or a Surface with the Same. *United States Patent and Trademark Office*. 2018 September 18;[10,076,583](https://www.uspto.gov/patent/publications/20180076583).

**Advanced Colloids Experiment-Temperature-6 (ACE-T-6)** – Lynch M, Colina CJ, Horezniak SA, Illie BP, Gizaw Y, Sun Y. Phase-Stable, Sprayable Freshening Compositions Comprising Suspended Particles. *United States Patent and Trademark Office*. 2018 February 1;[20180028706](https://www.uspto.gov/patent/publications/20180028706).

**Advanced Colloids Experiment-Temperature-6 (ACE-T-6)** – Lynch M, Illie BP, Yearly AJ, Sawin PA. Consumer Product Composition. *United States Patent and Trademark Office*. April 19 2018;[20180105767](https://www.uspto.gov/patent/publications/20180105767).

**Burning and Suppression of Solids - II (BASS-II)** – Link S, Huang X, Fernandez-Pello AC, Olson SL, Ferkul PV. The effect of gravity on flame spread over PMMA cylinders. *Scientific Reports*. 2018 January 9;8(1):120. DOI: [10.1038/s41598-017-18398-4](https://doi.org/10.1038/s41598-017-18398-4).

**Burning and Suppression of Solids - II (BASS-II)** – Carmignani L, Bhattacharjee S, Olson SL, Ferkul PV. Boundary layer effect on opposed-flow flame spread and flame length over thin polymethyl-methacrylate in microgravity. *Combustion Science and Technology*. 2018 March 4;190(3):535-549. DOI: [10.1080/00102202.2017.1404587](https://doi.org/10.1080/00102202.2017.1404587).

**Burning and Suppression of Solids - II (BASS-II)** – Huang X, Link S, Rodriguez A, Thomsen M, Olson SL, et al. Transition from opposed flame spread to fuel regression and blow off: Effect of flow, atmosphere, and microgravity. *Proceedings of the Combustion Institute*. 2018 June 29; epub. DOI: [10.1016/j.proci.2018.06.022](https://doi.org/10.1016/j.proci.2018.06.022).

**Capillary Flow Experiment (CFE)** – Weislogel MM, Baker JA, Jenson RM. Quasi-steady capillarity-driven flows in slender containers with interior edges. *Journal of Fluid Mechanics*. 2011 October 25;685:271-305. DOI: [10.1017/jfm.2011.314](https://doi.org/10.1017/jfm.2011.314).\*

**Chaos, Turbulence and its Transition Process in Marangoni Convection-Exp (Marangoni-Exp)** – Watanabe T, Takakusagi T, Ueno I, Kawamura H, Nishino K, et al. Terrestrial and microgravity experiments on onset of oscillatory thermocapillary-driven convection in hanging droplets. *International Journal of Heat and Mass Transfer*. 2018 August 1;123:945-956. DOI: [10.1016/j.ijheatmasstransfer.2018.03.035](https://doi.org/10.1016/j.ijheatmasstransfer.2018.03.035).

**Columnar-to-Equiaxed Transition in Solidification Processing (CETSOL)** – Li YZ, Mangelinck-Noel N, Zimmermann G, Sturz L, Nguyen-Thi H. Effect of solidification conditions and surface pores on the microstructure and columnar-to-equiaxed transition in solidification under microgravity. *Journal of Alloys and Compounds*. 2018 June 15;749:344-354. DOI: [10.1016/j.jallcom.2018.03.300](https://doi.org/10.1016/j.jallcom.2018.03.300).

**Crystal Growth of Alloy Semiconductor Under Microgravity (Alloy Semiconductor)** – Kumar VN, Hayakawa Y, Arivanandhan M, Rajesh G, Koyama T, et al. Orientation-dependent dissolution and growth kinetics of In<sub>x</sub>Ga<sub>1-x</sub>Sb by vertical gradient freezing method under microgravity. *Journal of Crystal Growth*. 2018 August-September;496-497:15-17. DOI: [10.1016/j.jcrysgro.2018.04.033](https://doi.org/10.1016/j.jcrysgro.2018.04.033).

**DEvice for the study of Critical Liquids and Crystallization - Directional Solidification Insert (DECLIC-DSI)** – Song Y, Turret D, Mota FL, Pereda J, Billia B, et al. Thermal-field effects on interface dynamics and microstructure selection during alloy directional solidification. *Acta Materialia*. 2018 May 15;150:139-152. DOI: [10.1016/j.actamat.2018.03.012](https://doi.org/10.1016/j.actamat.2018.03.012).

**Electrostatic Levitation Furnace (ELF)** – Tamaru H, Koyama C, Saruwatari H, Nakamura Y, Ishikawa T, Takada T. Status of the Electrostatic Levitation Furnace (ELF) in the ISS-KIBO. *Microgravity Science and Technology*. 2018 October;30(5):643-651. DOI: [10.1007/s12217-018-9631-8](https://doi.org/10.1007/s12217-018-9631-8).

**EML Batch 1 - THERMOLAB Experiment** – Xiao X, Hyers RW, Wunderlich RK, Fecht HJ. Deformation induced frequency shifts of oscillating droplets during molten metal surface tension measurement. *Applied Physics Letters*. 2018 July 5;113(1):011903. DOI: [10.1063/1.5039336](https://doi.org/10.1063/1.5039336).

**Flame Extinguishment Experiment (FLEX)** – Nayagam V, Dietrich DL, Hicks MC, Williams FA. Radiative extinction of large n-alkane droplets in oxygen-inert mixtures in microgravity. *Combustion and Flame*. 2018 August;194:107-114. DOI: [10.1016/j.combustflame.2018.04.023](https://doi.org/10.1016/j.combustflame.2018.04.023).

**Flame Extinguishment Experiment (FLEX)** – Takahashi F, Katta VR, Hicks MC. Cool-flame burning and oscillations of envelope diffusion flames in microgravity. *Microgravity Science and Technology*. 2018 August; 30(4): 339-351. DOI: [10.1007/s12217-018-9630-9](https://doi.org/10.1007/s12217-018-9630-9).

**Flame Extinguishment Experiment (FLEX)** – Nayagam V, Dietrich DL, Hicks MC, Williams FA. Radiative extinction of large n-alkane droplets in oxygen-inert mixtures in microgravity. *Combustion and Flame*. 2018 August;194:107-114. DOI: [10.1016/j.combustflame.2018.04.023](https://doi.org/10.1016/j.combustflame.2018.04.023).

**Growth of Homogeneous SiGe Crystals in Microgravity by the TLZ Method (Hicari)** – Arai Y, Kinoshita K, Tsukada T, Kubo M, Abe K, et al. Study of SiGe crystal growth interface processed in microgravity. *Crystal Growth and Design*. 2018 May 15;18(6):3697-3703. DOI: [10.1021/acs.cgd.8b00544](https://doi.org/10.1021/acs.cgd.8b00544).

**PK-3 Plus: Plasma Crystal Research on the ISS (PK-3 Plus)** – Takahashi K, Lin J, Henault M, Boufendi L. Measurements of ion density and electron temperature around voids in dusty plasmas. *IEEE Transactions on Plasma Science*. 2018 April;46(4):704-708. DOI: [10.1109/TPS.2017.2752209](https://doi.org/10.1109/TPS.2017.2752209).

**PK-3 Plus: Plasma Crystal Research on the ISS (PK-3 Plus)** – Molotkov VI, Naumkin VN, Lipaev AM, Zhukhovitskii DI, Usachev AD, et al. Experiments on phase transitions in three-dimensional dusty plasma under microgravity conditions. *Journal of Physics: Conference Series*. 2017 November;927:012037. DOI: [10.1088/1742-6596/927/1/012037](https://doi.org/10.1088/1742-6596/927/1/012037).



**PK-3 Plus: Plasma Crystal Research on the ISS (PK-3 Plus)** – Naumkin VN, Lipaev AM, Molotkov VI, Zhukhovitskii DI, Usachev AD, Thomas HM. Crystal-liquid phase transitions in three-dimensional complex plasma under microgravity conditions. *Journal of Physics: Conference Series*. 2018 January;946:012144. DOI: [10.1088/1742-6596/946/1/012144](https://doi.org/10.1088/1742-6596/946/1/012144).

**Plasma Crystal Experiment (F-PKE)** – Fortov VE, Vaulina OS, Petrov OF, Molotkov VI, Lipaev AM, et al. Transport of Microparticles in Weakly Ionized Gas-Discharge Plasmas under Microgravity Conditions. *Physical Review Letters*. 2003 June 20;90(24):245005-1-245005-4. DOI: [10.1103/PhysRevLett.90.245005](https://doi.org/10.1103/PhysRevLett.90.245005).\*

**Plasma Kristall-4 (PK-4)** – Liu B, Goree JA, Pustynnik MY, Thomas HM, Fortov VE, et al. Particle velocity distribution in a three-dimensional dusty plasma under microgravity conditions. *American Institute of Physics Conference Proceedings*. 2018;1925:020005. DOI: [10.1063/1.5020393](https://doi.org/10.1063/1.5020393).

**Plasma Kristall-4 (PK-4)** – Usachev AD, Zobnin AV, Shonenkov AV, Lipaev AM, Molotkov VI, et al. Influence of dust particles on the neon spectral line intensities at the uniform positive column of dc discharge at the space apparatus “Plasma Kristall-4”. *Journal of Physics: Conference Series*. 2018 January;946:012143. DOI: [10.1088/1742-6596/946/1/012143](https://doi.org/10.1088/1742-6596/946/1/012143).

**Plasma Kristall-4 (PK-4)** – Jaiswal S, Pustynnik MY, Zhdanov SK, Thomas HM, Lipaev AM, et al. Dust density waves in a dc flowing complex plasma with discharge polarity reversal. *Physics of Plasmas*. 2018 August;25(8):083705. DOI: [10.1063/1.5040417](https://doi.org/10.1063/1.5040417).

**Selectable Optical Diagnostics Instrument - Aggregation of Colloidal Solutions (SODI-Colloid)** – Potenza MA, Manca A, Veen SJ, Weber B, Mazzoni S, et al. Dynamics of colloidal aggregation in microgravity by critical Casimir forces. *Europhysics Letters*. 2014 June 23;106(6). DOI: [10.1209/0295-5075/106/68005](https://doi.org/10.1209/0295-5075/106/68005).\*

**Simulation of Geophysical Fluid Flow Under Microgravity - 2 (Geoflow-2)** – Zaussinger F, Haun P, Neben M, Seelig T, Travnikov V, et al. Dielectrically driven convection in spherical gap geometry. *Physical Review Fluids*. 2018 September 5;3(9):093501. DOI: [10.1103/PhysRevFluids.3.093501](https://doi.org/10.1103/PhysRevFluids.3.093501).

**Smoke and Aerosol Measurement Experiment (SAME)** – Meyer ME, Urban DL, Mulholland G, Bryg V, Yuan Z, et al. Evaluation of spacecraft smoke detector performance in the low-gravity environment. *Fire Safety Journal*. 2018 June 1;98:74-81. DOI: [10.1016/j.firesaf.2018.04.004](https://doi.org/10.1016/j.firesaf.2018.04.004).

**SODI-DCMIX** – Mialdun A, Ryzhkov II, Khlybov OA, Lyubimova TP, Shevtsova V. Measurement of Soret coefficients in a ternary mixture of toluene-methanol-cyclohexane in convection-free environment. *The Journal of Chemical Physics*. 2018 January 28;148(4):044506. DOI: [10.1063/1.5017716](https://doi.org/10.1063/1.5017716).

**SODI-DCMIX** – Mozaffari SH, Srinivasan S, Saghir MZ. A study on thermodiffusion in ternary liquid mixtures using enhanced molecular dynamics algorithm with experimental validation. *Canadian Journal of Chemical Engineering*. 2018 March 23; epub:28 pp. DOI: [10.1002/cjce.23199](https://doi.org/10.1002/cjce.23199).

**SODI-DCMIX** – Triller T, Bataller H, Bou-Ali MM, Braibanti M, Croccolo F, et al. Thermodiffusion in ternary mixtures of water/ethanol/triethylene glycol: First report on the DCMIX3-experiments performed on the International Space Station. *Microgravity Science and Technology*. 2018 May;30(3):295-308. DOI: [10.1007/s12217-018-9598-5](https://doi.org/10.1007/s12217-018-9598-5).

**Transparent Alloys-SEBA** – Serefoglu M. Directional solidification experiments in materials science laboratory of the International Space Station. *Journal of Aeronautics and Space Technologies*. 2018 January 26;11(1):7-15.

**Zero Boil-Off Tank (ZBOT)** – Kassemi M, Kartuzova O, Hylton S. Validation of two-phase CFD models for propellant tank self-pressurization: Crossing fluid types, scales, and gravity levels. *Cryogenics*. 2018 January;89:1-15. DOI: [10.1016/j.cryogenics.2017.10.019](https://doi.org/10.1016/j.cryogenics.2017.10.019).

## TECHNOLOGY DEVELOPMENT AND DEMONSTRATION

### 3D Printing In Zero-G Technology

**Demonstration (3D Printing In Zero-G)** – Prater TJ, Bean QA, Werkheiser N, Grguel R, et al. Analysis of specimens from phase I of the 3D Printing in Zero G Technology demonstration mission. *Rapid Prototyping Journal*. 2017 October 6;23(6):1212-1225. DOI: [10.1108/RPJ-09-2016-0142](https://doi.org/10.1108/RPJ-09-2016-0142).

**Aerosol Sampling Experiment (Aerosol Samplers)** – Meyer ME. Results of the Aerosol Sampling Experiment on the International Space Station. *48th International Conference on Environmental Systems*, Albuquerque, New Mexico. 2018 July 8:12pp.

### Aquaporin Inside Membrane Testing in Space

**(AquaMembrane)** – Jensen PH, Hansen JS, Vissing T, Perry ME, Nielsen CH. Biomimetic Membranes and Uses Thereof. *United States Patent and Trademark Office*. 2015 December 17;20150360183.\*

### Aquaporin Inside Membrane Testing in Space

**(AquaMembrane)** – Tang C, Qui C, Zhao Y, Shen W, Vararattanavech A, et al. Aquaporin Based Thin Film Composite Membranes. *United States Patent and Trademark Office*. 2014 November 13;20140332468.\*

**Biomolecule Sequencer** – Castro-Wallace SL, Chiu C, John KK, Stahl SE, Rubins K, et al. Nanopore DNA Sequencing and Genome Assembly on the International Space Station. *Scientific Reports*. 2017;7:18022. DOI: [10.1038/s41598-017-18364-0](https://doi.org/10.1038/s41598-017-18364-0).

### Development of a System of Supervisory Control Over the Internet of the Robotic Manipulator in the Russian Segment of ISS (Kontur/Contour)

– Muliukha V, Zaborovski VS, Ilyashenko A, Podgurski Y. Communication technologies in the space experiment “Kontur-2”. *Internet of Things, Smart Spaces, and Next Generation Networks and Systems*. 2017.

### Development of a System of Supervisory Control Over the Internet of the Robotic Manipulator in the Russian Segment of ISS (Kontur/Contour)

– Muliukha V, Ilyashenko A, Zaborovski VS, Novopasheniy A. Space experiment “Kontur-2”: Applied methods and obtained results. *Proceedings of the 21st Conference of Fruct Association*, Helsinki, Finland. 2017 November 6-10;244-253.

**High Definition Earth Viewing (HDEV)** – Schultz J, Ortwein A, Rienow A. Technical note: using ISS videos in Earth observation – implementations for science and education. *European Journal of Remote Sensing*. 2017 November 24;51(1):28-32. DOI: [10.1080/22797254.2017.1396880](https://doi.org/10.1080/22797254.2017.1396880).

### ISS Non-invasive Sample Investigation and results Transmission to ground with the Utmost easiness (IN SITU)

– Roda A, Mirasoli M, Guardigli M, Zangheri M, Caliceti C, et al. Advanced biosensors for monitoring astronauts’ health during long-duration space missions. *Biosensors and Bioelectronics*. 2018 March 31;111:18-26. DOI: [10.1016/j.bios.2018.03.062](https://doi.org/10.1016/j.bios.2018.03.062).



**ISS Non-invasive Sample Investigation and results Transmission to ground with the Utmost easiness (IN SITU)** – Zangheri M, Mirasoli M, Guardigli M, Di Nardo F, Anfossi L, et al. Chemiluminescence-based biosensor for monitoring astronauts' health status during space missions: results from the International Space Station. *Biosensors and Bioelectronics*. 2018 September 17; epub. DOI: [10.1016/j.bios.2018.09.059](https://doi.org/10.1016/j.bios.2018.09.059).

**Microgravity Acceleration Measurement System (MAMS)** – Marin M, Dubert D, Simon MJ, Olle J, Gavaldà J, Ruiz X. ISS Quasi-steady accelerometric data as a tool for the detection of external disturbances during the period 2009-2016. *Microgravity Science and Technology*. 2018 October;30(5):611-634. DOI: [10.1007/s12217-018-9612-y](https://doi.org/10.1007/s12217-018-9612-y).

**PErsonal Radiation Shielding for intErplanetary missiOns (PERSEO)** – Baiocco G, Giraudò M, Bocchini L, Barbieri S, Locantore I, et al. A water-filled garment to protect astronauts during interplanetary missions tested on board the ISS. *Life Sciences in Space Research*. 2018 April 26;18:1-11. DOI: [10.1016/j.lssr.2018.04.002](https://doi.org/10.1016/j.lssr.2018.04.002).

**Roll-Out Solar Array (ROSA)** – Chamberlain MK, Kiefer SH, Banik JA. On-orbit structural dynamics performance of the roll-out solar array. *2018 AIAA Spacecraft Structures Conference*, Kissimmee, Florida. 2018 January 8-12;2018-1942:22 pp. DOI: [10.2514/6.2018-1942](https://doi.org/10.2514/6.2018-1942).

**Science for the Improvement of Future Space Exploration (ISS Exploration)** – Titov VA. Control of the onboard microgravity environment and extension of the service life of the long-term space station. *Cosmic Research*. 2018 March 1;56(2):130-139. DOI: [10.1134/S0010952518020107](https://doi.org/10.1134/S0010952518020107).

**Space Acceleration Measurement System-II (SAMS-II)** – McPherson K, Kelly EM, Keller J, Ibrahim A, Wagner E, Hrovat K. Analysis of Vibratory Data Collected by the Space Acceleration Measurement System (SAMS) on Blue Origin, June 19, 2016. *Gravitational and Space Research*. 2017 December;5(2):2-10.

**Spacecraft Fire Experiment-I (Saffire-I)** – Thomsen M, Fernandez-Pello AC, Urban DL, Ruff GA, Olson SL. Upward flame spread over a thin composite fabric: The effect of pressure and microgravity. *48th International Conference on Environmental Systems*, Albuquerque, New Mexico. 2018 July 8:11pp.

**Spacecraft Fire Experiment-II (Saffire-II)** – Li C, Liao YT, Tien JS, Urban DL, Ferkul PV, et al. Transient flame growth and spread processes over a large solid fabric in concurrent low-speed flows in microgravity – Model versus experiment. *Proceedings of the Combustion Institute*. 2018 June 23; epub:9 pp. DOI: [10.1016/j.proci.2018.05.168](https://doi.org/10.1016/j.proci.2018.05.168).

**Synchronized Position, Hold, Engage, Reorient, Experimental Satellites - VERTIGO (SPHERES-VERTIGO)** – Setterfield TP, Miller DW, Saenz-Otero A, Frazzoli E, Leonard JJ. Inertial properties estimation of a passive on-orbit object using polhode analysis. *Journal of Guidance, Control and Dynamics*. 2018 June 29;41(10):2214-2231. DOI: [10.2514/1.G003394](https://doi.org/10.2514/1.G003394).

## EARTH AND SPACE SCIENCE

**Alpha Magnetic Spectrometer - 02 (AMS-02)** – Aguilar-Benitez M, Cavasonza LA, Alpat B, Ambrosi G, Arruda MF, et al. Observation of the identical rigidity dependence of He, C, and O cosmic rays at high rigidities by the Alpha Magnetic Spectrometer on the International Space Station. *Physical Review Letters*. 2017 December 22;119(25):251101. DOI: [10.1103/PhysRevLett.119.251101](https://doi.org/10.1103/PhysRevLett.119.251101).

**Alpha Magnetic Spectrometer - 02 (AMS-02)** – Aguilar-Benitez M, Cavasonza LA, Ambrosi G, Arruda MF, Attig N, et al. Observation of new properties of secondary cosmic rays lithium, beryllium, and boron by the Alpha Magnetic Spectrometer on the International Space Station. *Physical Review Letters*. 2018 January 11;120(2):021101. DOI: [10.1103/PhysRevLett.120.021101](https://doi.org/10.1103/PhysRevLett.120.021101).

**Alpha Magnetic Spectrometer - 02 (AMS-02)** – Aguilar-Benitez M, Cavasonza LA, Alpat B, Ambrosi G, Arruda MF, et al. Observation of fine time structures in the cosmic proton and helium fluxes with the Alpha Magnetic Spectrometer on the International Space Station. *Physical Review Letters*. 2018 August 3;121(5):051101. DOI: [10.1103/PhysRevLett.121.051101](https://doi.org/10.1103/PhysRevLett.121.051101).

**Alpha Magnetic Spectrometer - 02 (AMS-02)** – Aguilar-Benitez M, Cavasonza LA, Alpat B, Ambrosi G, Arruda MF, et al. Precision measurement of cosmic-ray nitrogen and its primary and secondary components with the Alpha Magnetic Spectrometer on the International Space Station. *Physical Review Letters*. 2018 August 3;121(5):051103. DOI: [10.1103/PhysRevLett.121.051103](https://doi.org/10.1103/PhysRevLett.121.051103).

**Alpha Magnetic Spectrometer - 02 (AMS-02)** – Aguilar-Benitez M, Cavasonza LA, Ambrosi G, Arruda MF, Attig N, et al. Observation of complex time structures in the cosmic-ray electron and positron fluxes with the Alpha Magnetic Spectrometer on the International Space Station. *Physical Review Letters*. 2018 August 3;121(5):051102. DOI: [10.1103/PhysRevLett.121.051102](https://doi.org/10.1103/PhysRevLett.121.051102).

**CALorimetric Electron Telescope (CALET)** – Asaoka Y, Ozawa S, Torii S, et al. On-orbit operations and offline data processing of CALET onboard the ISS. *Astroparticle Physics*. 2018 February 27;100:29-37. DOI: [10.1016/j.astropartphys.2018.02.010](https://doi.org/10.1016/j.astropartphys.2018.02.010).

**CALorimetric Electron Telescope (CALET)** – Adriani O, Akaike Y, et al. Energy Spectrum of Cosmic-Ray Electron and Positron from 10 GeV to 3 TeV Observed with the Calorimetric Electron Telescope on the International Space Station. *Physical Review Letters*. 2017 November 3;119:181101. DOI: [10.1103/PhysRevLett.119.181101](https://doi.org/10.1103/PhysRevLett.119.181101).

**CALorimetric Electron Telescope (CALET)** – Adriani O, Akaike Y, Asano K, Asaoka Y, Bagliesi MG, Berti E, et al. Extended measurement of the cosmic-ray electron and positron spectrum from 11 GeV to 4.8 TeV with the calorimetric electron telescope on the International Space Station. *Physical Review Letters*. 2018 June 29;120(26):261102. DOI: [10.1103/PhysRevLett.120.261102](https://doi.org/10.1103/PhysRevLett.120.261102).

**CALorimetric Electron Telescope (CALET)** – Adriani O, Akaike Y, Asano K, Asaoka Y, Bagliesi MG, et al. Search for GeV gamma-ray counterparts of gravitational wave events by CALET. *The Astrophysical Journal*. 2018 August 20;863(2):160. DOI: [10.3847/1538-4357/aad18f](https://doi.org/10.3847/1538-4357/aad18f)

**CALorimetric Electron Telescope (CALET)** – Asaoka Y, Akaike Y, Komiya Y, Miyata R, Torii S, et al. Energy calibration of CALET onboard the International Space Station. *Astroparticle Physics*. 2017 May 1;91:1-10. DOI: [10.1016/j.astropartphys.2017.03.002](https://doi.org/10.1016/j.astropartphys.2017.03.002).\*

**CALorimetric Electron Telescope (CALET)** – Adriani O, Akaike Y, Asano K, Asaoka Y, Bagliesi MG, et al. CALET upper limits on X-Ray and gamma-ray counterparts of GW151226. *The Astrophysical Journal Letters*. 2016 September 21;829(1):L20. DOI: [10.3847/2041-8205/829/1/L20](https://doi.org/10.3847/2041-8205/829/1/L20).\*

**CALorimetric Electron Telescope (CALET)** – Kataoka R, Asaoka Y, Torii S, Terasawa T, Ozawa S, et al. Relativistic electron precipitation at International Space Station: Space weather monitoring by Calorimetric Electron Telescope. *Geophysical Research Letters*. 2016 May 16;43(9):4119-4125. DOI: [10.1002/2016GL068930](https://doi.org/10.1002/2016GL068930).\*



**CALorimetric Electron Telescope (CALET)** – Cannady N, Asaoka Y, Satoh F, Tanaka M, Torii S, et al. Characteristics and performance of the CALorimetric Electron Telescope (CALET) calorimeter for gamma-ray observations. *The Astrophysical Journal Supplement Series*. 2018 September 5;238(1):5. DOI: [10.3847/1538-4365/aad6a3](https://doi.org/10.3847/1538-4365/aad6a3).

**Cloud-Aerosol Transport System (CATS)** – Yorks JE, McGill MJ, Palm SP, Hlavka DL, Selmer PA, et al. An overview of the CATS level 1 processing algorithms and data products. *Geophysical Research Letters*. 2016 May 7;43:4632-4639. DOI: [10.1002/2016GL068006](https://doi.org/10.1002/2016GL068006).\*

**Cloud-Aerosol Transport System (CATS)** – McGill MJ, Yorks JE, Scott S, Kupchock AW, Selmer PA. The Cloud-Aerosol Transport System (CATS): a technology demonstration on the International Space Station. *Proceedings of SPIE 9612, Lidar Remote Sensing for Environmental Monitoring XV*, San Diego, CA. 2015 September 1.\*

**Cloud-Aerosol Transport System (CATS)** – Chuang T, Burns P, Walters EB. Space-based, multi-wavelength solid-state lasers for NASA's Cloud Aerosol Transport System for International Space Station (CATS-ISS). *Proceedings of SPIE 8599, Solid State Lasers XXII: Technology and Devices*, San Francisco, CA. 2013 March 6.\*

**Cloud-Aerosol Transport System (CATS)** – Noel V, Chepfer H, Chiriaco M, Yorks JE. The diurnal cycle of cloud profiles over land and ocean between 51°S and 51°N, seen by the CATS spaceborne lidar from the International Space Station. *Atmospheric Chemistry and Physics*. 2018 July 6; 18(13): 9457-9473. DOI: [10.5194/acp-18-9457-2018](https://doi.org/10.5194/acp-18-9457-2018).

**Cloud-Aerosol Transport System (CATS)** – Hughes EJ, Yorks JE, Krotkov NA, da Silva AM, McGill MJ. Using CATS near-real-time lidar observations to monitor and constrain volcanic sulfur dioxide (SO<sub>2</sub>) forecasts. *Geophysical Research Letters*. 2016 October 28;43(20):11089-11097. DOI: [10.1002/2016GL070119](https://doi.org/10.1002/2016GL070119).\*

**Coordinated Aurora Photography from Earth and Space (AuroraMAX)** – Lay S, Vermeulen J, Perin C, Donovan E, Dachsel R, Carpendale S. Slicing the Aurora: An Immersive Proxemics-Aware Visualization. *Proceedings of the 2016 ACM Companion on Interactive Surfaces and Spaces*. Niagara Falls, Ontario, Canada. 2016 November:91-97.\*

**Cosmic Ray Energetics and Mass for the International Space Station (ISS-CREAM)** – Seo E, Anderson T, Angelaszek D, Baek SJ. Cosmic Ray Energetics and Mass for the International Space Station (ISS-CREAM). *Advances in Space Research*. 2014;53:1451-1455. DOI: [10.1016/j.asr.2014.01.013](https://doi.org/10.1016/j.asr.2014.01.013).\*

**Crew Earth Observations (CEO)** – Stefanov WL, Evans CA, Runco S, Wilkinson MJ, Willis KK. Astronaut Photography: Handheld Camera Imagery from Low Earth Orbit. *Handbook of Satellite Applications*, New York, NY. 2013.\*

**Crew Earth Observations (CEO)** – Kuffer M, Pfeffer K, Sliuzas R, Taubenboeck H, Baud I, van Maarseveen M. Capturing the urban divide in nighttime light images from the International Space Station. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*. 2018 August;11(8):2578-2586. DOI: [10.1109/JSTARS.2018.2828340](https://doi.org/10.1109/JSTARS.2018.2828340).

**Crew Earth Observations (CEO)** – Garcia-Saenz A, de Miguel AS, Espinosa A, Valentin A, Aragonés N, et al. Evaluating the association between artificial light-at-night exposure and breast and prostate cancer risk in Spain (MCC-Spain study). *Environmental Health Perspectives*. 2018 April 23;126(4):047011. DOI: [10.1289/EHP1837](https://doi.org/10.1289/EHP1837).

**DLR Earth Sensing Imaging Spectrometer (DESI)** – Eckardt A, Horack J, Lehmann F, Krutz D, Drescher J, Whorton M, Soutullo M. DESIS (DLR Earth Sensing Imaging Spectrometer for the ISS-MUSES platform). *Geoscience and Remote Sensing Symposium*, Milan Italy. 2015 July 26-31.\*

**Ecosystem Spaceborne Thermal Radiometer Experiment on Space Station/Global Ecosystem Dynamics Investigation/Hyperspectral Imager Suite/Orbiting Carbon Observatory – 3 (ECOSTRESS/GEDI/HISUI/OCO-3)** – Stavros EN, Schimel D, Pavlick R, Serbin S, Swann A, et al. ISS observations offer insights into plant function. *Nature Ecology and Evolution*. 2017 June 22;1:0194. DOI: [10.1038/s41559-017-0194](https://doi.org/10.1038/s41559-017-0194).\*

**Exposed Experiment Handrail Attachment Mechanism (ExHAM Facility)** – Kurihara M, Higashide M, Takayanagi Y, Arai K, Yano H, et al. Impact Frequency Estimate of Micron-sized Meteoroids and Debris on Tanpopo Capture Panels on the ISS. *Procedia Engineering*. 2015;103:334-340. DOI: [10.1016/j.proeng.2015.04.055](https://doi.org/10.1016/j.proeng.2015.04.055).\*

**EXPOSE-R2-Biofilm Organisms Surfing Space/EXPOSE-R2-BIOlogy and Mars EXperiment (EXPOSE-R2-BOSS/EXPOSE-R2-BIOMEX)** – Billi D. Desert cyanobacteria under space and planetary simulations: A tool for searching for life beyond Earth and supporting human space exploration. *International Journal of Astrobiology*. 2018 September 12; epub. DOI: [10.1017/S147355041800037X](https://doi.org/10.1017/S147355041800037X).

**HICO and RAIDS Experiment Payload - Hyperspectral Imager for the Coastal Ocean (HREP-HICO)** – Huemmrich KF, Campbell PK, Gao BG, Flanagan LB, Goulden M. ISS as a Platform for Optical Remote Sensing of Ecosystem Carbon Fluxes: A Case Study Using HICO. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*. 2017 October 5;10(10):4360-4375. DOI: [10.1109/JSTARS.2017.272582](https://doi.org/10.1109/JSTARS.2017.272582).

**HICO and RAIDS Experiment Payload - Hyperspectral Imager for the Coastal Ocean (HREP-HICO)** – Amin R, Gould, Jr. RW, Hou W, Arnone RB, Lee Z. Automated system and method for optical cloud shadow detection over water. *United States Patent and Trademark Office*. August 13 2013;8,509,476.\*

**International Space Station Agricultural Camera (ISSAC)** – Olsen D, Dou C, Zhang X, Hu L. Radiometric Calibration for AgCam. *Remote Sensing*. 2010;2:464-477. DOI: [10.3390/rs2020464](https://doi.org/10.3390/rs2020464).\*

**Investigating Atmospheric Burst of Gamma-Ray and Optical Emissions During Thunderstorm Activity (Molnia-Gamma/Lightning-Gamma)** – Solov'ev AV, Markov AV, Sorokin IV, Lyubinskii VE. Applied Scientific Research on the International Space Station and New Flight-Control Technologies. *Herald of the Russian Academy of Sciences*. 2017; 87(3):229-236. DOI: [10.1134/S1019331617030091](https://doi.org/10.1134/S1019331617030091).

**Investigating Atmospheric Burst of Gamma-Ray and Optical Emissions During Thunderstorm Activity (Molnia-Gamma/Lightning-Gamma)** – Andreevsky SE, Kuznetsov VD, Sinelnikov VM. Registration of the Atmospheric Gamma Radiation on Board the Russian Segment of the International Space Station. *Pure and Applied Geophysics*. 2017 March;174(3):1091-1099. DOI: [10.1007/s00024-016-1436-3](https://doi.org/10.1007/s00024-016-1436-3).\*

**ISS SERVIR Environmental Research and Visualization System (ISERV)** – Kansakar P,

Hossain F. A review of applications of satellite earth observation data for global societal benefit and stewardship of planet earth. *Space Policy*. 2016 May;36:46-54. DOI: [10.1016/j.spacepol.2016.05.005](https://doi.org/10.1016/j.spacepol.2016.05.005).\*

**ISS SERVIR Environmental Research and Visualization System (ISERV)** – Murthy MS,

Gurung DR, Qamer FR, Bajracharya S, Gilani H, et al. Reform Earth Observation Science and Applications to Transform Hindu Kush Himalayan Livelihoods—Services-Based Vision 2030. In: Hossain F. (eds). *Cham: Earth Science Satellite Applications: Current and Future Prospects*. 2016.\*

**ISS-RapidScat** – Durden SL, Perkovic-Martin D. The RapidScat Ocean Winds Scatterometer: A radar system engineering perspective. *IEEE Robotics and Automation Magazine*. 2017 September 14:36-43. DOI: [10.1109/MGRS.2017.2678999](https://doi.org/10.1109/MGRS.2017.2678999).\*

**ISS-RapidScat** – Lin W, Portabella M, Stoffelen A, Verhoef A. Toward an Improved Wind Inversion Algorithm for RapidScat. *IEEE Robotics and Automation Magazine*. 2017 May;10(5):2156-2164. DOI: [10.1109/JSTARS.2016.2616889](https://doi.org/10.1109/JSTARS.2016.2616889).\*

**ISS-RapidScat** – Madsen NM, Long DG. Calibration and validation of the RapidScat scatterometer using tropical rainforests. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*. 2016 May;54(5):2846-2854. DOI: [10.1109/TGRS.2015.2506463](https://doi.org/10.1109/TGRS.2015.2506463).\*

**ISS-RapidScat** – Paget AC, Long DG, Madsen NM. RapidScat Diurnal Cycles Over Land. *IEEE Transactions on Geoscience and Remote Sensing*. 2016 June;54(6):3336-3344. DOI: [10.1109/TGRS.2016.251502](https://doi.org/10.1109/TGRS.2016.251502).\*

**ISS-RapidScat** – Alsabah R, Al-Sabbagh A, Zec J. RapidScat backscatter measurement validation. *Journal of Applied Remote Sensing*. 2018 September 4;12(03):034005. DOI: [10.1117/1.JRS.12.034005](https://doi.org/10.1117/1.JRS.12.034005).

**Monitor of All-sky X-ray Image (MAXI)** –

Miller JM, Gendreau KC, Ludlam RM, Fabian AC, Altamirano D, et al. A NICER spectrum of MAXI J1535–571: Near-maximal black hole spin and potential disk warping. *The Astrophysical Journal Letters*. 2018 June 25;860(2):L28. DOI: [10.3847/2041-8213/aacc61](https://doi.org/10.3847/2041-8213/aacc61).

**Multi-mission Consolidated Equipment (MCE)** –

Aoki T, Higuchi K, Watanabe K. Progress report of SIMPLE space experiment project on ISS Japan Experiment Module. *Transactions of the Japan Society for Aeronautical and Space Sciences, Aerospace Technology Japan*. 2014;12(ists29). DOI:[10.2322/tastj.12.Tc\\_1](https://doi.org/10.2322/tastj.12.Tc_1).\*

**Neutron Star Interior Composition Explorer (NICER)** –

Gendreau KC, Arzoumanian Z, Adkins PW, Albert CL, Anders JF, et al. The Neutron star Interior Composition Explorer (NICER): design and development. *Space Telescopes and Instrumentation 2016: Ultraviolet to Gamma Ray*, Edinburgh, United Kingdom. 2017 March 16:99051H-1-99051H-16. DOI: [10.1117/12.2231304](https://doi.org/10.1117/12.2231304).\*

**Neutron Star Interior Composition Explorer (NICER)** –

Prigozhin GY, Gendreau KC, Doty JP, Foster R, Remillard RA, et al. NICER instrument detector subsystem: description and performance. *Space Telescopes and Instrumentation 2016: Ultraviolet to Gamma Ray*, Edinburgh, United Kingdom. 2016 July:99051I-1-99051I-12. DOI: [10.1117/12.2231718](https://doi.org/10.1117/12.2231718).\*

**Neutron Star Interior Composition Explorer (NICER)** –

Gendreau KC, Arzoumanian Z. Searching for a pulse. *Nature Astronomy*. 2017 December 1;1:895. DOI: [10.1038/s41550-017-0301-3](https://doi.org/10.1038/s41550-017-0301-3).



**Neutron Star Interior Composition Explorer (NICER)** – Gendreau KC, Arzoumanian Z. The Neutron star Interior Composition Explorer (NICER): An Explorer Mission of Opportunity for Soft X-ray Timing Spectroscopy. *Space Telescopes and Instrumentation 8443; Ultraviolet to Gamma Ray*. 2012 September 17; 844313. DOI: [10.1117/12.926396](https://doi.org/10.1117/12.926396).\*

**Neutron Star Interior Composition Explorer (NICER)** – Gendreau KC, Arzoumanian Z, Baker RG, Dobson N, Koenecke RG. Multiplexing X-ray Fluorescence System and Method. *United States Patent and Trademark Office*. September 18 2015; [20170082562](https://doi.org/20170082562).\*

**Neutron Star Interior Composition Explorer (NICER)** – Gendreau KC, Arzoumanian Z, Kenyon SJ, Spartana NS. Miniaturized high-speed modulated X-ray source. *United States Patent and Trademark Office*. August 8 2012; [9,117,622](https://doi.org/9,117,622).\*

**Neutron Star Interior Composition Explorer (NICER)** – Strohmayer TE, Arzoumanian Z, Bogdanov S, Bult PM, Chakrabarty D, et al. NICER Discovers the Ultracompact Orbit of the Accreting Millisecond Pulsar IGR J17062–6143. *The Astrophysical Journal Letters*. 2018 May 9; 858(2):L13. DOI: [10.3847/2041-8213/aabf44](https://doi.org/10.3847/2041-8213/aabf44).

**Neutron Star Interior Composition Explorer (NICER)** – Bult PM, Altamirano D, Arzoumanian Z, Cackett EM, Chakrabarty D, et al. NICER detects a soft x-ray kilohertz quasi-periodic oscillation in 4U 0614+09. *The Astrophysical Journal Letters*. 2018; 860(1):L9. DOI: [10.3847/2041-8213/aac893](https://doi.org/10.3847/2041-8213/aac893).

**Neutron Star Interior Composition Explorer (NICER)** – Neilsen J, Cackett EM, Remillard RA, Homan J, Steiner JF, et al. A persistent disk wind in GRS 1915+105 with NICER. *The Astrophysical Journal Letters*. 2018 June 18; 860(2):L19. DOI: [10.3847/2041-8213/aaca96](https://doi.org/10.3847/2041-8213/aaca96).

**Neutron Star Interior Composition Explorer (NICER)** – Ludlam RM, Miller JM, Arzoumanian Z, Bult PM, Cackett EM, et al. Detection of reflection features in the neutron star low-mass X-Ray binary Serpens X-1 with NICER. *The Astrophysical Journal*. 2018 May 1; 858(1):L5. DOI: [10.3847/2041-8213/aabee6](https://doi.org/10.3847/2041-8213/aabee6).

**Neutron Star Interior Composition Explorer (NICER)** – Keek L, Arzoumanian Z, Chakrabarty D, Chenevez J, Gendreau KC, et al. NICER detection of strong photospheric expansion during a thermonuclear X-Ray burst from 4U 1820–30. *The Astrophysical Journal*. 2018 April 1; 856(2):L37. DOI: [10.3847/2041-8213/aab904](https://doi.org/10.3847/2041-8213/aab904).

**Neutron Star Interior Composition Explorer (NICER)** – Bult PM, Arzoumanian Z, Cackett EM, Chakrabarty D, Gendreau KC, et al. A NICER look at the Aql X-1 hard state. *The Astrophysical Journal*. 2018 May 20; 859(1):L1. DOI: [10.3847/2041-8213/aac2e2](https://doi.org/10.3847/2041-8213/aac2e2).

**Neutron Star Interior Composition Explorer (NICER)** – Keek L, Arzoumanian Z, Bult PM, Cackett EM, Chakrabarty D, et al. NICER observes the effects of an X-Ray burst on the accretion environment in Aql X-1. *The Astrophysical Journal*. 2018 March 1; 855(4): L4. DOI: [10.3847/2041-8213/aab104](https://doi.org/10.3847/2041-8213/aab104).

**Neutron Star Interior Composition Explorer (NICER)** – Bult PM, Altamirano D, Arzoumanian Z, Chakrabarty D, Gendreau KC, et al. On the 2018 outburst of the accreting millisecond X-ray pulsar Swift J1756.9-2508 as seen with NICER. *The Astrophysical Journal*. 2018; 864(1):14. DOI: [10.3847/1538-4357/aad5e5](https://doi.org/10.3847/1538-4357/aad5e5).

**Neutron Star Interior Composition Explorer (NICER)** – Wilson-Hodge CA, Malacaria C, Jenke PA, Jaisawal GK, Kerr M, et al. NICER and Fermi GBM observations of the first galactic ultraluminous X-Ray pulsar Swift J0243.6+6124. *The Astrophysical Journal*. 2018 August 6; 863(1):9. DOI: [10.3847/1538-4357/aace60](https://doi.org/10.3847/1538-4357/aace60).

**Neutron Star Interior Composition Explorer (NICER)** – Sanna A, Pintore F, Riggio A, Mazzola SM, Bozzo E, et al. SWIFT J1756.9–2508: Spectral and timing properties of its 2018 outburst. *Monthly Notices of the Royal Astronomical Society*. 2018 August; epub. DOI: [10.1093/mnras/sty2316](https://doi.org/10.1093/mnras/sty2316).

**Neutron Star Interior Composition Explorer (NICER)** – Stevens AL, Uttley P, Altamirano D, Arzoumanian Z, Bult PM, et al. A NICER discovery of a low-frequency quasi-periodic oscillation in the soft-intermediate state of MAXI J1535–571. *The Astrophysical Journal Letters*. 2018 September 26;865(2):L15. DOI: [10.3847/2041-8213/aae1a4](https://doi.org/10.3847/2041-8213/aae1a4).

**Shuttle Ionospheric Modification with Pulsed Localized Exhaust Experiments (SIMPLEX)** – Kaplan CR, Bernhardt PA. Effect of an Altitude-Dependent Background Atmosphere on Shuttle Plumes. *Journal of Spacecraft and Rockets*. 2010 July - August;47(4):700-703. DOI: [10.2514/1.47339](https://doi.org/10.2514/1.47339).\*

**Space Test Program - Houston 3 - Canary (STP-H3-Canary)** – Feldmesser HS, Darrin MA, Osiander R, Paxton LJ, Rogers AQ, et al. Canary: ion spectroscopy for ionospheric sensing. *Proceedings of SPIE 7691 Space Missions and Technologies*. Orlando, FL. 2010 May 8:13 pp. DOI: [10.1117/12.850414](https://doi.org/10.1117/12.850414).\*

**Space Test Program-H2-Atmospheric Neutral Density Experiment (STP-H2-ANDE)** – Nicholas AC, Picone M, Emmert J, DeYoung J, Healy L, et al. Preliminary Results from the Atmospheric Neutral Density Experiment Risk Reduction Mission. *Advances in the Astronautical Sciences*. 2007;129(1):243-254.\*

**Space Test Program-H2-Atmospheric Neutral Density Experiment (STP-H2-ANDE)** – Nicholas AC, Gilbreath C, Thonnard SE, Kessel RA, Lucke RL, Sillman CP. The atmospheric neutral density experiment (ANDE) and modulating retroreflector in space (MODRAS): combined flight experiments for the space test program. *Proceedings of SPIE 5899, UV/Optical/IR Space Telescopes: Innovative Technologies and Concepts II*, San Diego, CA. 2003 March 20.\*

**Space Test Program-Houston 4- Small Wind and Temperature Spectrometer (STP-H4-SWATS)** – McLean CH, Deininger WD, Marotta BM, Spores RA, Masse RB, et al. Green Propellant Infusion Mission Program Overview, Status, and Flight Operations. *51st AIAA/SAE/ASEE Joint Propulsion Conference*, Orlando, FL. 2015 July 27-29.\*

**Space Test Program-Houston 4- Small Wind and Temperature Spectrometer (STP-H4-SWATS)** – Nicholas AC, Herrero FA, Stephan AW, Finne T. WINCS on-orbit performance results. *Proceedings of SPIE 9604, Defense and Security Symposium*, Orlando, FL. 2015 September 21.\*

**Space Test Program-Houston 4-ISS SpaceCube Experiment 2.0 (STP-H4-ISE 2.0)** – Petrick D, Gill N, Hassouneh MA, Stone R, Winternitz LB, et al. Adapting the SpaceCube v2.0 Data Processing System for Mission-Unique Application Requirements. *NASA/ESA Conference on Adaptive Hardware and Systems*. 2015 June 15-18. DOI: [10.1109/AHS.2015.7231153](https://doi.org/10.1109/AHS.2015.7231153).\*

**STP-H5-Lightning Imaging Sensor (STP-H5-LIS)** – Peterson M, Rudlosky S, Deierling W. The Evolution and Structure of Extreme Optical Lightning Flashes. *Journal of Geophysical Research: Atmospheres*. 2017 December 12;122(24):13370-13386. DOI: [10.1002/2017JD026855](https://doi.org/10.1002/2017JD026855).

**STP-H5-Lightning Imaging Sensor (STP-H5-LIS)** – Peterson M, Deierling W, Liu C, Mach DM, Kalb C. The properties of optical lightning flashes and the clouds they illuminate. *Journal of Geophysical Research: Atmospheres*. 2017 January 16;122(1):423-442. DOI: [10.1002/2016JD025312](https://doi.org/10.1002/2016JD025312).\*

**Sun Monitoring on the External Payload Facility of Columbus - Sun Monitoring on the External Payload Facility of Columbus -SOLar SPECTral Irradiance Measurements (Solar-SOLSPEC)** – Meftah M, Dame L, Bolsee D, Hauchecorne A, Pereira N, et al. SOLAR-ISS: A new reference spectrum based on SOLAR/SOLSPEC observations. *Astronomy and Astrophysics*. 2018 March;611(A1):13 pp. DOI: [10.1051/0004-6361/201731316](https://doi.org/10.1051/0004-6361/201731316).

**Superconducting Submillimeter-Wave Limb-Emission Sounder (SMILES)** – Imai K, Imamura Y. SMILES observations of mesospheric ozone during the solar eclipse. *Geophysical Research Letters*. 2015 April 1;42(9):3576-3582. DOI: [10.1002/2015GL06332](https://doi.org/10.1002/2015GL06332).\*

**Superconducting Submillimeter-Wave Limb-Emission Sounder (SMILES)** – Manago N, Baron P, Ochiai S, Ozeki H, Suzuki M. Upper-Stratosphere/Mesosphere Temperature, Wind Speed, H<sub>2</sub>O and O<sub>3</sub> Measurements Using Sub-MM Limb Sounder. *Geoscience and Remote Sensing Symposium*, Milan Italy. 2015 1449-1452.\*

**Superconducting Submillimeter-Wave Limb-Emission Sounder (SMILES)** – Baron P, Manago N, Ozeki H, Irimajiri Y, Murtagh DP, et al. Measurement of stratospheric and mesospheric winds with a submillimeter wave limb sounder: results from JEM/SMILES and simulation study for SMILES-2. *Proceedings of SPIE 9639, Sensors, Systems, and Next-Generation Satellites XIX*, Toulouse, France. 2015. DOI: [10.1117/12.2194741](https://doi.org/10.1117/12.2194741)\*

**MPAC and SEED on SM** – Miyazaki E, Tagawa M, Yokota K, Yokota R, Kimoto Y, Ishizawa J. Investigation into tolerance of polysiloxane-block-polyimide film against atomic oxygen. *Acta Astronautica*. 2010;66:922-928. DOI: [10.1016/j.actaastro.2009.09.002](https://doi.org/10.1016/j.actaastro.2009.09.002).\*

**MPAC and SEED on SM** – Yamanaka R, Noguchi TK, Kimoto Y. Analysis Results of Microparticles Capturer Experiment Samples on Service Module. *Journal of Spacecraft and Rockets*. 2011 September - October;48(6):867-873. DOI: [10.2514/1.49491](https://doi.org/10.2514/1.49491).\*

## EDUCATIONAL ACTIVITIES AND DEMONSTRATIONS

**Synchronized Position Hold, Engage, Reorient, Experimental Satellites-Zero-Robotics-High School Tournament/-Middle School Summer Program (SPHERES-Zero-Robotics-High School Tournament/-Middle School Summer Program)** – Saenz-Otero A, Katz JG, Mwijuka AT. The Zero Robotics SPHERES Challenge 2010. *IEEE Aerospace and Electronic Systems Magazine*. 2011;26(7):4-17. DOI: [10.1109/MAES.2011.5958758](https://doi.org/10.1109/MAES.2011.5958758).\*


**Science off the Sphere (Science off the Sphere)** – Elele EO, Shen Y, Pettit DR, Khusid B. Detection of a dynamic cone-shaped meniscus on the surface of fluids in electric fields. *Physical Review Letters*. 2015 February 5;114(5):054501. DOI: [10.1103/PhysRevLett.114.054501](https://doi.org/10.1103/PhysRevLett.114.054501).\*

**NanoRacks-National Center for Earth and Space Science-America (NanoRacks-NCESSE-America)** – Vista SSEP Mission 11 Team, Hagstrom D, Bartee C, Collins ES. Studying planarian regeneration aboard the International Space Station within the Student Space Flight Experimental Program. *Frontiers in Astronomy and Space Sciences*. 2018 May 7;5:11 pp. DOI: [10.3389/fspas.2018.00012](https://doi.org/10.3389/fspas.2018.00012).

\*Indicates published prior to October 1, 2017.



# To Learn More...



**National Aeronautics and Space Administration**  
<https://www.nasa.gov/stationresults>



**Canadian Space Agency**  
<http://www.asc-csa.gc.ca/eng/iss/default.asp>



**European Space Agency**  
[http://www.esa.int/Our\\_Activities/Human\\_Spaceflight/International\\_Space\\_Station](http://www.esa.int/Our_Activities/Human_Spaceflight/International_Space_Station)






**Japan Aerospace Exploration Agency**  
<http://iss.jaxa.jp/en/>  
<http://iss.jaxa.jp/en/iss/>




ROSCOSMOS

**State Space Corporation Roscosmos (Roscosmos)**  
<http://knts.tsniimash.ru/en/site/Default.aspx>  
<http://en.roscosmos.ru/>



$$PV = nRT$$



$$N = R^* f_r n_e f_i f_c L$$

$$R_{Sch} = \frac{2GM}{c^2}$$

