| JSC Safety and Health Requirements | JPR No. | 1700.1L |
|------------------------------------|------------------|-----------------|
| | Effective Date: | 12/20/2018 |
| | Expiration Date: | 12/20/2023 |
| | Page Number | Page 8.6-1 of 3 |

Chapter 8.6 Power and Hand Tool Safety

This could be you . . .

A maintenance worker was severely burned by a flash fire while using a power tool in a flammable atmosphere.

A machine shop worker wasn't wearing eye protection and received an eye injury from flying metal chips.

8.6.1 Applicability of this chapter

You are required to follow this chapter if you use any type of power or hand tool.

8.6.2 Training requirements for this chapter

- a. Employees using power tools shall have training in safe operating practices for each tool used. See Chapter 4.1, "Safety and Health Training," for more requirements on training. Training shall include the hazards of the tool in the configuration it will be used, the manufacturer's operating instructions, and any other safe operating practices. I
- b. Operating nstructions and other safety instructions shall be readily accessible to anyone who uses the tool.

8.6.3 PPE for use with power and hand tools

Employees shall wear eye protection when operating power and hand tools, including tools, such as screwdrivers, pliers, and wrenches. Use hearing protection when required. Some powered hand tools may require the use of vibration-damping gloves. Use other PPE as required by the Job Hazard Analysis. See Chapter 5.6, "Personal Protective Equipment," for more requirements on PPE.

8.6.4 Safety devices for using power tools

- 8.6.4.1 To prevent injury, employees using power tools shall:
- a. Never remove equipment guards and other safety devices for any purpose other than necessary maintenance or adjustments, and only with de-energized equipment.
- b. Shield power tool switches against accidental tripping or activation. Use "dead man" switches that require continuous pressure for operation, as required by 29 CFR 1910.243, "Guarding of Portable Powered Tools," paragraphs (a)(2), (i) and (ii).

8.6.5 Protection from fire or explosion hazards

8.6.5.1 To prevent fire or explosion:

a. Never use electrically powered tools near flammable or combustible materials or in explosive atmospheres unless they are approved by the NFPA 70, "National Electric Code," for the atmosphere where the tools are to be used.

| JSC Safety and Health Requirements | JPR No. | 1700.1L |
|------------------------------------|------------------|-----------------|
| | Effective Date: | 12/20/2018 |
| | Expiration Date: | 12/20/2023 |
| | Page Number | Page 8.6-2 of 3 |

b. Use only non-sparking hand tools when working in hazardous locations, as found in NFPA 70, Article 500.

8.6.6 Safely using cords, hoses, and cables and preventing electrical shock

- 8.6.6.1 To protect cords, hoses, and cables and prevent electrical shock, power tool users shall:
- a. Place cords, hoses, and power supply cables for portable power tools overhead or in floor trenches, or cover them to reduce trip hazards and to protect the cables.
- b. Use only portable electric tools equipped with a ground wire, as required by NFPA 70, Article 250.114, "Equipment Connected by Cord and Plug." Meet this requirement with the correct cords and plugs. The only exception to this requirement isUL-listed double-insulated power tools with a double wire system.
- c. Use only cords, portable electric tools, and work lights that:
 - (1) Meet NFPA 70, Article 400, "Flexible Cords and Cables."
 - (2) Are UL-listed.
- d. Never raise or lower power tools by their electric cords.
- e. Use a heavy-duty plug with a strain relief device when replacing a plug on cords, cables, or equipment.
- f. Use GFCIs to protect personnel from electric shock while using electric power tools.

8.6.7 Inspecting power tools

- 8.6.7.1 Organizations using power tools shall develop a written process to ensure the power tools are inspected before each use that:
- a. Includes provisions to tag damaged or unsafe tools with JSC Form 1243, "Out of Service," for repair or disposal.
- b. Provides for inspections covering the following and any specific items in the manufacturer's instructions:
 - (1) Check the general condition of the tool for any obvious defects or lack of maintenance.
 - (2) Make sure the grounding prong is intact, the cord is intact, the strain relief is intact, and the outer insulation of the cord is free of damage.
 - (3) Check grounds to ensure continuity.
 - (4) Make sure guards are in place and working.
 - (5) Make sure any accessories to the tool are in good working order.

8.6.8 Transporting hand tools

- 8.6.8.1 Employees transporting hand tools shall:
- a. Never attempt to carry tools or materials in hands while climbing a ladder.
- b. Use a hand line when needing to lift or lower tools or material to another level.

| JSC Safety and Health Requirements | JPR No. | 1700.1L |
|------------------------------------|------------------|-----------------|
| | Effective Date: | 12/20/2018 |
| | Expiration Date: | 12/20/2023 |
| | Page Number | Page 8.6-3 of 3 |

c. Manage the transportation of tools between levels, ensuring they are secured, to keep from injuring other employees.

8.6.9 Using insulated hand tools

- 8.6.9.1 Employees shall use only properly insulated or UL-approved nonconductive tools when working on or near live electrical parts. This restriction applies to tools such as the following:
- a. Fuse pullers.
- b. Screwdrivers.
- c. Pliers (all types).
- d. Wire-cutting devices.
- e. Wire strippers.
- f. Connector and lug crimping tools.

Note: Working on or near energized circuits requires special training and authorization. See Chapter 8.1.

8.6.10 When to stop using striking hand tools

8.6.10.1 Employees shall:

- Never use hammer-struck or striking tools that are cracked, chipped, spalled, or "mushroomed."
- b. Immediately remove these tools (e.g., punches, chisels, metal stencils, stone drills, or hammers) from service and replace them.
- c. Only use hammers designed for use with striking tools. Don't use carpenter hammers in the place of striking hammers.
- d. Remove hammers and other tools from service if they have wood or fiberglass handles that are split, cracked, loose, or defective in any way.

8.6.11 Other standards to follow

- 8.6.11.1 In addition to the requirements of this section, users shall follow hand and portable powered tools and equipment requirements in the following OSHA standards as they apply:
- a. 29 CFR 1910.241, "Definitions"
- b. 29 CFR 1910.242, "Hand and Portable Powered Tools and Equipment, General"
- c. 29 CFR 1910.243, "Guarding of Portable Powered Tools"
- d. 29 CFR 1910.244, "Other Portable Tools and Equipment"
- e. 29 CFR 1926.300-307 (for construction)