

Page 1

X-axis	-32.0002	-32.0000	-0.0040	+0.0040	-0.0002	---*---
Y-axis	5.3625	5.3625	-0.0040	+0.0040	0.0000	---*---
Z-axis	0.1297	0.1266	-0.0040	+0.0040	0.0031	---+*-

(in)	ACTUAL	NOMINAL	LO-TOL	HI-TOL	DEVIATION	GRAPHIC	ERROR

* Point:PNT014							
X-axis	-5.9999	-6.0000	-0.0040	+0.0040	0.0001	---*---	
Y-axis	7.1500	7.1500	-0.0040	+0.0040	0.0000	---*---	
Z-axis	0.0561	0.0558	-0.0040	+0.0040	0.0003	---*---	

Point:PNT015							
X-axis	-14.0009	-14.0000	-0.0040	+0.0040	-0.0009	--*+---	
Y-axis	7.1502	7.1500	-0.0040	+0.0040	0.0002	---*---	
Z-axis	1.4347	1.4377	-0.0040	+0.0040	-0.0030	-*-+---	

Point:PNT016							
X-axis	-17.9994	-18.0000	-0.0040	+0.0040	0.0006	---*---	
Y-axis	7.1497	7.1500	-0.0040	+0.0040	-0.0003	---*---	
Z-axis	2.7460	2.7435	-0.0040	+0.0040	0.0025	---+*-	

Point:PNT017							
X-axis	-20.0000	-20.0000	-0.0040	+0.0040	0.0000	---*---	
Y-axis	7.1499	7.1500	-0.0040	+0.0040	-0.0001	---*---	
Z-axis	2.9784	2.9778	-0.0040	+0.0040	0.0006	---*---	

Point:PNT018							
X-axis	-22.0004	-22.0000	-0.0040	+0.0040	-0.0004	---*---	
Y-axis	7.1498	7.1500	-0.0040	+0.0040	-0.0002	---*---	
Z-axis	2.7465	2.7453	-0.0040	+0.0040	0.0012	---+*-	

Point:PNT019							
X-axis	-26.0001	-26.0000	-0.0040	+0.0040	-0.0001	---*---	
Y-axis	7.1500	7.1500	-0.0040	+0.0040	0.0000	---*---	
Z-axis	1.4356	1.4357	-0.0040	+0.0040	-0.0001	---*---	

Point:PNT020							
X-axis	-32.0002	-32.0000	-0.0040	+0.0040	-0.0002	---*---	
Y-axis	7.1500	7.1500	-0.0040	+0.0040	0.0000	---*---	
Z-axis	0.1626	0.1602	-0.0040	+0.0040	0.0024	---+*-	

* Point:PNT021							
X-axis	-5.9999	-6.0000	-0.0040	+0.0040	0.0001	---*---	
Y-axis	10.7251	10.7250	-0.0040	+0.0040	0.0001	---*---	
Z-axis	0.0574	0.0573	-0.0040	+0.0040	0.0001	---*---	

Point:PNT022							
X-axis	-14.0029	-14.0000	-0.0040	+0.0040	-0.0029	-*-+---	
Y-axis	10.7251	10.7250	-0.0040	+0.0040	0.0001	---*---	
Z-axis	1.4744	1.4819	-0.0040	+0.0040	-0.0075	<--+---	-0.0035

Point:PNT023							
X-axis	-18.0003	-18.0000	-0.0040	+0.0040	-0.0003	---*---	
Y-axis	10.7250	10.7250	-0.0040	+0.0040	0.0000	---*---	
Z-axis	2.8208	2.8224	-0.0040	+0.0040	-0.0016	--*+---	

Point:PNT024							
=====							

(in)	ACTUAL	NOMINAL	LO-TOL	HI-TOL	DEVIATION	GRAPHIC	ERROR
X-axis	-19.9999	-20.0000	-0.0040	+0.0040	0.0001	---*---	
Y-axis	10.7251	10.7250	-0.0040	+0.0040	0.0001	---*---	
Z-axis	3.0585	3.0600	-0.0040	+0.0040	-0.0015	--*+---	
Point:PNT025							
X-axis	-22.0001	-22.0000	-0.0040	+0.0040	-0.0001	---*---	
Y-axis	10.7250	10.7250	-0.0040	+0.0040	0.0000	---*---	
Z-axis	2.8211	2.8200	-0.0040	+0.0040	0.0011	---+*--	
Point:PNT026							
X-axis	-25.9990	-26.0000	-0.0040	+0.0040	0.0010	---+*--	
Y-axis	10.7250	10.7250	-0.0040	+0.0040	0.0000	---*---	
Z-axis	1.4750	1.4772	-0.0040	+0.0040	-0.0022	-*-+---	
Point:PNT027							
X-axis	-32.0004	-32.0000	-0.0040	+0.0040	-0.0004	---*---	
Y-axis	10.7251	10.7250	-0.0040	+0.0040	0.0001	---*---	
Z-axis	0.1676	0.1632	-0.0040	+0.0040	0.0044	---+-->	0.0004
*							
Point:PNT028							
X-axis	-5.9999	-6.0000	-0.0040	+0.0040	0.0001	---*---	
Y-axis	14.3001	14.3000	-0.0040	+0.0040	0.0001	---*---	
Z-axis	0.0571	0.0571	-0.0040	+0.0040	0.0000	---*---	
Point:PNT029							
X-axis	-14.0053	-14.0000	-0.0040	+0.0040	-0.0053	<--+---	-0.0013
Y-axis	14.3001	14.3000	-0.0040	+0.0040	0.0001	---*---	
Z-axis	1.4748	1.4895	-0.0040	+0.0040	-0.0147	<--+---	-0.0107
Point:PNT030							
X-axis	-18.0013	-18.0000	-0.0040	+0.0040	-0.0013	--*+---	
Y-axis	14.3001	14.3000	-0.0040	+0.0040	0.0001	---*---	
Z-axis	2.8207	2.8258	-0.0040	+0.0040	-0.0051	<--+---	-0.0011
Point:PNT031							
X-axis	-20.0000	-20.0000	-0.0040	+0.0040	0.0000	---*---	
Y-axis	14.3001	14.3000	-0.0040	+0.0040	0.0001	---*---	
Z-axis	3.0582	3.0600	-0.0040	+0.0040	-0.0018	--*+---	
Point:PNT032							
X-axis	-22.0006	-22.0000	-0.0040	+0.0040	-0.0006	---*---	
Y-axis	14.3000	14.3000	-0.0040	+0.0040	0.0000	---*---	
Z-axis	2.8207	2.8174	-0.0040	+0.0040	0.0033	---+*-	
Point:PNT033							
X-axis	-26.0050	-26.0000	-0.0040	+0.0040	-0.0050	<--+---	-0.0010
Y-axis	14.3000	14.3000	-0.0040	+0.0040	0.0000	---*---	
Z-axis	1.4727	1.4578	-0.0040	+0.0040	0.0149	---+-->	0.0109
Point:PNT034							
X-axis	-31.9999	-32.0000	-0.0040	+0.0040	0.0001	---*---	
Y-axis	14.3001	14.3000	-0.0040	+0.0040	0.0001	---*---	

(in)	ACTUAL	NOMINAL	LO-TOL	HI-TOL	DEVIATION	GRAPHIC	ERROR
Z-axis	0.1676	0.1685	-0.0040	+0.0040	-0.0009	--*+---	
Point:PNT035							
X-axis	-6.0000	-6.0000	-0.0040	+0.0040	0.0000	---*---	
Y-axis	17.8751	17.8750	-0.0040	+0.0040	0.0001	---*---	
Z-axis	0.0565	0.0595	-0.0040	+0.0040	-0.0030	-*-+---	
Point:PNT036							
X-axis	-14.0005	-14.0000	-0.0040	+0.0040	-0.0005	---*---	
Y-axis	17.8751	17.8750	-0.0040	+0.0040	0.0001	---*---	
Z-axis	1.4722	1.4735	-0.0040	+0.0040	-0.0013	--*+---	
Point:PNT037							
X-axis	-18.0012	-18.0000	-0.0040	+0.0040	-0.0012	--*+---	
Y-axis	17.8751	17.8750	-0.0040	+0.0040	0.0001	---*---	
Z-axis	2.8200	2.8257	-0.0040	+0.0040	-0.0057	<--+---	-0.0017
Point:PNT038							
X-axis	-20.0000	-20.0000	-0.0040	+0.0040	0.0000	---*---	
Y-axis	17.8752	17.8750	-0.0040	+0.0040	0.0002	---*---	
Z-axis	3.0576	3.0600	-0.0040	+0.0040	-0.0024	-*-+---	
Point:PNT039							
X-axis	-22.0015	-22.0000	-0.0040	+0.0040	-0.0015	--*+---	
Y-axis	17.8750	17.8750	-0.0040	+0.0040	0.0000	---*---	
Z-axis	2.8197	2.8136	-0.0040	+0.0040	0.0061	---+-->	0.0021
Point:PNT040							
X-axis	-26.0000	-26.0000	-0.0040	+0.0040	0.0000	---*---	
Y-axis	17.8750	17.8750	-0.0040	+0.0040	0.0000	---*---	
Z-axis	1.4742	1.4744	-0.0040	+0.0040	-0.0002	---*---	
Point:PNT041							
X-axis	-32.0002	-32.0000	-0.0040	+0.0040	-0.0002	---*---	
Y-axis	17.8750	17.8750	-0.0040	+0.0040	0.0000	---*---	
Z-axis	0.1672	0.1643	-0.0040	+0.0040	0.0029	---+*-	
*							
Point:PNT042							
X-axis	-5.9999	-6.0000	-0.0040	+0.0040	0.0001	---*---	
Y-axis	21.4500	21.4500	-0.0040	+0.0040	0.0000	---*---	
Z-axis	0.0582	0.0566	-0.0040	+0.0040	0.0016	---+*-	
Point:PNT043							
X-axis	-14.0017	-14.0000	-0.0040	+0.0040	-0.0017	--*+---	
Y-axis	21.4501	21.4500	-0.0040	+0.0040	0.0001	---*---	
Z-axis	1.4746	1.4790	-0.0040	+0.0040	-0.0044	<--+---	-0.0004
Point:PNT044							
X-axis	-18.0006	-18.0000	-0.0040	+0.0040	-0.0006	---*---	
Y-axis	21.4500	21.4500	-0.0040	+0.0040	0.0000	---*---	
Z-axis	2.8204	2.8230	-0.0040	+0.0040	-0.0026	-*-+---	

=====

(in)	ACTUAL	NOMINAL	LO-TOL	HI-TOL	DEVIATION	GRAPHIC	ERROR
Point:PNT045							
X-axis	-20.0000	-20.0000	-0.0040	+0.0040	0.0000	---*---	
Y-axis	21.4500	21.4500	-0.0040	+0.0040	0.0000	---*---	
Z-axis	3.0583	3.0600	-0.0040	+0.0040	-0.0017	--*+---	
Point:PNT046							
X-axis	-22.0018	-22.0000	-0.0040	+0.0040	-0.0018	--*+---	
Y-axis	21.4500	21.4500	-0.0040	+0.0040	0.0000	---*---	
Z-axis	2.8205	2.8116	-0.0040	+0.0040	0.0089	---+-->	0.0049
Point:PNT047							
X-axis	-25.9997	-26.0000	-0.0040	+0.0040	0.0003	---*---	
Y-axis	21.4500	21.4500	-0.0040	+0.0040	0.0000	---*---	
Z-axis	1.4751	1.4762	-0.0040	+0.0040	-0.0011	--*+---	
Point:PNT048							
X-axis	-32.0004	-32.0000	-0.0040	+0.0040	-0.0004	---*---	
Y-axis	21.4500	21.4500	-0.0040	+0.0040	0.0000	---*---	
Z-axis	0.1672	0.1617	-0.0040	+0.0040	0.0055	---+-->	0.0015
*							
Point:PNT049							
X-axis	-5.9999	-6.0000	-0.0040	+0.0040	0.0001	---*---	
Y-axis	25.0251	25.0250	-0.0040	+0.0040	0.0001	---*---	
Z-axis	0.0583	0.0561	-0.0040	+0.0040	0.0022	---+*-	
Point:PNT050							
X-axis	-14.0041	-14.0000	-0.0040	+0.0040	-0.0041	<--+---	-0.0001
Y-axis	25.0251	25.0250	-0.0040	+0.0040	0.0001	---*---	
Z-axis	1.4756	1.4868	-0.0040	+0.0040	-0.0112	<--+---	-0.0072
Point:PNT051							
X-axis	-18.0020	-18.0000	-0.0040	+0.0040	-0.0020	-*+---	
Y-axis	25.0250	25.0250	-0.0040	+0.0040	0.0000	---*---	
Z-axis	2.8208	2.8297	-0.0040	+0.0040	-0.0089	<--+---	-0.0049
Point:PNT052							
X-axis	-19.9999	-20.0000	-0.0040	+0.0040	0.0001	---*---	
Y-axis	25.0251	25.0250	-0.0040	+0.0040	0.0001	---*---	
Z-axis	3.0583	3.0600	-0.0040	+0.0040	-0.0017	--*+---	
Point:PNT053							
X-axis	-22.0006	-22.0000	-0.0040	+0.0040	-0.0006	---*---	
Y-axis	25.0251	25.0250	-0.0040	+0.0040	0.0001	---*---	
Z-axis	2.8209	2.8184	-0.0040	+0.0040	0.0025	---+*-	
Point:PNT054							
X-axis	-26.0014	-26.0000	-0.0040	+0.0040	-0.0014	--*+---	
Y-axis	25.0250	25.0250	-0.0040	+0.0040	0.0000	---*---	
Z-axis	1.4744	1.4699	-0.0040	+0.0040	0.0045	---+-->	0.0005
Point:PNT055							
X-axis	-32.0001	-32.0000	-0.0040	+0.0040	-0.0001	---*---	

(in)	ACTUAL	NOMINAL	LO-TOL	HI-TOL	DEVIATION	GRAPHIC	ERROR
Y-axis	25.0250	25.0250	-0.0040	+0.0040	0.0000	---*---	
Z-axis	0.1668	0.1652	-0.0040	+0.0040	0.0016	---+*---	

*

Point:PNT056

X-axis	-6.0000	-6.0000	-0.0040	+0.0040	0.0000	---*---
Y-axis	28.6001	28.6000	-0.0040	+0.0040	0.0001	---*---
Z-axis	0.0562	0.0557	-0.0040	+0.0040	0.0005	---*---

Point:PNT057

X-axis	-14.0014	-14.0000	-0.0040	+0.0040	-0.0014	--*+---	
Y-axis	28.5999	28.6000	-0.0040	+0.0040	-0.0001	---*---	
Z-axis	1.4349	1.4391	-0.0040	+0.0040	-0.0042	<--+---	-0.0002

Point:PNT058

X-axis	-18.0016	-18.0000	-0.0040	+0.0040	-0.0016	--*+---	
Y-axis	28.5993	28.6000	-0.0040	+0.0040	-0.0007	--*+---	
Z-axis	2.7459	2.7535	-0.0040	+0.0040	-0.0076	<--+---	-0.0036

Point:PNT059

X-axis	-19.9999	-20.0000	-0.0040	+0.0040	0.0001	---*---
Y-axis	28.5998	28.6000	-0.0040	+0.0040	-0.0002	---*---
Z-axis	2.9775	2.9794	-0.0040	+0.0040	-0.0019	--*+---

Point:PNT060

X-axis	-21.9998	-22.0000	-0.0040	+0.0040	0.0002	---*---
Y-axis	28.6000	28.6000	-0.0040	+0.0040	0.0000	---*---
Z-axis	2.7458	2.7464	-0.0040	+0.0040	-0.0006	---*---

Point:PNT061

X-axis	-25.9998	-26.0000	-0.0040	+0.0040	0.0002	---*---
Y-axis	28.6000	28.6000	-0.0040	+0.0040	0.0000	---*---
Z-axis	1.4347	1.4356	-0.0040	+0.0040	-0.0009	--*+---

Point:PNT062

X-axis	-32.0000	-32.0000	-0.0040	+0.0040	0.0000	---*---
Y-axis	28.6000	28.6000	-0.0040	+0.0040	0.0000	---*---
Z-axis	0.1611	0.1601	-0.0040	+0.0040	0.0010	---+*---

*

Point:PNT063

X-axis	-5.9998	-6.0000	-0.0040	+0.0040	0.0002	---*---
Y-axis	33.9627	33.9625	-0.0040	+0.0040	0.0002	---*---
Z-axis	0.0027	0.0033	-0.0040	+0.0040	-0.0006	---*---

Point:PNT064

X-axis	-14.0000	-14.0000	-0.0040	+0.0040	0.0000	---*---
Y-axis	33.9622	33.9625	-0.0040	+0.0040	-0.0003	---*---
Z-axis	0.0834	0.0860	-0.0040	+0.0040	-0.0026	-*+---

Point:PNT065

X-axis	-18.0001	-18.0000	-0.0040	+0.0040	-0.0001	---*---
--------	----------	----------	---------	---------	---------	---------

(in)	ACTUAL	NOMINAL	LO-TOL	HI-TOL	DEVIATION	GRAPHIC	ERROR
Y-axis	33.9606	33.9625	-0.0040	+0.0040	-0.0019	--*+---	
Z-axis	0.1609	0.1696	-0.0040	+0.0040	-0.0087	<--+---	-0.0047

Point:PNT066

X-axis	-20.0000	-20.0000	-0.0040	+0.0040	0.0000	---*---
Y-axis	33.9616	33.9625	-0.0040	+0.0040	-0.0009	--*+---
Z-axis	0.1743	0.1778	-0.0040	+0.0040	-0.0035	*--+---

Point:PNT067

X-axis	-22.0001	-22.0000	-0.0040	+0.0040	-0.0001	---*---
Y-axis	33.9639	33.9625	-0.0040	+0.0040	0.0014	---+*--
Z-axis	0.1600	0.1535	-0.0040	+0.0040	0.0065	---+-->

Point:PNT068

X-axis	-25.9999	-26.0000	-0.0040	+0.0040	0.0001	---*---
Y-axis	33.9621	33.9625	-0.0040	+0.0040	-0.0004	---*---
Z-axis	0.0831	0.0861	-0.0040	+0.0040	-0.0030	-*-+---

Point:PNT069

X-axis	-32.0000	-32.0000	-0.0040	+0.0040	0.0000	---*---
Y-axis	33.9625	33.9625	-0.0040	+0.0040	0.0000	---*---
Z-axis	0.0075	0.0096	-0.0040	+0.0040	-0.0021	-*-+---

*

*

OVERALL LENGTH

=====

Point:PNT070

X-axis	-40.0011	-40.0000	-0.0040	+0.0040	-0.0011	--*+---
--------	----------	----------	---------	---------	---------	---------

Point:PNT071

X-axis	-40.0012	-40.0000	-0.0040	+0.0040	-0.0012	--*+---
--------	----------	----------	---------	---------	---------	---------

Point:PNT072

X-axis	-40.0008	-40.0000	-0.0040	+0.0040	-0.0008	--*+---
--------	----------	----------	---------	---------	---------	---------

*

*

OVERALL WIDTH

=====

Point:PNT073

Y-axis	35.7530	35.7500	-0.0040	+0.0040	0.0030	---+*-
--------	---------	---------	---------	---------	--------	--------

Point:PNT074

Y-axis	35.7512	35.7500	-0.0040	+0.0040	0.0012	---+*--
--------	---------	---------	---------	---------	--------	---------

Point:PNT075

Y-axis	35.7524	35.7500	-0.0040	+0.0040	0.0024	---+*-
--------	---------	---------	---------	---------	--------	--------

*

*