

Page 1

X-axis	11.6221	11.6215	-0.0040	+0.0040	0.0006	---*---
Y-axis	3.5876	3.5875	-0.0040	+0.0040	0.0001	---*---

(in)	ACTUAL	NOMINAL	LO-TOL	HI-TOL	DEVIATION	GRAPHIC	ERROR
Z-axis	-0.0509	-0.0542	-0.0040	+0.0040	0.0033	---+*-	
Point:PNT014							
X-axis	11.7239	11.7231	-0.0040	+0.0040	0.0008	---+*--	
Y-axis	3.5875	3.5875	-0.0040	+0.0040	0.0000	---*---	
Z-axis	-0.0742	-0.0773	-0.0040	+0.0040	0.0031	---+*-	
Point:PNT015							
X-axis	11.8235	11.8226	-0.0040	+0.0040	0.0009	---+*--	
Y-axis	3.5876	3.5875	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.1054	-0.1078	-0.0040	+0.0040	0.0024	---+*-	
Point:PNT016							
X-axis	11.9184	11.9174	-0.0040	+0.0040	0.0010	---+*--	
Y-axis	3.5875	3.5875	-0.0040	+0.0040	0.0000	---*---	
Z-axis	-0.1488	-0.1505	-0.0040	+0.0040	0.0017	---+*--	
Point:PNT017							
X-axis	11.9941	11.9929	-0.0040	+0.0040	0.0012	---+*--	
Y-axis	3.5875	3.5875	-0.0040	+0.0040	0.0000	---*---	
Z-axis	-0.2196	-0.2202	-0.0040	+0.0040	0.0006	---*---	
(AT 35% LINE)							
Point:PNT018							
X-axis	11.0001	11.0000	-0.0040	+0.0040	0.0001	---*---	
Y-axis	12.5564	12.5563	-0.0040	+0.0040	0.0001	---*---	
Z-axis	0.0005	0.0000	-0.0040	+0.0040	0.0005	---*---	
Point:PNT019							
X-axis	11.1058	11.1057	-0.0040	+0.0040	0.0001	---*---	
Y-axis	12.5562	12.5563	-0.0040	+0.0040	-0.0001	---*---	
Z-axis	0.0003	-0.0014	-0.0040	+0.0040	0.0017	---+*--	
Point:PNT020							
X-axis	11.2114	11.2112	-0.0040	+0.0040	0.0002	---*---	
Y-axis	12.5562	12.5563	-0.0040	+0.0040	-0.0001	---*---	
Z-axis	-0.0024	-0.0056	-0.0040	+0.0040	0.0032	---+*-	
Point:PNT021							
X-axis	11.3169	11.3166	-0.0040	+0.0040	0.0003	---*---	
Y-axis	12.5564	12.5563	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.0093	-0.0129	-0.0040	+0.0040	0.0036	---+--*	
Point:PNT022							
X-axis	11.4223	11.4218	-0.0040	+0.0040	0.0005	---*---	
Y-axis	12.5567	12.5563	-0.0040	+0.0040	0.0004	---*---	
Z-axis	-0.0195	-0.0233	-0.0040	+0.0040	0.0038	---+--*	
Point:PNT023							
X-axis	11.5272	11.5265	-0.0040	+0.0040	0.0007	---+*--	
Y-axis	12.5562	12.5563	-0.0040	+0.0040	-0.0001	---*---	
Z-axis	-0.0336	-0.0375	-0.0040	+0.0040	0.0039	---+--*	

(in)	ACTUAL	NOMINAL	LO-TOL	HI-TOL	DEVIATION	GRAPHIC	ERROR
Point:PNT024							
X-axis	11.6314	11.6305	-0.0040	+0.0040	0.0009	---+*--	
Y-axis	12.5566	12.5563	-0.0040	+0.0040	0.0003	---*---	
Z-axis	-0.0520	-0.0560	-0.0040	+0.0040	0.0040	---+--*	
Point:PNT025							
X-axis	11.7343	11.7334	-0.0040	+0.0040	0.0009	---+*--	
Y-axis	12.5562	12.5563	-0.0040	+0.0040	-0.0001	---*---	
Z-axis	-0.0764	-0.0800	-0.0040	+0.0040	0.0036	---+--*	
Point:PNT026							
X-axis	11.8354	11.8340	-0.0040	+0.0040	0.0014	---+*--	
Y-axis	12.5565	12.5563	-0.0040	+0.0040	0.0002	---*---	
Z-axis	-0.1092	-0.1121	-0.0040	+0.0040	0.0029	---+--*	
Point:PNT027							
X-axis	11.9305	11.9292	-0.0040	+0.0040	0.0013	---+*--	
Y-axis	12.5564	12.5563	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.1554	-0.1576	-0.0040	+0.0040	0.0022	---+--*	
Point:PNT028							
X-axis	11.9991	11.9981	-0.0040	+0.0040	0.0010	---+*--	
Y-axis	12.5564	12.5563	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.2343	-0.2345	-0.0040	+0.0040	0.0002	---*---	
(AT 50% LINE)							
Point:PNT029							
X-axis	11.0001	11.0000	-0.0040	+0.0040	0.0001	---*---	
Y-axis	17.9377	17.9375	-0.0040	+0.0040	0.0002	---*---	
Z-axis	0.0009	0.0000	-0.0040	+0.0040	0.0009	---+*--	
Point:PNT030							
X-axis	11.1078	11.1077	-0.0040	+0.0040	0.0001	---*---	
Y-axis	17.9377	17.9375	-0.0040	+0.0040	0.0002	---*---	
Z-axis	0.0005	-0.0015	-0.0040	+0.0040	0.0020	---+*--	
Point:PNT031							
X-axis	11.2156	11.2153	-0.0040	+0.0040	0.0003	---*---	
Y-axis	17.9376	17.9375	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.0027	-0.0059	-0.0040	+0.0040	0.0032	---+--*	
Point:PNT032							
X-axis	11.3231	11.3228	-0.0040	+0.0040	0.0003	---*---	
Y-axis	17.9375	17.9375	-0.0040	+0.0040	0.0000	---*---	
Z-axis	-0.0100	-0.0134	-0.0040	+0.0040	0.0034	---+--*	
Point:PNT033							
X-axis	11.4370	11.4370	-0.0040	+0.0040	0.0000	---*---	
Y-axis	17.9332	17.9331	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.0216	-0.0197	-0.0040	+0.0040	-0.0019	--*+---	

=====

(in)	ACTUAL	NOMINAL	LO-TOL	HI-TOL	DEVIATION	GRAPHIC	ERROR
Point:PNT034							
X-axis	11.5372	11.5366	-0.0040	+0.0040	0.0006	---*---	
Y-axis	17.9376	17.9375	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.0356	-0.0390	-0.0040	+0.0040	0.0034	---+--*	
Point:PNT035							
X-axis	11.6435	11.6426	-0.0040	+0.0040	0.0009	---+*--	
Y-axis	17.9375	17.9375	-0.0040	+0.0040	0.0000	---*---	
Z-axis	-0.0549	-0.0584	-0.0040	+0.0040	0.0035	---+--*	
Point:PNT036							
X-axis	11.7481	11.7472	-0.0040	+0.0040	0.0009	---+*--	
Y-axis	17.9377	17.9375	-0.0040	+0.0040	0.0002	---*---	
Z-axis	-0.0808	-0.0839	-0.0040	+0.0040	0.0031	---+--*	
Point:PNT037							
X-axis	11.8504	11.8493	-0.0040	+0.0040	0.0011	---+*--	
Y-axis	17.9376	17.9375	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.1156	-0.1180	-0.0040	+0.0040	0.0024	---+--*	
Point:PNT038							
X-axis	11.9460	11.9445	-0.0040	+0.0040	0.0015	---+*--	
Y-axis	17.9376	17.9375	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.1656	-0.1679	-0.0040	+0.0040	0.0023	---+--*	
Point:PNT039							
X-axis	11.9998	11.9998	-0.0040	+0.0040	0.0000	---*---	
Y-axis	17.9375	17.9375	-0.0040	+0.0040	0.0000	---*---	
Z-axis	-0.2550	-0.2549	-0.0040	+0.0040	-0.0001	---*---	
(AT 65% LINE)							
Point:PNT040							
X-axis	11.0001	11.0000	-0.0040	+0.0040	0.0001	---*---	
Y-axis	23.3188	23.3187	-0.0040	+0.0040	0.0001	---*---	
Z-axis	0.0005	0.0000	-0.0040	+0.0040	0.0005	---*---	
Point:PNT041							
X-axis	11.1055	11.1054	-0.0040	+0.0040	0.0001	---*---	
Y-axis	23.3187	23.3187	-0.0040	+0.0040	0.0000	---*---	
Z-axis	0.0002	-0.0014	-0.0040	+0.0040	0.0016	---+*--	
Point:PNT042							
X-axis	11.2110	11.2108	-0.0040	+0.0040	0.0002	---*---	
Y-axis	23.3188	23.3187	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.0025	-0.0056	-0.0040	+0.0040	0.0031	---+--*	
Point:PNT043							
X-axis	11.3163	11.3160	-0.0040	+0.0040	0.0003	---*---	
Y-axis	23.3188	23.3187	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.0093	-0.0128	-0.0040	+0.0040	0.0035	---+--*	
Point:PNT044							

=====

(in)	ACTUAL	NOMINAL	LO-TOL	HI-TOL	DEVIATION	GRAPHIC	ERROR
X-axis	11.4213	11.4209	-0.0040	+0.0040	0.0004	---*---	
Y-axis	23.3187	23.3187	-0.0040	+0.0040	0.0000	---*---	
Z-axis	-0.0196	-0.0232	-0.0040	+0.0040	0.0036	---+--*	
Point:PNT045							
X-axis	11.5260	11.5254	-0.0040	+0.0040	0.0006	---*---	
Y-axis	23.3188	23.3187	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.0338	-0.0373	-0.0040	+0.0040	0.0035	---+--*	
Point:PNT046							
X-axis	11.6300	11.6292	-0.0040	+0.0040	0.0008	---+*--	
Y-axis	23.3188	23.3187	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.0521	-0.0557	-0.0040	+0.0040	0.0036	---+--*	
Point:PNT047							
X-axis	11.7329	11.7318	-0.0040	+0.0040	0.0011	---+*--	
Y-axis	23.3188	23.3187	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.0763	-0.0796	-0.0040	+0.0040	0.0033	---+--*	
Point:PNT048							
X-axis	11.8335	11.8323	-0.0040	+0.0040	0.0012	---+*--	
Y-axis	23.3188	23.3187	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.1086	-0.1114	-0.0040	+0.0040	0.0028	---+--*	
Point:PNT049							
X-axis	11.9287	11.9274	-0.0040	+0.0040	0.0013	---+*--	
Y-axis	23.3187	23.3187	-0.0040	+0.0040	0.0000	---*---	
Z-axis	-0.1540	-0.1565	-0.0040	+0.0040	0.0025	---+--*	
Point:PNT050							
X-axis	11.9985	11.9975	-0.0040	+0.0040	0.0010	---+*--	
Y-axis	23.3188	23.3187	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.2321	-0.2323	-0.0040	+0.0040	0.0002	---*---	
(AT 90% LINE)							
Point:PNT051							
X-axis	11.0001	11.0000	-0.0040	+0.0040	0.0001	---*---	
Y-axis	32.2876	32.2875	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.0008	0.0000	-0.0040	+0.0040	-0.0008	--*+---	
Point:PNT052							
X-axis	11.1056	11.1055	-0.0040	+0.0040	0.0001	---*---	
Y-axis	32.2876	32.2875	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.0009	-0.0014	-0.0040	+0.0040	0.0005	---*---	
Point:PNT053							
X-axis	11.2111	11.2109	-0.0040	+0.0040	0.0002	---*---	
Y-axis	32.2876	32.2875	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.0031	-0.0056	-0.0040	+0.0040	0.0025	---+--*	
Point:PNT054							
X-axis	11.3165	11.3162	-0.0040	+0.0040	0.0003	---*---	

(in)	ACTUAL	NOMINAL	LO-TOL	HI-TOL	DEVIATION	GRAPHIC	ERROR
Y-axis	32.2876	32.2875	-0.0040	+0.0040	0.0001	---*---	
Z-axis	-0.0098	-0.0128	-0.0040	+0.0040	0.0030	---+*-	

Point:PNT055

X-axis	11.4217	11.4212	-0.0040	+0.0040	0.0005	---*---
Y-axis	32.2875	32.2875	-0.0040	+0.0040	0.0000	---*---
Z-axis	-0.0200	-0.0233	-0.0040	+0.0040	0.0033	---+*-

Point: PNT056

X-axis	11.5261	11.5257	-0.0040	+0.0040	0.0004	---*---
Y-axis	32.2875	32.2875	-0.0040	+0.0040	0.0000	---*---
Z-axis	-0.0341	-0.0373	-0.0040	+0.0040	0.0032	---+*-

Point:PNT057

X-axis	11.6303	11.6296	-0.0040	+0.0040	0.0007	---+*--
Y-axis	32.2876	32.2875	-0.0040	+0.0040	0.0001	---*---
Z-axis	-0.0525	-0.0558	-0.0040	+0.0040	0.0033	---+-*-

Point: PNT058

X-axis	11.7332	11.7323	-0.0040	+0.0040	0.0009	---+*--
Y-axis	32.2876	32.2875	-0.0040	+0.0040	0.0001	---*---
Z-axis	-0.0766	-0.0798	-0.0040	+0.0040	0.0032	---+ -*

Point: PNT059

X-axis	11.8339	11.8329	-0.0040	+0.0040	0.0010	---+*--
Y-axis	32.2875	32.2875	-0.0040	+0.0040	0.0000	---*---
Z-axis	-0.1091	-0.1116	-0.0040	+0.0040	0.0025	---+-*-

Point:PNT060

X-axis	11.9294	11.9280	-0.0040	+0.0040	0.0014	---+*--
Y-axis	32.2876	32.2875	-0.0040	+0.0040	0.0001	---*---
Z-axis	-0.1544	-0.1569	-0.0040	+0.0040	0.0025	---+-*-

Point:PNT061

X-axis	11.9986	11.9977	-0.0040	+0.0040	0.0009	---+*--
Y-axis	32.2876	32.2875	-0.0040	+0.0040	0.0001	---*---
Z-axis	-0.2328	-0.2330	-0.0040	+0.0040	0.0002	---*---

*
*

OVERALL WIDTH

=====

```
X-axis      12.0003    12.0000    -0.0040    +0.0040    0.0003    ---*---
```

Point:PNT067

X-axis	12.0002	12.0000	-0.0040	+0.0040	0.0002	---*---
--------	---------	---------	---------	---------	--------	---------

Point:PNT068

X-axis	12.0006	12.0000	-0.0040	+0.0040	0.0006	---*---
--------	---------	---------	---------	---------	--------	---------

*
*

OVERALL LENGTH

=====

Page 7

=====

```
Y-axis      35.7499    35.7500    -0.0040    +0.0040    -0.0001    ---*---
```

```
Y-axis      35.7497    35.7500    -0.0040    +0.0040    -0.0003    ---*---
```

```
Y-axis      35.7496    35.7500    -0.0040    +0.0040    -0.0004    ---*---
```

*

*

=====

Z-axis -0.5031 -0.5000 -0.0040 +0.0040 -0.0031 -*+---

*

*

End of Report